UNBUNDLE	D NETWORK ELEMENTS - North Carolina							-					Attachmer	nt: 2 Ex. B		
											Svc Order	Svc Order		Incremental	Incremental	Incrementa
											1	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	_	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				1
OATEOORT	IVALE ELEMENTO	m	20110	500	0000			πατι Εσ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
1					+	1	Nonre	curring	Nonrecurrin	g Disconnect	1	l	220	Rates (\$)		<u> </u>
					_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		-		+	-	FIISL	Auu i	FIISL	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Per Month			UNC3X	1L5XX	14.93										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			OINCOX	TLOXX	14.55						+				
	month			UNC3X	U1TF3	828.44										
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION			ONCON	01110	020.44						+				
010-1	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				_							+				+
	Per Month			UNCSX	1L5XX	7.06										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			ONCOX	TLOXX	7.00						+				+
	Termination per month			UNCSX	U1TFS	908.93										
4-WID	E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT	-	ONOOX	01110	300.33				+	 	1				1
-+- vv IK	4-wire 56 kbps Local Loop in combination - Zone 1	JI JKI		UNCDX	UDL56	29.12		1	 	+	1	 	 	 		
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	49.58		1	1	+	 	†	 			†
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	77.35		1	1	+	 	†	 			†
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		-	O140DX	ODLO0	11.33		1	 	+	1			 		
1	Per Mile per month			UNCDX	1L5XX	0.03				1						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	TLOXX	0.03						+				
	Facility Termination per month			UNCDX	U1TD5	20.01										
4-WID	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FEICE T	PANS		01103	20.01						+				
4-1111	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	TICLI		UNCDX	UDL64	29.12		1		1						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	49.58				+	 	1				1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	77.35						+				+
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	ONODA	ODL04	11.55						+				
	Per Mile per month			UNCDX	1L5XX	0.03										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		-	ONODA	TESTA	0.03				+	 	1				
	Facility Termination per month			UNCDX	U1TD6	20.01										
4-WID	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	FTRAN	SPORT		OTIDO	20.01						+				+
7-1111	4-wire 56 kbps Local Loop in combination - Zone 1	LINAN		UNCDX	UDL56	29.12						+				+
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	49.58				+	1	1				
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	77.35				+		1				1
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		Ŭ	ONOBA	02200	77.00				+	1	1				
	month			UNCDX	1L5XX	0.03										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			ONODA	120/01	0.00				+	1	1				
	Termination per month			UNCDX	U1TD5	20.01										
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	FTRAN	SPORT		050	20.01				+	1	1				
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	29.12				+	1					1
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	49.58										
	4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	77.35						i e				1
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		Ť		1	50		1	İ	1		1		İ		î .
	month			UNCDX	1L5XX	0.03										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility															1
	Termination per month			UNCDX	U1TD6	20.01										
DS1 D	IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT			Ì				1	1			1		ĺ		1
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	54.74		1	1			1		ĺ		1
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	97.01		1	1			1		ĺ		1
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	154.43										1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile					İ										
	per month			UNC1X	1L5XX	0.66			<u> </u>	<u>1</u>	<u></u>	<u></u>	<u> </u>	<u> </u>		<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	81.98				1		1				
DS3 D	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DRT				1										
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	15.33										
1	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	518.29				1						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	14.93										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	828.44			<u> </u>	1	L	<u></u>	<u> </u>		1	<u></u>
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	15.33	_									

UNRU	NDI FI	NETWORK ELEMENTS - North Carolina												Attachmer	nt: 2 Ex. B		
3.130		Carrier Horas Gardina				I	I					Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi	I_ I								Elec		Manual Svc		Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		STS-1 Local Loop in combination - Facility Termination per										1					
		month			UNCSX	UDLS1	533.90										
		Interoffice Transport - Dedicated - STS-1 combination - per mile			CITOCIT	0020.	000.00					1					
		per month			UNCSX	1L5XX	7.06										
					UNCOX	ILJAA	7.00					-					
		Interoffice Transport - Dedicated - STS-1 combination - Facility				==0											
L		Termination per month			UNCSX	U1TFS	908.93										
		ETWORK ELEMENTS				l											
		ised as a part of a currently combined facility, the non-recurr															
		ised as ordinarily combined network elements in All States, the					As Is Charge of	loes not.									
	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each comb	oination)											
	Option	al Features & Functions:															
					U1TD1.							1					
		Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		Cical Chairner Capability Extended Frame Option Per 201	<u> </u>		U1TD1,	COOL		0.00	0.00	0.00	0.00	<u> </u>					
		Class Channel Canadillity Course Francoasting and BC4			ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Super FrameOption - per DS1				CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00						
	MULTIF	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	168.69										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per										İ					
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.30										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	2.00					<u> </u>					
		month (2.4-64kbs) used for connection to a channelized DS1															
					LIATUD	40400	0.00										
<u> </u>		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.30										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	4.13										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	4.13										
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	1.46										
		Voice Grade COCI - DS1 to DS0 Channel System - per month										1					
1		used for connection to a channelized DS1 Local Channel in the										1	l				
1		same SWC as collocation			U1TUC	1D1VG	1.46					l	l				
-				\vdash	UNC3X		268.06					 					
<u> </u>		DS3 to DS1 Channel System per month		\vdash		MQ3						-	 				
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	268.06					ļ					
		DS1 COCI used with Loop per month			USL	UC1D1	18.48										
		DS1 COCI (used for connection to a channelized DS1 Local				1						l	l				
		Channel in the same SWC as collocation) per month		L	U1TUA	UC1D1	18.48								<u> </u>		
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	18.48		_								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per										1	i				
		month			ULDD1	UC1D1	18.48					l	l				

UNRI	INDI F	D NETWORK ELEMENTS - South Carolina												Attachmer	nt: 2 Ex. B		
ONDO	NULL		1	1		1	ı					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATE	ODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc			Manual Svc
CAIL	JONI	RATE ELEMENTS	m	20116	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			-	1	+		Nonred	rurring	Nonrecurring	Disconnect		l	OSS	Rates (\$)	l .	
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	1							11130	Auu i	11130	Addi	JOINEC	JONAN	JONAN	JOHAN	JONAN	JOHIAN
UNRU	NDI ED I	EXCHANGE ACCESS LOOP															
O.V.DO.		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP		1											†
		2 Wire Unbundled HDSL Loop including manual service inquiry	T														
		& facility reservation - Zone 1		1	UHL	UHL2X	11.02	129.52	79.24	50.37	7.93						
	1	2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	12.56	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	13.11	129.52	79.24	50.37	7.93						
	1	2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	11.02	104.49	66.50	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
	<u></u>	and facility reservation - Zone 2	<u></u>	2	UHL	UHL2W	12.56	104.49	66.50	50.37	7.93					<u> </u>	
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	13.11	104.49	66.50	50.37	7.93						
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4X	18.42	158.18	107.89	55.12	10.38						ļ
		4-Wire Unbundled HDSL Loop including manual service inquiry															
	ļ	and facility reservation - Zone 2		2	UHL	UHL4X	16.48	158.18	107.89	55.12	10.38						
		4-Wire Unbundled HDSL Loop including manual service inquiry		_													
		and facility reservation - Zone 3		3	UHL	UHL4X	19.37	158.18	107.89	55.12	10.38						
		4-Wire Unbundled HDSL Loop without manual service inquiry			l		40.40	100.11	05.40	55.40	40.00						
	-	and facility reservation - Zone 1		1	UHL	UHL4W	18.42	133.14	95.16	55.12	10.38						
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	40.40	133.14	05.40	55.12	10.38						
	1	4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL4VV	16.48	133.14	95.16	55.12	10.38						<u> </u>
		and facility reservation - Zone 3		3	UHL	UHL4W	19.37	133.14	95.16	55.12	10.38						
-	4-WIDE	E DS1 DIGITAL LOOP		3	OFIL	OI IL4VV	19.57	133.14	95.10	33.12	10.30				-		1
	7-441171	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	91.44	253.03	157.89	44.80	11.73						-
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	156.40	253.03	157.89	44.80	11.73						
		4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	263.52	253.03	157.89		11.73						
HIGH (CAPACI	Y UNBUNDLED LOCAL LOOP		Ť													
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	14.10										
	1	High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	352.31										
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	14.10										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	360.51										
UNBU		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	ļ	month			U1TD1	1L5XX	0.39										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	U1TF1	88.71										
-	1	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			וטווטו	UTIFT	88.71					-					
		month			U1TD3	1L5XX	9.22										
	1	Interoffice Channel - Dedicated Transport - DS3 - Facility		-	01103	ILJAA	5.22								-		1
1		Termination per month			U1TD3	U1TF3	1012.75						1		I		
	t	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	†		0.100	31113	1012.73			1		-	 		I		†
1		month			U1TS1	1L5XX	9.22						1		I		
	t	Interoffice Channel - Dedicated Transport - STS-1 - Facility	†				5.22			1		-	 		I		†
1		Termination			U1TS1	U1TFS	1012.63						1		I		
	1	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	17.63				1				<u> </u>		
	1	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	1		ULDVX	ULDR2	17.63				İ	İ			1	l	
		Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	19.02										
		Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	49.01										

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Submitted Elec Manually Manual Svc Per LSR Per LSR Order vs. Order vs. Order vs. Order vs. Order vs. Order vs. Order vs.	UNB	UNDLE	D NETWORK ELEMENTS - South Carolina												Attachmer	nt: 2 Ex. B		
RATE ELBERTS Binner Zone BGS USGG FATES (1) Fire And Fire Control													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ATECOPY BATE ELEMENTS BATE ELEMENT													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ACT Company				Intori									Elec					Manual Svc
Part	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Part Part																		Electronic-
Col. Descript Col. Col																Add'l	Disc 1st	Disc Add'l
March Print April Print April Print April SMAN SOMAN																		
Local Charteel: Debleted SER Jone 2								Rec										
Used Destret Declared CEI - Zees 3			1 10 1 2 2 2						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	+		<u> </u>							+							
Local Charmer Decircated 1003 Failiny Femaleses 1005 Local Charmer 1005 L	-	+		-	3						-		-	-				
Good Charter - Deviced - STS - Per Mit per routh	-	+		1									-	-		-		
	-	+		<u> </u>									1	1		1		
SEMANCE DITECTOR LINK (EEL.)	-	1		<u> </u>									-					
MOTE: The monthly recurring and fine Selection (Line Selecti	FNHA	NCED E		1		OLDO1, ONOOX	OLDI O	000.07					1	1				
MONET. The monthly recording and the Switch-Asia Charge and not the non-recording charges below will apply for UNE combinations provisioned as "Currenty, Combined Network Elements."				apply a	nd the	Switch-As-Is Charge	will not app	oly for UNE con	binations pro	visioned as ' (Ordinarily Com	pined' Network	Elements.					
2-WINE VOICE GRADE LOOP FOR USE IN A COMBINATION		1																
2-Win VC Long ESJ. in Combination - Zone 1	-			ne non-	recurrii	ng charges below w	ili apply for	UNE combinati	ons provisione	ed as Current	tiy Combined i	Network Eleme	nts.	-				
2-Wine Vicine (BL2) in Commission. Zone 2 2, DINOYX EP64.2 26.80	-	Z-WIKI		!	1	LINCVY	ΙΙΕΔΙ 2	10.10			1		-	-		 		-
2-Wine Vol Cook (SL2) in Combination - Zone 3 3 NoVCX UEVA 92.75	-	+		 							+		 		 	 	 	
Victor Grade COOF For Merch	-	+		 							 	 	H	H	l	t	 	
A-WINE VOICE GRADE LOOP FOR USE IN A COMBINATION	-	+		†	٦						+		-	-		 	 	
4-Wire Analog Voice Grade Loop in Combination - Zone 1	-	4-WIRI		1	H	J	.5170	0.04			1		 	 		I	 	
H-Wire Ansing Voice Gride Loop in Combination - Zene 2 2 UNCUX	-	7 *****		<u> </u>	1	UNCVX	UFAL4	37 48					-					
A-Wire Analogy Vision Grade Loop in Combination - Zone 3 3 UNCXX		+		1	2								1	1				
Voice Grade COCC in combination - per month UNCXX 101VG 0.64		1																
A-WINE 56 KRPS DIGITAL LOOP FOR USE IN A COMBINATION NCDCX UDL56 34.42		1		1														
4-Wive Selving Digital Carded Logo in Combination - Zone 2 2 INNDX UDLS6 39.05		4-WIRI																
4-Wire 56/05p Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 39.95			4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	34.42										
CCU-OP COCI (data) per month (2.4-64bs)			4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	39.09										
### CHAPS DIGITAL LOOP FOR USE IN A COMBINATION			4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX		39.95										
4-Wire 6405ps Digital Grade Loop in Combination - Zone 2						UNCDX	1D1DD	1.37										
4-Wire 64Kbpp Biglaid Grade Loop in Combination - Zone 3 3 UNCDX UDL64 39.96		4-WIRI																
4-Wire B4Ryps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 39.95					1													
COULDP COCI (data) - in combination - per month (2.4-64kbs)																		
2-Wire ISDN Loop in Combination - Zone 1		-			3													
2-Wire ISDN Loop in Combination - Zone 1		0.14/10/		ļ		UNCDX	1D1DD	1.37										
2-Wire ISDN Loop in Combination - Zone 2 2 UNCNX U112X 37.67		2-WIRI		ļ	4	LINIONIV	LIALOV	20.00										
2-Wire ISDN Loop in Combination - Zone 3 3 UNCNX U1/2X 43.36	-	+		<u> </u>	1						+							
2-wire ISDN COCI (BRITE) - in combination - per month	-	+		-	_						-		-	-				
## WINCE DS1 Digital Loop FOR USE IN A COMBINATION	-	+		<u> </u>	3						1		1	1		-		
4-Wire DS1 Digital Loop in Combination - Zone 1	-	4-WIRI		<u> </u>		ONONA	OCTOA	2.54					-					
4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X	-	7 *****		<u> </u>	1	UNC1X	USI XX	104 50					-					
4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 301.17		1		1	2									1				
DS1 COCI in combination per month UNC1X UC1D1 9.94 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per UNCVX 1L5XX 0.02 Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month UNCVX U1TV2 22.36 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per UNCVX 1L5XX 0.02 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per UNCVX 1L5XX 0.02 Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month UNCVX U1TV4 19.58 DS1 INTEROFFICE TRANSPORT FOR COMBINATION Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.31 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 70.97 DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC1X U1TF1 70.97 DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per Mile Interoffice Transport - Dedicated - DS3 - Facility Termination per Mile Interoffice Transport - Dedicated - DS3 - Facility Termination per Mile Interoffice Transport - Dedicated - DS3 - Facility Termination per Mile Interoffice Transport - Dedicated - DS3 - Facility Termination per Mile Interoffice Transport - Dedicated - DS3 - Facility Termination per Mile Interoffice Transport - Dedicated - DS3 - Facility Termination per Mile Interoffice Transport - Dedicated - DS3 - Facility Termination per Mile Interoffice Transport - Dedicated - DS3 - Facility Termination per Mile Interoffice Transport - Dedicated - DS3 - Facility Termina		1		1	_													
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		1		1							İ	l			l	1	İ	
Month UNCVX 1L5XX 0.02 Interoffice Transport - 2-wire VG - Dedicated - Facility UNCVX U1TV2 22.36 UNCVX U1TV2 22.36 UNCVX U1TV2 22.36 UNCVX U1TV2 22.36 UNCVX U1TV2 UNCVX U1TV2 UNCVX U1TV2 UNCVX U1TV2 UNCVX U1TV2 UNCVX U1TV2 UNCVX U1TV4 U1TV4 UNCVX U1TV4 U1TV4 UNCVX U1TV4 U1TV4 UNCVX U1TV4 U1		2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION													
Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month UNCVX U1TV4 19.58 DS1 INTEROFFICE TRANSPORT FOR COMBINATION Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.02 U1TV4 19.58 DS1 INTEROFFICE TRANSPORT FOR COMBINATION Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.31 UNC1X 1L5XX 0.31 Interoffice Transport - Dedicated - DS3 combination - Per Mile Interoffice Transport - Dedicated - DS3 combination - Per Mile UNC1X U1TF1 70.97 DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per																		
Termination per month 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month DISTRIPHINATION OF MILE						UNCVX	1L5XX	0.02		<u></u>								
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month UNCVX 1L5XX 0.02 Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month UNCVX U1TV4 19.58 DS1 INTEROFFICE TRANSPORT FOR COMBINATION Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.31 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 70.97 DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 7.38 Interoffice Transport - Dedicated - DS3 - Facility Termination per Mile UNC3X 1L5XX 7.38																		
Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month DS1 INTEROFFICE TRANSPORT FOR COMBINATION Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X UNC1X U1TV4 19.58 DS1 INTEROFFICE TRANSPORT FOR COMBINATION Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X UNC1X U1TF1 70.97 DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per		1				UNCVX	U1TV2	22.36										
Month UNCVX 1L5XX 0.02		4 WIRE		OMBINA	TION		ļ											
Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month DS1 INTEROFFICE TRANSPORT FOR COMBINATION Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 Total Termination per month UNC1X U1TF1 Total Termination per month UNC1X U1TF1 Total Termination per month UNC1X U1TF1 Total Total Termination per month UNC1X U1TF1 Total Tota	1		·													1		
Termination per month		1		!		UNCVX	1L5XX	0.02			ļ					ļ		
DS1 INTEROFFICE TRANSPORT FOR COMBINATION Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 70.97 DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 7.38 Interoffice Transport - Dedicated - DS3 - Facility Termination per		1		1		LINIONA										I		
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.31 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 70.97 DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 7.38 Interoffice Transport - Dedicated - DS3 - Facility Termination per	—	DC4 13		!	\vdash	UNCVX	U1 I V4	19.58			 	-			 	 	 	
per month UNC1X 1L5XX 0.31	—	NI Fed		 	$\vdash\vdash\vdash$		 				+	-	1	1	-	 	 	
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per		1		1		LINC1V	11.577	0.04								I		
Termination per month UNC1X U1TF1 70.97 DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 7.38 Interoffice Transport - Dedicated - DS3 - Facility Termination per	\vdash	+		!		UNUTA	ILOAX	0.31			1		-	-	-	 		-
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per UNC3X 1L5XX 7.38		1		1		LINC1Y	LI1TE1	70.07								I		
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 7.38 Interoffice Transport - Dedicated - DS3 - Facility Termination per	\vdash	DS3 IN		†		OI TO IA	01111	10.91			+		-	-		 	 	
Per Month UNC3X 1L5XX 7.38	-	233 11		†			†				+		-	-		 	 	
Interoffice Transport - Dedicated - DS3 - Facility Termination per	1	1		1		UNC3X	1L5XX	7 38								I		
		1		i e	\vdash						İ					1	İ	
		1		1		UNC3X	U1TF3	810.20								I		

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachmer	nt: 2 Ex. B		
CINDONDE	Oddin odromia				1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu	DISC 1St	DISC Add I
						Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
STS-1	I INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	7.38										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	810.11										
4-WIF	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	34.42										
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	39.09										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	39.95										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.02			1		ļ					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1	LINIODY	LIATOR	45.0						1				
4 14	Facility Termination per month		D 4110	UNCDX	U1TD5	15.42				ļ	-					
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1			LIDLG					ļ	-					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	34.42										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	39.09					1					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	39.95			-		-	-				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	1L5XX	0.02										
	Per Mile per month	-	-	UNCDX	ILSXX	0.02			-							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	15.42										
4 10/15	Facility Termination per month RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E EDAN	CDODI		UTID6	15.42			+		-					
4-9915	4-wire 56 kbps Local Loop in combination - Zone 1	LIKAN		UNCDX	UDL56	34.42			+	1	ł	-				
	4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	39.09					1					
 	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	39.95			+		<u> </u>		1	1		
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per		3	ONODA	ODESO	33.33			+		†					
	month			UNCDX	1L5XX	0.02										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			ONODA	120701	0.02					1					
	Termination per month			UNCDX	U1TD5	15.42										
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPORT						1		İ					
	4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	34.42					i e					
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	39.09					İ					
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	39.95										
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.02										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	15.42										
DS1 [DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	104.50										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	178.74										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	301.17										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.31				ļ						
	Interoffice Transport - Dedicated - DS1 combination - Facility				7											
	Termination per month			UNC1X	U1TF1	70.97										
DS3 I	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT		-	1			İ		Ì			İ	İ	İ	İ
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.10		l		1		1	İ	İ	l	l
											İ		1	1		
	DS3 Local Loop in combination - Facility Termination per month		1	UNC3X	UE3PX	352.31						1				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	7.38										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month		1	UNC3X	U1TF3	810.20						1				
STS-1	I DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	14.10										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	360.51										
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	7.38				I	<u> </u>		İ	İ	l	

UNBU	JNDLE	D NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Ex. B		
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	1							Nonrec	urring	Nonrecurring	Disconnect	†		oss	Rates (\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	810.11										
ADDIT	IONAL N	IETWORK ELEMENTS															
	When t	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a Sv	witch As Is c	harge does app	ly.				İ					
		used as ordinarily combined network elements in All States, th															
		curring Currently Combined Network Elements "Switch As Is"								İ		İ					
		al Features & Functions:	. 3-			1										,	
		Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Super FrameOption - per DS1	ı		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	- 1		ULDD1, U1TD1, UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78						
		C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3. UNC3X	NRCC3		219.58	7.69	0.737	0.00						
	MULTI	PLEXERS															
	i	DS1 to DS0 Channel System per month			UNC1X	MQ1	123.71										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.37										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.37										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	2.94										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.94										
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.64										
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.64										
		DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month		4	UNC3X UNCSX	MQ3 MQ3	165.62 165.62										
-	 	DS1 COCI used with Loop per month	-	+	USL	UC1D1	9.94			 		+					
-	 	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local		+	USL	UCTDT	9.94			 							
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	9.94			1							
-	1	DS1 COCI used with Interoffice Channel per month		+	U1TD1	UC1D1	9.94			+		 					
-	 	DS3 Interface Unit (DS1 COCI) used with Local Channel per	-	+ -	01101	COIDI	3.54			 							
		month			ULDD1	UC1D1	9.94										ı

UNBUNDI	LED NETWORK ELEMENTS - Tennessee		•										Attachmer	nt: 2 Ex. B		
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	D EXCHANGE ACCESS LOOP															
2-W	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry					40.45										
	& facility reservation - Zone 1	-	1	UHL	UHL2X	12.45	270.01	234.63	74.54	39.14		-	20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	16.27	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry			OFIL	UTILZX	10.27	270.01	234.03	74.54	35.14			20.33	10.34	13.32	13.32
	& facility reservation - Zone 3		3	UHL	UHL2X	21.28	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	Ť		1					-						1010
	and facility reservation - Zone 1	- 1	1	UHL	UHL2W	12.45	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry															
$oxed{oxed}$	and facility reservation - Zone 2	1	2	UHL	UHL2W	16.27	31.99	20.02	10.65	1.41	ļ		20.35	10.54	13.32	13.32
ı I	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	1	3	UHL	UHL2W	21.28	31.99	20.02	10.65	1.41	<u> </u>	1	20.35	10.54	13.32	13.32
4-WI	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP. 4 Wire Unbundled HDSL Loop including manual service inquiry	AIIBLE	LOOP		_						1					1
	and facility reservation - Zone 1		1	UHL	UHL4X	16.02	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry		-	OFFE	OTILAX	10.02	213.00	244.22	74.54	33.14			20.55	10.54	10.02	13.32
	and facility reservation - Zone 2		2	UHL	UHL4X	20.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry	1		0.12	011217	20.00	270.00		7 110 1	00.11	i e		20.00	10.01	10.02	10.02
	and facility reservation - Zone 3		3	UHL	UHL4X	27.37	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UHL	UHL4W	16.02	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	ı	2	UHL	UHL4W	20.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
ı l	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	Ι.	3	UHL	UHL4W	27.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
4-W	IRE DS1 DIGITAL LOOP	- '	3	UHL	UHL4VV	21.31	31.99	20.02	10.65	1.41	-	-	20.35	10.54	13.32	13.32
 	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	66.39	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	86.71	313.08	219.72	96.86	40.45	i e		18.98	8.43	11.95	
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	113.38	313.08	219.72	96.86	40.45	1		18.98	8.43	11.95	
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP	1														
i	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.57										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per	-		UE3	UE3PX	430.38						-				
	month			UDLSX	1L5ND	10.57										
	High Capacity Unbundled Local Loop - STS-1 - Facility	1		ODLOX	ILUIAD	10.37					1	-				†
ı I	Termination per month	1		UDLSX	UDLS1	447.75										1
	D DEDICATED TRANSPORT															
INTE	EROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month	ļ		U1TD1	1L5XX	0.41					ļ					1
ı I	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1		LIATEA	LIATE 4	20.51										1
+	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	+	-	U1TD1	U1TF1	89.54					 	1	-			1
1	month	1		U1TD3	1L5XX	2.69										1
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1		0.100	TEO//	2.09					l	<u> </u>	1	1		†
.	Termination per month			U1TD3	U1TF3	976.34										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1														1
	month			U1TS1	1L5XX	2.69										
, T	Interoffice Channel - Dedicated Transport - STS-1 - Facility												l			
<u></u> l	Termination	ļ		U1TS1	U1TFS	976.70				ļ	ļ			ļ		1
$\overline{}$	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	1	1 1	ULDVX, UNCVX	ULDV2	19.76			l	I	1	1	l	1	l	
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2	+		ULDVX, UNCVX	ULDV2	25.81					 					

JNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachmen	nt: 2 Ex. B		
			1			1					Svc Order	Svc Order		Incremental	Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1					1
AILGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
			-		+	<u> </u>	Nonrecurring	1	Monroourrin	g Disconnect	-	l .	000	Rates (\$)		
			-		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Level Channel Dedicated C Wise Vision Crade Day Det		-		+	_	FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 1			ULDVX	ULDR2	19.76										
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		1	ULDVX	ULDRZ	19.76				-						
				ULDVX	ULDR2	25.81										
	Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat			ULDVA	ULDRZ	25.01				-						
	Zone 3			ULDVX	ULDR2	33.74										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1				ULDV4	20.91				-						
				ULDVX, UNCVX ULDVX, UNCVX	ULDV4					-						
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2	-				27.30				1						
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			ULDVX, UNCVX	ULDV4	35.71				1						
\longrightarrow	Local Channel - Dedicated - DS1 - Zone 1	-		ULDD1, UNC1X	ULDF1	41.68		 	1	+	 	ļ		-		
	Local Channel - Dedicated - DS1 - Zone 2			ULDD1, UNC1X	ULDF1	54.43			1	+	.					1
$\!\!\!\!+\!\!\!\!-$	Local Channel - Dedicated - DS1 - Zone 3	—	3	ULDD1, UNC1X	ULDF1	71.17		-	1	+	1	ļ		-		-
	Local Channel - Dedicated - DS3 - Per Mile per month	ļ	-	ULDD3, UNC3X	1L5NC	8.22				+	<u> </u>					
	Local Channel - Dedicated - DS3 - Facility Termination		1	ULDD3, UNC3X	ULDF3	703.00				 	ļ					.
	Local Channel - Dedicated - STS-1- Per Mile per month		1	ULDS1, UNCSX	1L5NC	8.22				 	ļ					.
	Local Channel - Dedicated - STS-1 - Facility Termination		<u> </u>	ULDS1, UNCSX	ULDFS	689.53				1	ļ					ļ
	EXTENDED LINK (EELs) AND THEIR COMPONETS															
	: The monthly recurring and non-recurring charges below will															
	: The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ing charges below v	will apply for	UNE combination	ons provision	ed as ' Current	ly Combined'	Network Eleme	ents.					
2-WIR	RE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	19.04										
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	24.87										
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	32.52										
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.05										
4-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	28.40										
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	37.10										
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	48.51										
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.05		Î								
4-WIF	RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION							Î								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	35.76		Î								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	46.70										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	61.08										
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.05										
4-WIF	RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON															
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	35.76										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	46.70		İ	1	1						1
$\overline{}$	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	61.08		İ	İ	1	İ	i		İ		1
$\overline{}$	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.05		İ	İ	1	İ	i		İ		1
2-WIF	RE ISDN LOOP FOR USE IN COMBINATION				1			i	1	<u> </u>				 		t
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.55		†		t	t	1				t
-+	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	33.37		 		 	1	l				t
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	43.64			1	+	 	 				t
$\overline{}$	2-wire ISDN COCI (BRITE) - in combination - per month	 		UNCNX	UC1CA	3.73		1	1	+	 	 		 		1
4-18/16	RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION		 	014014/	JOIOA	5.73		 	1	+	 	l				
-4-AAIL	4-Wire DS1 Digital Loop in Combination - Zone 1	 	1	UNC1X	USLXX	66.39		1	ł	+	1			 		+
+-	4-Wire DS1 Digital Loop in Combination - Zone 1		2	UNC1X	USLXX	86.71		 	1	+	 	l				
$\overline{}$	4-Wire DS1 Digital Loop in Combination - Zone 2	 	3	UNC1X	USLXX	113.38		1	1	+	 	 		 		1
	DS1 COCI in combination per month	-	-	UNC1X	UC1D1	20.22			 	+	+	-				
2 1911	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	JM BIN 4	TION	014017	ועוסט	20.22		-	1	+	 	 		-		-
Z VVIR	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	JAII DINA	I	 	+	 			 	+	+	-				
1	Month			UNCVX	1L5XX	0.02				1		1				1
1	Interoffice Transport - 2-wire VG - Dedicated - Facility	I	+	OIACAV	ILOAA	0.02			1	+	1	-				
	finiteronice transport - z-wire vG - Dedicated - Facility	I	1			05.00				1						
	Tormination per month															
4 14/15	Termination per month	OM DIN'A	TION	UNCVX	U1TV2	25.06				-	-					
4 WIR	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO) OMBINA	TION	UNCVX	U11V2	25.06										
4 WIR	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	OMBINA	TION													
4 WIR	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION	UNCVX	1L5XX	0.02										

UNBUND	LED NETWORK ELEMENTS - Tennessee												Attachmer	nt: 2 Ex. B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											l ·	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
——							Name and a line		Namaanuuin	. Diacommont			220	Detec (t)		
						Rec	Nonrecurring	A -1 -111		g Disconnect	SOMEC	SOMAN		Rates (\$)	COMAN	SOMAN
Der	I INTEROFFICE TRANSPORT FOR COMBINATION				-		First	Add'l	First	Add'l	SOWIEC	SUMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.41										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	89.54										
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	92.89										
DS3	3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
\vdash	Per Month			UNC3X	1L5XX	2.69										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	U1TF3	983.22										
979	month S-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION		1	OINOOA	UIIFS	903.22	+		1					 		
313	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				_		+									
	Per Month			UNCSX	1L5XX	2.69						1				
	3/1 Channel System in combination per month	1		UNCSX	MQ3	256.43			1	ĺ	İ					
4-W	/IRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.76										
\vdash	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	46.70										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	61.08										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.02										
\vdash	Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDA	ILSAA	0.02										
	Facility Termination per month			UNCDX	U1TD5	24.37										
4-W	/IRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANSI		01150	2										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	35.76										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	46.70										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	61.08										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
\vdash	Per Mile per month			UNCDX	1L5XX	0.02										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	24.37										
4-W	/IRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	F TRAN	ISPORT		UTIDO	24.37										
T	4-wire 56 kbps Local Loop in combination - Zone 1	<u> </u>	1	UNCDX	UDL56	35.76										
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	46.70										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	61.08										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.02										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
4-W	Termination per month //IRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRAN	SPORT	UNCDX	U1TD5	24.37			1							
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	35.76	+							1		1
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	46.70	1									
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	61.08										
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per							-								
\vdash	month	ļ	<u> </u>	UNCDX	1L5XX	0.02			1							
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			LINCDY	LIATEC	04.07						1				
De/	Termination per month 1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	-	-	UNCDX	U1TD6	24.37	+		1			-		-		-
1001	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	66.39	+		1	 				 		
\vdash	4-Wire DS1 Digital Loop in Combination - Zone 1	t		UNC1X	USLXX	86.71	+				1			1		1
	4-Wire DS1 Digital Loop in Combination - Zone 3	1		UNC1X	USLXX	113.38	İ		1	ĺ	İ			ĺ		ĺ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
$\sqcup \bot$	per month			UNC1X	1L5XX	0.41										
	Interoffice Transport - Dedicated - DS1 combination - Facility				=.											
D2/	Termination per month	DDT.	-	UNC1X	U1TF1	89.54			1	ļ						
DS3	3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month	ואכ	 	UNC3X	1L5ND	10.57	+			-	-	-				
\vdash	poo zoca: zoop in combination - per mile per month			01400/	ILUIAD	10.37	+		+							
		1	1	UNC3X	UE3PX	429.49			1	I	l	l	1	I		1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachme	nt: 2 Ex. B		-
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69										
	Interoffice Transport - Dedicated - DS3 combination - Facility															ĺ
	Termination per month			UNC3X	U1TF3	983.22										
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT			I											
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.57										└
	STS-1 Local Loop in combination - Facility Termination per					.=. =.										
	month			UNCSX	UDLS1	453.74										└
	Interoffice Transport - Dedicated - STS-1 combination - per mile			LINIOOV	41.5007	0.00										
	per month		-	UNCSX	1L5XX	2.69					1					
	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINIOOV	U1TFS	070.70										
ADDITIONAL	Termination per month NETWORK ELEMENTS			UNCSX	UTIFS	976.70			-		 	-				
	used as a part of a currently combined facility, the non-recurr	ma obo	race de	not apply but a C	witch Ac Ic o	haraa daaa an	dsz				 					
	used as ordinarily combined network elements in All States, the										 					├ ──
	curring Currently Combined Network Elements "Switch As Is"					As is cliarge t	ides ildt.		-		1			-		
	nal Features & Functions:	Charge	(One a	pplies to each com	Dination											
Орио	lai reatures & runctions.			U1TD1,	+				 		<u> </u>				1	
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
 	Clear Charmer Capability Extended Frame Option - per Bot	<u> </u>		U1TD1,	CCOLI		0.00	0.00	0.00	0.00	<u> </u>				1	
	Clear Channel Capability Super FrameOption - per DS1	l i		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	00001		0.00	0.00	0.00	0.00	†					
	Activity - per DS1			UNC1X, USL	NRCCC		185.16	23.85	2.03	0.79						l
	retirity per Be !	-		U1TD3, ULDD3,	TTTCCC		100.10	20.00	2.00	0.10	1					
	C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3, UNC3X	NRCC3		219.46	7.68	0.7637	0.00						l
MULT	IPLEXERS			020, 01100/	TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT		210.40	7.00	0.7007	0.00	†					
1	DS1 to DS0 Channel System per month			UNC1X	MQ1	92.89					1					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			O. CO. IX		02.00					İ					
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.09										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1						i e					
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.09										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	3.56										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	3.56										
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop		Ш.	UEA	1D1VG	1.05			<u> </u>			<u> </u>		<u> </u>		<u> </u>
	Voice Grade COCI - DS1 to DS0 Channel System - per month															1
	used for connection to a channelized DS1 Local Channel in the								1							1
	same SWC as collocation			U1TUC	1D1VG	1.05										
	DS3 to DS1 Channel System per month			UNC3X	MQ3	256.43										
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	256.43										
	DS1 COCI used with Loop per month			USL	UC1D1	20.22										
	DS1 COCI (used for connection to a channelized DS1 Local													_		1
$oxed{oxed}$	Channel in the same SWC as collocation) per month		<u> </u>	U1TUA	UC1D1	20.22			ļ					L		
	DS1 COCI used with Interoffice Channel per month		<u> </u>	U1TD1	UC1D1	20.22			ļ					L		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			l	1				1					1		1
1 1	month	1	l	ULDD1	UC1D1	20.22					I		l		1	1

Attachment 3

Network Interconnection

TABLE OF CONTENTS

1.	GENERAL	3
2.	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	3
3.	NETWORK INTERCONNECTION	5
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	7
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION)N13
6.	FORECASTING FOR TRUNK PROVISIONING	14
7.	LOCAL DIALING PARITY	16
8.	INTERCONNECTION COMPENSATION	16
9.	FRAME RELAY SERVICE INTERCONNECTION	22
10.	ORDERING CHARGES	24
11.	BASIC 911 AND E911 INTERCONNECTION	25
12.	SS7 NETWORK INTERCONNECTION	26
Rat	es	Exhibit A
Bas	sic Architecture	Exhibit B
	e Way Architecture	Exhibit C
Two	o Way Architecture	Exhibit D
Sup	pergroup Architecture	Exhibit E

NETWORK INTERCONNECTION

1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-Bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)

For purposes of this attachment only, the following terms shall have the definitions set forth below:

- Automatic Location Identification (ALI) is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement.
- 2.2 **Automatic Number Identification (ANI)** corresponds to the seven-digit telephone number assigned by the serving local exchange carrier.
- 2.3 **BellSouth Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by BSLD.
- 2.4 **911 Service** is as described in this Attachment.
- 2.5 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.6 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.7 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- Common (Shared) Transport is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide (LERG).
- 2.9 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.10 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.

Version: 4Q04 Standard ICA

2.11 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends. 2.12 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic. 2.13 **Integrated Services Digital Network User Part (ISUP)** is a message protocol to support call set-up and release for interoffice voice connections over SS7 signaling. 2.14 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and BSLD. 2.15 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment. **ISP-Bound Traffic** is as defined in this Attachment. 2.16 2.17 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center. 2.18 **Local Traffic** is as defined in of this Attachment. 2.19 **Public Safety Answering Point (PSAP)** is the answering location for 911 calls. 2.20 **Selective Routing (SR)** is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party. 2.21 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP. 2.22 Signaling System 7 (SS7)/Common Channel Signaling 7 (CCS7) is an out-ofband signaling system used to provide basic routing information, call set-up and other call termination functions. Signaling is removed from the voice channel and put on a separate data network. 2.23 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching. 2.24 **Transit Traffic** is traffic originating on BSLD's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to BSLD's network.

3. NETWORK INTERCONNECTION

- This Attachment pertains only to the provision of network interconnection where 3.1 BSLD owns, leases from a third party or otherwise provides its own switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- 3.2.3 Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-Bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP in a BellSouth Central Office where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).
- 3.3 Interconnection via Dedicated Facilities
- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party.

Version: 4004 Standard ICA

The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.

- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.4 <u>Fiber Meet.</u> Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if BSLD elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, BSLD and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic and ISP-Bound Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, BSLD's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.1 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.2 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the BSLD Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification (CLLI) code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.3 Upon verbal request by BSLD, BellSouth shall allow BSLD access to the fusion splice point for the Fiber Meet point for maintenance purposes on BSLD's side of the Fiber Meet point.

Version: 4Q04 Standard ICA

3.4.4 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic and ISP-Bound Traffic. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

INTERCONNECTION TRUNK GROUP ARCHITECTURES 4.

- 4.1 BellSouth and BSLD shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.
- 4.2 BSLD shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of BSLD's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent BSLD desires to deliver Local Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which BSLD has established interconnection trunk groups, BSLD shall pay the appropriate rates for Multiple Tandem Access, as described in this Attachment.
- 4.2.1 Notwithstanding the forgoing, BSLD shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where BSLD has homed (i.e. assigned) its NPA/NXXs. BSLD shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. BSLD shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on BSLD's NXX access tandem homing arrangement as specified by BSLD in the LERG.
- 4.4 Any BSLD interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to BSLD from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require BSLD to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.

Version: 4004 Standard ICA

- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and BSLD are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. BSLD shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible, multi-frequency (MF) protocol signaling shall be used.
- In cases where BSLD is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and BSLD's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 192 trunks on a single or multiple group(s) in a given BellSouth local calling area.
- 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic. Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. BSLD shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts in accordance with Section 5.7 of this Attachment. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party. Other trunk groups for operator services, directory assistance and intercept must be established pursuant to the applicable BellSouth tariff if service is requested.

Version: 4Q04 Standard ICA

- 4.10.1 <u>BellSouth Access Tandem Interconnection.</u> BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem (Intratandem Access). Access tandem interconnection is available for any of the following access tandem architectures
- 4.10.1.1 Basic Architecture. In the basic architecture, BSLD's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between BSLD and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between BSLD and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which BSLD desires to exchange traffic. This trunk group also carries BSLD originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to BSLD. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.
- 4.10.1.2 One-Way Trunk Group Architecture. In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for BSLD-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for BSLD End-Users. A two-way trunk group provides Intratandem Access for BSLD's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between BSLD and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which BSLD exchanges traffic. This trunk group also carries BSLD originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to BSLD. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.
- 4.10.1.3 Two-Way Trunk Group Architecture. The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between BSLD and BellSouth. In addition, a separate two-way transit trunk group must be established for BSLD's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between BSLD and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which

Version: 4Q04 Standard ICA

BSLD exchanges traffic. This trunk group also carries BSLD originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to BSLD. However, where BSLD is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-Bound Traffic and IntraLATA Toll Traffic. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

- 4.10.1.4 Supergroup Architecture. In the supergroup architecture, the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and BSLD's Transit Traffic are exchanged on a single two-way trunk group between BSLD and BellSouth to provide Intratandem Access to BSLD. This trunk group carries Transit Traffic between BSLD and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which BSLD desires to exchange traffic. This trunk group also carries BSLD originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to BSLD. However, where BSLD is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.
- 4.10.1.5 Multiple Tandem Access Interconnection. Where BSLD does not choose access tandem interconnection at every BellSouth access tandem within a LATA, BSLD must utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA BSLD must establish an interconnection trunk group(s) at a minimum of one BellSouth access tandem within each LATA as required. BellSouth will route BSLD's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. BSLD must also establish an interconnection trunk group(s) at all BellSouth access tandems where BSLD NXXs are homed as described in Section 4.2.1 above. If BSLD does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, BSLD can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate BSLD's Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to End-

Users served through those BellSouth access tandems where BSLD does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.1.5.1 BSLD may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an IXC. Switched access traffic originated by or terminated to BSLD will be delivered to and from IXCs based on BSLD's NXX access tandem homing arrangement as specified by BSLD in the LERG.
- 4.10.1.5.2 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.3 To the extent BSLD does not purchase MTA in a LATA served by multiple access tandems, BSLD must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent BSLD routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, BSLD shall pay BellSouth the associated MTA charges.
- 4.10.2 <u>Local Tandem Interconnection.</u> Local Tandem Interconnection arrangement allows BSLD to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of BSLD-originated Local Traffic and ISP-Bound Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.1 When a specified local calling area is served by more than one BellSouth local tandem, BSLD must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, BSLD may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. BSLD may deliver Local Traffic and ISP-Bound Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where BSLD does not choose to establish an interconnection trunk group(s). It is BSLD's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to BSLD's codes. Likewise, BSLD shall obtain its routing information from the LERG.
- 4.10.2.2 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, BSLD must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which BSLD has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll

Version: 4Q04 Standard ICA

traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).

- 4.10.2.3 BellSouth's provisioning of Local Tandem Interconnection assumes that BSLD has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.3 <u>Direct End Office-to-End Office Interconnection.</u> Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.1 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.1.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between BSLD and BellSouth.
- 4.10.3.1.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between BSLD's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.3.1.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.
- 4.10.4 Transit Traffic Trunk Group. Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by BSLD to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems. BSLD shall be responsible for all recurring and non-recurring charges associated with Transit Traffic trunks and facilities.

- 4.10.4.1 Toll Free Traffic. If BSLD chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all BSLD originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.1 BSLD may choose to perform its own Toll Free database queries from its switch. In such cases, BSLD will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, BSLD will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, BSLD will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and BSLD shall provide to BellSouth a Toll Free call, BSLD will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to BSLD's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which BSLD performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- Network Management and Changes. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- 5.2 <u>Interconnection Technical Standards</u>. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. GR-NWT-00499. Where BSLD chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling (SS7), SS7 connectivity is required between the BSLD switch and the BellSouth Signaling Transfer Point (STP). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, GR-905-Core. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect

Version: 4Q04 Standard ICA

supervision and shall provide calling number ID (Calling Party Number) when technically feasible.

5.3 <u>Network Management Controls</u>. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

6. FORECASTING FOR TRUNK PROVISIONING

- Within six (6) months after execution of this Agreement, BSLD shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of BSLD's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- At a minimum, the forecast shall include the projected quantity of Transit Trunks, BSLD-to-BellSouth one-way trunks (BSLD Trunks), BellSouth-to-BSLD one-way trunks (BellSouth Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop BellSouth Trunk Groups and/or two-way interconnection trunk forecast quantities.
- All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for BSLD location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- Once initial interconnection trunk forecasts have been developed, BSLD shall continue to provide interconnection trunk forecasts at mutually agreeable intervals. BSLD shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 6.1.1.
- The submission and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection

Version: 4Q04 Standard ICA

trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

- 6.4 Trunk Utilization. For the BellSouth Trunk Groups that are Final Trunk Groups (BellSouth Final Trunk Groups), BellSouth and BSLD shall monitor traffic on each Bellsouth Final Trunk Group that is ordered and installed. The Parties agree that the BellSouth Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the BellSouth Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any BellSouth Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized BellSouth Final Trunk Groups and BSLD shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- BellSouth's CISC will notify BSLD of any under-utilized BellSouth Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect.

 BellSouth will provide supporting information either by email or facsimile to the designated BSLD interface. BSLD will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which BSLD expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager (CCM) will discuss the information with BSLD to determine if agreement can be reached on the number of BellSouth Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to BSLD. The due date of these orders will be four weeks after BSLD was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 6.4.3 For the two-way trunk groups, BellSouth and BSLD shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized"

Version: 4Q04 Standard ICA

trunks. BellSouth will request the disconnection of any Under-utilized two-way trunk(s) and BSLD shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- BellSouth's CISC will notify BSLD of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated BSLD interface. BSLD will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which BSLD expects to need such trunks. BellSouth's CISC Project Manager and CCM will discuss the information with BSLD to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, BSLD will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after BSLD was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

7. LOCAL DIALING PARITY

7.1 BellSouth and BSLD shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

8. INTERCONNECTION COMPENSATION

- 8.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic
- 8.1.1 For the purposes of this Attachment and for intercarrier compensation for Local Traffic exchanged between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.
- 8.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.

Version: 4Q04 Standard ICA

- 8.1.2 For purposes of this Attachment and for intercarrier compensation for ISP-Bound Traffic exchanged between the Parties, ISP-Bound Traffic is defined as calls to an information service provider or Internet service provider (ISP) that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-Bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 8.1.3 Neither Party shall pay compensation to the other Party for per minute of use rate elements as set forth in Exhibit A associated with the Call Transport and Termination of Local Traffic or ISP-Bound Traffic.
- 8.1.4 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in this Attachment and for Multiple Tandem Access as described in this Attachment.
- 8.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-Bound Traffic for purposes of determining compensation for the call.
- 8.1.6 IntraLATA Toll Traffic is defined as all traffic, regardless of transport protocol method, that originates and terminates within a single LATA that is not Local Traffic or ISP-Bound traffic under this Attachment.
- 8.1.6.1 For terminating its intraLATA toll traffic on the other Party's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or appropriate Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's End User's presubscribed interexchange carrier or if one Party's End User uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.
- 8.1.7 If BSLD assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to BSLD End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a BSLD customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, BSLD agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to BSLD at BellSouth's switched access tariff rates.

- 8.2 If BSLD does not identify such interLATA traffic to BellSouth, BellSouth will determine which whole BSLD NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if BSLD can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-Bound Traffic.
- 8.3 Jurisdictional Reporting
- 8.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of local or ISP-Bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-Bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 8.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage (PIU) factors. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to BSLD. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September. Additional requirements associated with PIU calculations and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide as it is amended from time to time.

Version: 4Q04 Standard ICA

- 8.3.4 Notwithstanding the provisions in Section 8.3.1, 8.3.2, and 8.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall be subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 8.3.5 below.
- 8.3.5 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and BSLD shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.
- 8.4 <u>Compensation for 8XX Traffic.</u> When a BSLD End User places an 8XX call, BellSouth will charge the originating switched access and data query charges as set forth in the applicable BellSouth Tariff to the IXC that is responsible for terminating the 8XX to the appropriate Wide Area Telecommunications Service (WATS) or Plain Old Telephone Service (POTS) number. BSLD will be responsible for any applicable Common Channel Signaling (SS7).
- 8.4.1 Records for 8XX Billing. Where technically feasible, each Party will provide to the other Party the appropriate records, in accordance with industry standards, necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 8.4.2 <u>8XX Access Screening</u>. BellSouth's provision of 8XX Toll Free Dialing (TFD) to BSLD requires interconnection from BSLD to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. BSLD shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that BSLD desires to query. The terms and

Version: 4Q04 Standard ICA

conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

- 8.5 Mutual Provision of Switched Access Service
- 8.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall be considered Switched Access Traffic.
- 8.5.2 If a BellSouth End User chooses BSLD as their presubscribed interexchange carrier, or if a BellSouth End User uses BSLD as an interexchange carrier on a 101XXXX basis, BellSouth will charge BSLD the appropriate BellSouth tariff charges for originating switched access services.
- Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- When BSLD's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by BSLD as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 8.5.4.1 When BSLD's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to BSLD, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data,

Version: 4Q04 Standard ICA

recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.

- 8.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 8.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 8.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 8.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 8.5.9 BSLD agrees not to deliver switched access traffic to BellSouth for termination except over BSLD ordered switched access trunks and facilities.
- 8.6 Transit Traffic. BellSouth shall provide tandem switching and transport services for BSLD's Transit Traffic. Rates for local Transit Traffic and ISP-Bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between BSLD and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between BSLD and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 8.6.1 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees.

Version: 4Q04 Standard ICA

BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that BSLD is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to BSLD. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, BSLD shall reimburse BellSouth for such charges or costs. Additionally, the Parties agree that any billing to a third party or other Telecommunications carrier under this section shall be pursuant to MECAB procedures.

9. FRAME RELAY SERVICE INTERCONNECTION

- 9.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and BSLD's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which BSLD is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between BSLD and BellSouth Frame Relay Switches in the same LATA.
- 9.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection (IP(s)) within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Appendix A of BellSouth's FCC Tariff No. 1 except as set forth in this Attachment.
- 9.3 Upon the request of either Party, such interconnection will be established where BellSouth and BSLD have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 9.4 The Parties agree to provision local (intraLATA) Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 9.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 9.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC).

Version: 4004 Standard ICA

For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local (Local VC).

- 9.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA (InterLATA VC).
- 9.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, BSLD may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies BSLD that it has found that this method does not adequately represent the PLCU.
- 9.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 9.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and BSLD will pay, the total nonrecurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. BSLD will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of BSLD's PLCU.
- 9.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and BSLD will pay, the total nonrecurring and recurring charges for the NNI port. BSLD will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed nonrecurring and recurring charges for the NNI port by BSLD's PLCU.
- 9.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 9.8 For the PVC segment between the BSLD and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 9.9 Compensation for PVC rate elements will be calculated as follows:
- 9.9.1 If BSLD orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the BSLD Frame

Version: 4004 Standard ICA

Relay switch, BellSouth will invoice, and BSLD will pay, the total nonrecurring and recurring PVC charges for the PVC segment between the BellSouth and BSLD Frame Relay switches. If the VC is a Local VC, BSLD will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to BSLD for the PVC segment.

- 9.9.2 If BellSouth orders a Local VC connection between a BSLD subscriber's PVC segment and a PVC segment from the BSLD Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and BSLD will pay, the total nonrecurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and BSLD Frame Relay switches. If the VC is a Local VC, BSLD will then invoice and BellSouth will pay the total nonrecurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to BSLD for the PVC segment.
- 9.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 9.9.4 If BSLD requests a change, BellSouth will invoice and BSLD will pay a Feature Change charge for each affected PVC segment.
- 9.9.4.1 If BellSouth requests a change to a Local VC, BSLD will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 9.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 9.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 9.10 BSLD will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 9.5.3 above.
- 9.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

10. ORDERING CHARGES

Version: 4Q04 Standard ICA

- The facilities purchased pursuant to this Attachment shall be ordered via the Access Service Request (ASR) process.
- The rates, terms and conditions associated with submission and processing of ASRs are as set forth in BellSouth's FCC No. 1 Tariff, Section 5.

11. BASIC 911 AND E911 INTERCONNECTION

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. BellSouth will provide to BSLD a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. BSLD will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. BSLD will be required to route that call to the appropriate Public Safety Answering Point (PSAP). When a municipality converts to E911 service, BSLD will be required to begin using E911 procedures.
- 11.3 E911 Interconnection. BSLD shall install a minimum of two dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with multifrequency (MF) pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, BSLD shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection website. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. BSLD will be required to provide BellSouth daily updates to the E911 database. BSLD will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, BSLD will be required to route the call to a designated 7-digit or 10-digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. BSLD shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

Version: 4Q04 Standard ICA

- Trunks and facilities for 911 Interconnection may be ordered by BSLD from BellSouth pursuant to the terms and conditions set forth in this Attachment at the rates set forth in Exhibit A hereto.
- 11.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

12. SS7 NETWORK INTERCONNECTION

- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable interoperability of CLASS features and functions except for call return. SS7 signaling parameters will be provided, including but not limited to automatic number identification (ANI), originating line information (OLI) calling company category and charge number. Privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges. Nothing herein shall obligate or otherwise require BellSouth to send SS7 messages or call-related database queries to BSLD's or any other third-party's call-related database, unless otherwise agreed to by the Parties under a separate agreement.
- 12.2 <u>Signaling Call Information</u>. BellSouth and BSLD will send and receive 10 digits for Local Traffic. Additionally, BellSouth and BSLD will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.
- SS7 Network Interconnection is the interconnection of BSLD local signaling transfer point switches or BSLD local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, BSLD local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 12.3.1 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and BSLD or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 12.3.2 If traffic is routed based on dialed or translated digits between a BSLD local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the

Version: 4Q04 Standard ICA

TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the BSLD local signaling transfer point switches and BellSouth or other third-party local switch.

- 12.3.3 SS7 Network Interconnection shall provide:
- 12.3.4 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 12.3.5 Signaling Link functions, as specified in ANSI T1.111.3; and
- 12.3.6 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 12.3.7 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a BSLD local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of BSLD local STPs and shall not include SCCP Subsystem Management of the destination.
- 12.3.8 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 12.3.9 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 12.3.10 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 12.4 <u>Interface Requirements.</u> The following SS7 Network Interconnection interface options are available to connect BSLD or BSLD-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 12.4.1 A-link interface from BSLD local or tandem switching systems; and
- 12.4.2 B-link interface from BSLD STPs.
- 12.4.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of

Version: 4Q04 Standard ICA


01/12/05

interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 12.4.4 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 12.4.5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 12.4.6 BellSouth shall set message screening parameters to accept messages from BSLD local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the BSLD switching system has a valid signaling relationship.


Basic Architecture

Exhibit B



One-Way Architecture


Exhibit C



Version: 4Q04 St 12/09/04

Two-Way Architecture


Exhibit D



Version: 4Q04 St 12/09/04

Supergroup Architecture

Exhibit E



LOCA	AL INTE	RCONNECTION - Alabama												Attachment:	3	Exhibit: A	
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -	Charge -
														1st	Add'l	Disc 1st	Disc Add'l
							Do.	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
	TANDE	M SWITCHING															
		Tandem Switching Function Per MOU					0.0004980bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem					0.000400										
-	+	only) Tandem Intermediary Charge, per MOU*		<u> </u>		+	0.000498 0.0025									-	+
	* This	charge is applicable only to transit traffic and is applied in add	dition to) annli	cable switching and	Vor intercent										-	+
-		CHARGE	aition to	Тарріі	Table Switching and	Titlercom	lection charges									-	+
	IKUM	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.56	8.12							-	+
	1	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.56	8.12			t				†	
	1	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00	250	0.12	1					İ	1	†
	1	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00									t	†
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										1
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										1
	** This	rate element is recovered on a per MOU basis and is included	in the	End Of		Tandem Swi	ching, per MOL	J rate elements									1
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU					0.0000023bk										
		Common Transport - Facilities Termination Per MOU					0.0003224bk										
LOCA	LINTER	CONNECTION (DEDICATED TRANSPORT)															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1											
		Per Mile per month			OHM	1L5NF	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -				1											
	1	Facility Termination per month			OHM	1L5NF	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OLIM	41 ENIZ	0.000000										
-	1	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OHM	1L5NK	0.008838									1	+
		· · · · · ·			ОНМ	1L5NK	15.12	40.54	27.41	16.74	6.90						
-	+	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1	Onivi	ILSINK	15.12	40.54	27.41	10.74	0.90	1				-	+
		per month			ОНМ	1L5NK	0.008838										
-	1	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1	OTTIVI	TESTAIC	0.000030					-					+
		Termination per month			ОНМ	1L5NK	15.12	40.54	27.41	16.74	6.90						
-	1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OT IIVI	TEORIT	10.12	40.04	27.41	10.74	0.00						+
		month			OH1, OH1MS	1L5NL	0.18										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility				1											1
		Termination per month			OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44						
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															1
		month			OH3, OH3MS	1L5NM	4.09										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			OH3, OH3MS	1L5NM	703.52	278.75	162.76	60.20	58.46						
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	13.97	193.10	33.17	36.64	3.20						1
<u> </u>	1	Local Channel - Dedicated - 4-Wire Voice Grade per month		<u> </u>	OHM	TEFV4	14.93	193.53	33.60	37.11	3.67					ļ	
<u> </u>	1	Local Channel - Dedicated - DS1 per month		ļ	OH1	TEFHG	35.76	177.47	153.72	22.19	15.26	-			ļ	-	
1		Level Channel Dedicated DCC For The Transferred			OLIO.	TEE	440.51	454 50	000 01	440.40	00.50					I	
<u> </u>	1004	Local Channel - Dedicated - DS3 Facility Termination per month INTERCONNECTION MID-SPAN MEET		-	OH3	TEFHJ	416.54	451.52	263.94	119.49	83.58				.	 	
	LUCAL	Local Channel - Dedicated - DS1 per month		-	OH1MS	TEFHG	0.00	0.00				1			 	 	+
	 	Local Channel - Dedicated - DS1 per month		 	OH3MS	TEFHG	0.00	0.00				 			 	 	+
—	MULTI	PLEXERS		†	OI IOIVIO	I LITIU	0.00	0.00		 		—			 	t	\leftarrow
-	WOLII	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79	-			 	t	+
-	+	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63	-			 	t	+
	1	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.70	6.58	4.72	55.25	050				1	<u> </u>	
SIGNA	LING (C				,	1 30	.20	3.50	2						İ	1	†
	1 .0	CCS7 Signaling Connection, Per 56Kbps Facility				1	15.46	35.53	35.53	16.44	16.44				İ	1	1
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
	1	CCS7 Signaling Usage, Per TCAP Message		i –	1	1	0.0000569					1	i e		Ì	1	1

LOCAL INT	ERCONNECTION - Alabama												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	15.46	35.53	35.53	16.44	16.44						1
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Usage, Per ISUP Message				1	0.0000142										1
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33			i i							1
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						

LOCAL	L INTE	RCONNECTION - Florida												Attachment:	3	Exhibit: A	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR			Incremental Charge -	Charge - Manual Svo Order vs.
-						1	_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l .	
						†	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CONNECTION (CALL TRANSPORT AND TERMINATION)															L
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
\longrightarrow	IANDE	M SWITCHING				-	0.0006019bk										+
		Tandem Switching Function Per MOU Multiple Tandem Switching, per MOU (applies to intial tandem		<u> </u>		+	0.0006019bK										+
		only)					0.0006019										
		Tandem Intermediary Charge, per MOU*				†	0.0025										†
	* This c	charge is applicable only to transit traffic and is applied in add	dition to	o appli	cable switching and	l/or interconn	ection charges										
	TRUNK	CHARGE															
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.73	8.19								1
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.73	8.19								4
\longrightarrow		Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1**			OHD OH1 OH1MS	TDEOP TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OHD	TDWOP	0.00					+					+
		Dedicated Tandem Trunk Port Service-per DS0 Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										+
		rate element is recovered on a per MOU basis and is included	in the	End Of				J rate elements				1					1
		ON TRANSPORT (Shared)		T		1	, , , , , , , ,					İ					1
		Common Transport - Per Mile, Per MOU					0.0000035bk										1
		Common Transport - Facilities Termination Per MOU					0.0004372bk										1
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)															1
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															4
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			ОНМ	1L5NF	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			ОНМ	1L5NK	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			ОНМ	1L5NK	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			ОНМ	1L5NK	0.0091										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OHM	1L5NK	18.44	47.35	31.78	18.31	7.03						1
-		month Interoffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	1L5NL	0.1856					1					+
		Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OH1, OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05						-
		month Interoffice Channel - Dedicated Transport - DS3 - Facility			OH3, OH3MS	1L5NM	3.87										-
	LOCAL	Termination per month CHANNEL - DEDICATED TRANSPORT			OH3, OH3MS	1L5NM	1,071.00	335.46	219.28	72.03	70.56						
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	19.66	265.84	46.97	37.63	4.00						T
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	20.45	266.54	47.67	44.22	5.33						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.49	216.65	183.54	24.30	16.95						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	531.91	556.37	343.01	139.13	96.84						
	LOCAL	INTERCONNECTION MID-SPAN MEET															
		Local Channel - Dedicated - DS1 per month		<u> </u>	OH1MS	TEFHG	0.00	0.00								ļ	
\longrightarrow	MILL	Local Channel - Dedicated - DS3 per month		!	OH3MS	TEFHJ	0.00	0.00				ļ				ļ	+
	WIULIII	PLEXERS Channelization - DS1 to DS0 Channel System		 	OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49	1			 	 	+
		DS3 to DS1 Channel System per month		 	OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07	1				1	+
\longrightarrow		DS3 Interface Unit (DS1 COCI) per month		t	OH1, OH1MS	SATCO	13.76	10.07	7.08	40.04	00.01	1					
SIGNAL				1	,	1	.5 0										T
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
		CCS7 Signaling Usage, Per TCAP Message	$\overline{}$				0.0000607										

LOCAL INTI	ERCONNECTION - Florida												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	17.93	43.57	43.57	18.31	18.31		1				
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message					0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						
Notes:		ondition	s for th			II be as set fort				46.03						

LOCA	L INTE	RCONNECTION - Georgia												Attachment:	3	Exhibit: A	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
						ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1.0041	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)				1						-				1	-
LOCAL		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	oon for	that alament nursu	ant to the tor	me and conditi	one in Attachn	nont 2							-	-
		M SWITCHING	ii aiiu k	l eep ioi	liiat element pursu	T to the ter	ilis and conditi	Olis III Attacili	ilent 3.			1				1	-
	TANDL	Tandem Switching Function Per MOU				+	0.0004086bk									-	
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)					0.0004086										
		Tandem Intermediary Charge, per MOU*					0.0025										
		charge is applicable only to transit traffic and is applied in ad-	dition to	o appli	cable switching and	/or interconr	nection charges	i.									ļ
	TRUNK	CHARGE		-	OUD	TDDCY	1	04.50	0.11								
	-	Installation Trunk Side Service - per DS0		-	OHD OHD	TPP6X TPP9X	1	21.53 21.53	8.11 8.11			1			-	1	+
	-	Installation Trunk Side Service - per DS0 Dedicated End Office Trunk Port Service-per DS0**		 	OHD	TDEOP	0.00	∠1.53	8.11			1				+	+
 	 	Dedicated End Office Trunk Port Service-per DS0*		 	OH1 OH1MS	TDE1P	0.00					 			 	 	+
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00					1					
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00									t	
	** This	rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swit	tching, per MOL	J rate elements	5								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU					0.0000027bk										
		Common Transport - Facilities Termination Per MOU					0.0001914bk										ļ
LOCAL		CONNECTION (DEDICATED TRANSPORT)															
	INTER	DFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			ОНМ	1L5NF	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	12.87	48.455	19.48	16.575	4.995						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile						10.100	10.10	10.070							
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			ОНМ	1L5NK	0.0057										-
		Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile		ļ	ОНМ	1L5NK	7.83	48.455	19.48	16.575	4.995						
		per month			ОНМ	1L5NK	0.0057										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			ОНМ	1L5NK	7.83	48.455	19.48	16.575	4.995						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1, OH1MS	1L5NL	0.1154										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		-	OH1, OH1MS	1L5NL	34.19	111.025	80.28	31.355	21.73						-
		month Interoffice Channel - Dedicated Transport - DS3 - Facility		ļ	OH3, OH3MS	1L5NM	2.53										
		Termination per month			OH3, OH3MS	1L5NM	342.02	320.47	86.32	66.77	52.81						
	LOCAL	CHANNEL - DEDICATED TRANSPORT		.	OLIM	TEE\/A		404.00=	F0 00=	40.00=	10.00=	1					
-	-	Local Channel - Dedicated - 2-Wire Voice Grade per month		-	OHM OHM	TEFV2 TEFV4	7.74	121.065	53.295	46.395	13.365	-				1	-
-	-	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month		 	OHM OH1	TEFHG	8.72 18.47	125.62 149.46	54.43 111.195	46.395 40.355	13.365 26.115	-				 	+
		·										†					
	LOCAL	Local Channel - Dedicated - DS3 Facility Termination per month INTERCONNECTION MID-SPAN MEET		-	OH3	TEFHJ	147.01	445.01	145.18	112.905	75.88	-					
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00							İ	1	i e
	i	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00							ĺ	1	1
	MULTI	PLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	69.75	105.675	41.585	23.75	4.19						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	121.90	224.475	71.83	40.005	31.065						
016::::	1000 10	DS3 Interface Unit (DS1 COCI) per month		_	OH1, OH1MS	SATCO	7.35	15.805	11.385	6.605	6.605						<u> </u>
SIGNA	LING (C	CS7) CCS7 Signaling Termination, Per STP Port		-	UDB	PT8SX	108.80									 	-
-	1	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message		 	סטס	L 100Y	0.0000527					 			1	 	+
└	—	CCS7 Signaling Osage, Per TCAP Message CCS7 Signaling Connection. Per link (A link) (same as E.3.1)		1	UDB	TPP6A	8.73	34.77	34.77	16.91	16.91	 			 	 	+

RATE ELEMENTS	Interi m	Zone	BCS										Incremental		Incremental
			500	USOC			RATES(\$)			Elec per LSR	Submitted Manually per LSR		Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrec		Nonrecurring					Rates(\$)		
					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
7 Signaling Connection, Per link (B link) (also known as D (same as E.3.1)			UDB	ТРР6В	8.73	34.77	34.77	16.91	16.91						
7 Signaling Connection, Switched access service, interface ps, transmissiom paths 6 DS1 level path with bit stream aling			UDB	TPP6X	8.73	34.77	34.77	16.91	16.91						
7 Signaling Connection, Per link (A link) (same as E.3.1)		i	UDB	TPP9A	8.73	34.77	34.77	16.91	16.91						
7 Signaling Connection-B link(also known as D link) per th (same as E.3.1)			UDB	TPP9B	8.73	34.77	34.77	16.91	16.91						
7 Signaling Connection, Switched access service, interface ps, transmissiom paths 9 DS3 level path with bit stream aling			UDB	TPP9X	8.73	34.77	34.77	16.91	16.91						
7 Signaling Usage, Per ISUP Message (same as E.3.3)					0.0000132	_	·					Ť			
7 Signaling Usage Surrogate, per link			UDB	STU56	907.44	_						Ť			
7 Signaling Point Code, Establishment or Change, per STP ted			UDB	CCAPO		28.15	28.15	33.32	33.32						
7 Sith (state of Sith	ignaling Connection, Per link (A link) (same as E.3.1) ignaling Connection-B link(also known as D link) per same as E.3.1) ignaling Connection, Switched access service, interface transmissiom paths 9 DS3 level path with bit stream gignaling Usage, Per ISUP Message (same as E.3.3) ignaling Usage Surrogate, per link ignaling Point Code, Establishment or Change, per STP	ignaling Connection, Per link (A link) (same as E.3.1) ignaling Connection-B link(also known as D link) per same as E.3.1) ignaling Connection, Switched access service, interface transmissiom paths 9 DS3 level path with bit stream g ignaling Usage, Per ISUP Message (same as E.3.3) ignaling Usage Surrogate, per link ignaling Point Code, Establishment or Change, per STP	ignaling Connection, Per link (A link) (same as E.3.1) ignaling Connection-B link(also known as D link) per same as E.3.1) ignaling Connection, Switched access service, interface transmissiom paths 9 DS3 level path with bit stream g ignaling Usage, Per ISUP Message (same as E.3.3) ignaling Usage Surrogate, per link ignaling Point Code, Establishment or Change, per STP	ignaling Connection, Per link (A link) (same as E.3.1) ignaling Connection-B link(also known as D link) per same as E.3.1) ignaling Connection, Switched access service, interface transmissiom paths 9 DS3 level path with bit stream g ignaling Usage, Per ISUP Message (same as E.3.3) ignaling Usage Surrogate, per link ignaling Point Code, Establishment or Change, per STP	ignaling Connection, Per link (A link) (same as E.3.1) Ignaling Connection-B link(also known as D link) per same as E.3.1) Ignaling Connection-B link(also known as D link) per same as E.3.1) Ignaling Connection, Switched access service, interface transmissiom paths 9 DS3 level path with bit stream g Ignaling Usage, Per ISUP Message (same as E.3.3) Ignaling Usage Surrogate, per link Ignaling Point Code, Establishment or Change, per STP	ignaling Connection, Per link (A link) (same as E.3.1) Ignaling Connection-B link(also known as D link) per same as E.3.1) Ignaling Connection-B link(also known as D link) per same as E.3.1) Ignaling Connection, Switched access service, interface transmissiom paths 9 DS3 level path with bit stream g Ignaling Usage, Per ISUP Message (same as E.3.3) Ignaling Usage Surrogate, per link Ignaling Point Code, Establishment or Change, per STP	ignaling Connection, Per link (A link) (same as E.3.1) Ignaling Connection-B link(also known as D link) per same as E.3.1) Ignaling Connection-B link(also known as D link) per same as E.3.1) Ignaling Connection, Switched access service, interface transmissiom paths 9 DS3 level path with bit stream g Ignaling Usage, Per ISUP Message (same as E.3.3) Ignaling Usage Surrogate, per link Ignaling Point Code, Establishment or Change, per STP	ignaling Connection, Per link (A link) (same as E.3.1) Ignaling Connection-B link(also known as D link) per same as E.3.1) Ignaling Connection-B link(also known as D link) per same as E.3.1) Ignaling Connection, Switched access service, interface transmissiom paths 9 DS3 level path with bit stream g Ignaling Usage, Per ISUP Message (same as E.3.3) Ignaling Usage Surrogate, per link Ignaling Point Code, Establishment or Change, per STP	ignaling Connection, Per link (A link) (same as E.3.1) UDB TPP9A 8.73 34.77 34.77 16.91 UDB TPP9B 8.73 34.77 34.77 16.91 UDB TPP9B 8.73 34.77 34.77 16.91 UDB TPP9B 8.73 34.77 34.77 16.91 UDB TPP9B 8.73 34.77 34.77 16.91 UDB TPP9B 8.73 34.77 34.77 16.91 UDB TPP9C TPPPC TPPPC TPPPC TPPPC TPPPC TPPPC T	Signaling Connection, Per link (A link) (same as E.3.1)	Interest	Interest Interest	Interest Interest	Signaling Connection, Per link (A link) (same as E.3.1) UDB TPP9A 8.73 34.77 34.77 16.91 16.91	Interest Interest

LOC/	AL INTE	RCONNECTION - Kentucky												Attachment:	3	Exhibit: A	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
	1							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	1	1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element purs	uant to the ter	ms and conditi	ons in Attachn	nent 3.								
	TANDE	M SWITCHING															
	+	Tandem Switching Function Per MOU					0.0006772bk								-	1	
		Multiple Tandem Switching, per MOU (applies to intial tandem only)					0.0006772										
	+	Tandem Intermediary Charge, per MOU*				+	0.0006772					1			1	1	1
	* This	charge is applicable only to transit traffic and is applied in add	dition to	annli	l cable switching an	d/or interconr											
		CHARGE		- upp		1											
	1	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.58	8.13						1	1	
	1	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.58	8.13			İ					
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included	in the	End Of	ffice Switching and	Tandem Swit	ching, per MOl	J rate elements	5								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU					0.0000030bk										
	LINITED	Common Transport - Facilities Termination Per MOU		-		_	0.0007466bk					1					
LOCAL		CONNECTION (DEDICATED TRANSPORT) DEFICE CHANNEL - DEDICATED TRANSPORT										-					
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1								 			-	-	-
		Per Mile per month			ОНМ	1L5NF	0.01										
	+	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OT IIVI	TESINI	0.01									-	
		Facility Termination per month			ОНМ	1L5NF	29.11	47.34	31.78	22.77	8.75						
	1	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			0	120111	20		0		00	†			1	t	
		per month			OHM	1L5NK	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHM	1L5NK	0.0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			OH1, OH1MS	1L5NL	0.23										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			0114 0114140	41.55.11	00.04	405 50	00.40	00.00	00.40						
	+	Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		-	OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49	1					
		Interoffice Channel - Dedicated Transport - D53 - Per Mile per Imonth			OH3. OH3MS	1L5NM	4.97										
	+	Interoffice Channel - Dedicated Transport - DS3 - Facility			Una, Unaivia	ILSINIVI	4.97					1			1	1	1
		Termination per month			OH3, OH3MS	1L5NM	1,175.15	335.40	219.24	89.57	87.75						
	LOCAL	. CHANNEL - DEDICATED TRANSPORT			Orio, Oriolio	T LOT VIVI	1,170.10	000.40	210.24	00.07	07.70						
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	18.57	265.78	46.96	46.79	4.98						
	1	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	19.86	266.48	47.65	47.54	5.73	†			1	t	
	1	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.46	209.60	176.51	30.21	21.07	İ					
		·								İ							
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	576.05	551.38	338.08	173.00	120.42						
	LOCAL	INTERCONNECTION MID-SPAN MEET												-			
	1	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
<u> </u>		Local Channel - Dedicated - DS3 per month		<u> </u>	OH3MS	TEFHJ	0.00	0.00							ļ	ļ	1
<u> </u>	MULTI	PLEXERS		.	0114 0111110	0.477.1			=	40.00	10.0	1					<u> </u>
	1	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04				-	-	
<u> </u>	+	DS3 to DS1 Channel System per month		-	OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59				 	 	
CICNIA	L INC (C	DS3 Interface Unit (DS1 COCI) per month		-	OH1, OH1MS	SATCO	11.80	10.07	7.08			ļ			 	 	-
SIGNA	ALING (C	CCS7 Signaling Termination, Per STP Port	-	+	UDB	PT8SX	151.39					 			 	 	\vdash
	+	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message		1	UDB	FIOSA	0.0000656								 	 	\vdash
				i	1		0.0000000					1				1	1

LOCAL INT	RCONNECTION - Kentucky												Attachment:	3	Exhibit: A	
											Submitted	Submitted	Charge -	Charge -	Incremental Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Elec per LSR		Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						D	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream															
	signaling			UDB	TPP6X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream															
-	signaling			UDB	TPP9X	20.71	43.56	43.56	22.45	22.45						ļ
\vdash	CCS7 Signaling Usage, Per ISUP Message			LIDD	OTUEO	0.0000164					ļ	1			1	
—	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code		\vdash	UDB	STU56	751.08					1	 			1	
	Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43					1	
	CCS7 Signaling Point Code, per Destination Point Code			220	557410		70.02	40.02	00.40	00.40		1			1	
	Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
Notes:	If no rate is identified in the contract, the rates, terms, and co	nditior	s for th	e specific service o	r function wi	II be as set fort	h in applicable	BellSouth tar	iff.							1

LOCA	L INTE	RCONNECTION - Louisiana												Attachment:	3	Exhibit: A	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
	-					+	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	INTER	L CONNECTION (CALL TRANSPORT AND TERMINATION)				+					<u> </u>	1				<u> </u>	
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.		t					t	
		M SWITCHING		Γ .													
		Tandem Switching Function Per MOU					0.0005507bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)				_	0.0005507										ļ
	* This	Tandem Intermediary Charge, per MOU* charge is applicable only to transit traffic and is applied in add	dition to	annli	cable switching and	Mar intercent	0.0025				-					-	
		CHARGE	uition t	appiii	Lable Switching and	T THE COM	lection charges				<u> </u>	1				<u> </u>	
	IIIOIII	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.64	8.15			<u> </u>					1
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.64	8.15								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	** This	Dedicated Tandem Trunk Port Service-per DS1**	in the	F = 1 0	OH1 OH1MS	TDW1P	0.00	l mata alamanda				1				1	-
		rate element is recovered on a per MOU basis and is included ON TRANSPORT (Shared)	in the	Ena Oi	l Switching and	Tandem Swi	ching, per wot	J rate elements	•		-	+				-	
	COIVIIVI	Common Transport - Per Mile, Per MOU				+	0.0000032bk				1	+				1	1
		Common Transport - Facilities Termination Per MOU				1	0.0003748bk					1					1
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)															
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															1
		Per Mile per month			OHM	1L5NF	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	1	Facility Termination per month			ОНМ	1L5NF	22.60	39.36	26.62		-					-	
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			ОНМ	1L5NK	0.013										
	1	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTTIVI	TESTAIC	0.013					1					
		Termination per month			ОНМ	1L5NK	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHM	1L5NK	0.013										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHM	1L5NK	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	-	month Interoffice Channel - Dedicated Tranport - DS1 - Facility		-	OH1, OH1MS	1L5NL	0.2652				-	 				-	
		Termination per month			OH1, OH1MS	1L5NL	70.47	86.69	79.44								
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTTI, OTTIMO	TEOTAE	70.47	00.00	70.44							<u> </u>	†
		month			OH3, OH3MS	1L5NM	6.04										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			OH3, OH3MS	1L5NM	850.45	270.69	158.05								
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
-		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	18.32	187.51	32.21								ļ
-	-	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month		-	OHM OH1	TEFV4 TEFHG	19.41 39.18	187.94 172.34	32.63 149.27		-	 				-	
		Local Chairner - Dedicated - DST per month			ОПІ	TEFFIG	39.10	172.34	149.21		<u> </u>	1				 	
1		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	469.44	438.46	256.30		I					I	
	LOCAL	INTERCONNECTION MID-SPAN MEET									1	†				1	†
	1	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
	MULTI	PLEXERS									ļ						
	1	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	105.09	88.41	60.76		ļ	1				ļ	
-	+	DS3 to DS1 Channel System per month		<u> </u>	OH3, OH3MS OH1, OH1MS	SATNS	201.48 11.78	172.99	91.25 4.58	-	 	+				1	-
SIGNA	LING (C	DS3 Interface Unit (DS1 COCI) per month		-	Offi, OffiMS	SATCO	11.78	6.39	4.58		+	+				-	+
JIGNA	Line (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60				+	+				 	
	t	CCS7 Signaling Usage, Per TCAP Message				. 100/	0.000064				<u> </u>	†				1	
—	+	CCS7 Signaling Connection. Per link (A link)		1	UDB	TPP6A	15.77	34.50	34.50	l	t	t	1			t	t

LOCAL INT	ERCONNECTION - Louisiana												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	15.77	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.77	34.50	34.50								
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	15.77	34.50	34.50								
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	15.77	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.77	34.50	34.50								
	CCS7 Signaling Usage, Per ISUP Message					0.000016										
	CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	732.10					1					
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								

LOCA	L INTE	RCONNECTION - Mississippi												Attachment:	3	Exhibit: A	
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
	1					+	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	INTER	I CONNECTION (CALL TRANSPORT AND TERMINATION)					1										+
		"bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								<u> </u>
		M SWITCHING															
		Tandem Switching Function Per MOU					0.0005379bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)				1	0.0005379										
	* This	Tandem Intermediary Charge, per MOU* charge is applicable only to transit traffic and is applied in add	dition to	annli	cable switching and	Vor intercent	0.0025										+
		CHARGE	antion to	appii	l	T THE COM	lection charges	•									+
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.58	8.13						1	1	†
	1	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.58	8.13								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00	·	·		•						
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
-		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
-	** Thio	Dedicated Tandem Trunk Port Service-per DS1** rate element is recovered on a per MOU basis and is included	in the	End Of	OH1 OH1MS	TDW1P	0.00	l roto olomonto				-					+
		ON TRANSPORT (Shared)	in the	Ella Ol	lice Switching and	Tandem Swi	lennig, per woc	rate elements	•								+
	CONTIN	Common Transport - Per Mile, Per MOU				+	0.0000026bk										+
		Common Transport - Facilities Termination Per MOU				†	0.0004541bk										1
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)															1
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHM	1L5NF	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			ОНМ	41 ENE	22.52	40.77	07.57	47.00	7.44						
		Facility Termination per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile			ОНМ	1L5NF	22.52	40.77	27.57	17.26	7.11						+
		per month			ОНМ	1L5NK	0.0098										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OT IIVI	TEORIT	0.0000										+
		Termination per month			ОНМ	1L5NK	15.68	40.78	27.57	17.26	7.11						
	1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile					1										1
		per month			OHM	1L5NK	0.0098										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility				1											
		Termination per month			OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						.
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1, OH1MS	1L5NL	0.201										
	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OHT, OHTMS	ILDINL	0.201										+
		Termination per month			OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			,												+
		month			OH3, OH3MS	1L5NM	4.76										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			OH3, OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29						1
	LOCAL	CHANNEL - DEDICATED TRANSPORT			OL IVA	TEE) (0	4404	404.00	00.00	07.70	0.00						4
-	-	Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM OHM	TEFV2 TEFV4	14.91 15.99	194.22 194.66	33.36 33.80	37.79 38.27	3.30 3.78	-					+
	1	Local Channel - Dedicated - 4-wire voice Grade per month			OHM OH1	TEFHG	36.83	178.50	154.61	22.89	15.74						+
	1	Local Chairner - Dedicated - DST per month			OITI	ILITIG	30.03	176.50	134.01	22.09	15.74						+
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	413.87	454.13	264.47	123.23	86.19						
	LOCAL	INTERCONNECTION MID-SPAN MEET													<u> </u>		
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00			•						
	L	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00							ļ	ļ	
	MULTI	PLEXERS		-	OLIA OLIANO	C ATAI4	100.0=	04.55	20.01	40.0=	10.70						
	+	Channelization - DS1 to DS0 Channel System DS3 to DS1 Channel System per month		-	OH1, OH1MS OH3, OH3MS	SATN1 SATNS	102.85 170.63	91.57 179.17	62.94 94.52	10.87 34.30	10.10 32.82	1			-	 	+
	1	DS3 Interface Unit (DS1 COCI) per month		 	OH3, OH3MS OH1, OH1MS	SATINS	170.63	6.62	94.52 4.74	34.30	32.82	-					+
SIGNA	LING (C				OTTI, OTTINIO	3/100	12.30	0.02	4.14			-					+
5.5.17		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21					l					†
	1	CCS7 Signaling Usage, Per TCAP Message					0.0000597								1	1	1
	1	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	16.55	35.74	35.74	16.53	16.53						

LOCAL INTI	RCONNECTION - Mississippi												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	ТРР6В	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	ТРР9В	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Usage, Per ISUP Message					0.0000149										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						
Notes:	Establishment or Change, per STP affected If no rate is identified in the contract, the rates, terms, and co	ndition				II be as set fort				35.78						\sqsubseteq

LOCA	L INTE	RCONNECTION - North Carolina												Attachment:	3	Exhibit: A	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
-				-		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	INTER	I CONNECTION (CALL TRANSPORT AND TERMINATION)				+						1					
LOCAL		"bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
		M SWITCHING															1
		Tandem Switching Function Per MOU					0.0012000bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)				_	0.0012										<u> </u>
	* =1.1.	Tandem Intermediary Charge, per MOU*	100			1/	0.0025										
		charge is applicable only to transit traffic and is applied in add	dition to	арріі	cable switching and	d/or interconf	lection charges					 					+
	INDIN	Installation Trunk Side Service - per DS0	1	 	OHD	TPP6X	1	21.55	8.12		1	+			 	 	
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.55	8.12			†			1	1	
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00					Ì					
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										1
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**	<u> </u>	<u> </u>	OH1 OH1MS	TDW1P	0.00										<u> </u>
		rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	tching, per MOI	J rate elements	•								
-	COMIN	ON TRANSPORT (Shared) Common Transport - Per Mile, Per MOU				+	0.0000100bk										
		Common Transport - Fer Mile, Fer Moo				+	0.0003400bk					+					+
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)				+	0.0003400DK										
		OFFICE CHANNEL - DEDICATED TRANSPORT				†											†
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHM	1L5NF	0.0282										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHM	1L5NF	18.00	137.48	52.58								4
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			ОНМ	1L5NK	0.0282										
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OHIVI	ILDINK	0.0282										+
		Termination per month			ОНМ	1L5NK	17.40	137.48	52.58								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OT IIVI	TESTAIC	17.40	107.40	02.00			<u> </u>					†
		per month			ОНМ	1L5NK	0.0282										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHM	1L5NK	17.40	137.48	52.58								
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
-		month			OH1, OH1MS	1L5NL	0.5753										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1, OH1MS	1L5NL	71.29	217.17	163.75								
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTTI, OTTIVIS	ILJINL	71.25	217.17	103.73			+					+
		month			OH3, OH3MS	1L5NM	12.98										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			OH3, OH3MS	1L5NM	720.38	794.94	579.55								
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	11.24	553.80	89.69								1
-		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	12.03	562.23	92.67								
-		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	27.05	534.48	462.69								
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	298.92	438.46	256.30								
	LOCAL	INTERCONNECTION MID-SPAN MEET			0.10	12110	230.32	-100.40	200.00		1	<u> </u>					
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00			1	†					†
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00							<u> </u>		
	MULTI	PLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69	197.78	140.06								
		DS3 to DS1 Channel System per month		<u> </u>	OH3, OH3MS	SATNS	233.10	403.97	234.40			1					ļ
SICNA	LING (C	DS3 Interface Unit (DS1 COCI) per month	-	-	OH1, OH1MS	SATCO	16.07	13.09	9.38			+				-	
SIGNAL	LING (C	CS7) CCS7 Signaling Connection, Per link (A link)	-	 	UDB	TPP6A	18.22	278.02	278.02		1	1				-	+
		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		 	000	IFFUA	10.22	210.02	210.02			+					
1	1	link)			UDB	TPP6B	18.22	278.02	278.02			1					1

LOCAL INTE	ERCONNECTION - North Carolina												Attachment:	3	Exhibit: A	
	RATE ELEMENTS	Interi										Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY		m	Zone	BCS	USOC		RATES(\$)					per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			•	oss	Rates(\$)	•	-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	18.22	278.02	278.02								
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	18.22	278.02	278.02								
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	18.22	278.02	278.02								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	18.22	278.02	278.02								
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per ISUP Message					0.00004					1					
	CCS7 Signaling Usage, Per TCAP Message					0.00009										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00								

LOCA	AL INTE	RCONNECTION - South Carolina	•										Exhibit: A	Α			
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge -
								Names		Nonrecurring Disconnect				000	S Rates(\$)		
	1					+	Rec	Nonrec First	urring Add'l	First	Add'l	SOMEC SOMA	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1					+		FIISL	Addi	FIISt	Auu i	SOMEC	SOWAN	JOWAN	SOWAN	JOWAN	JOWAN
LOCAI	LINTER	CONNECTION (CALL TRANSPORT AND TERMINATION)				†										t	†
		"bk" beside a rate indicates that the Parties have agreed to bi	I and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								1
	TANDE	M SWITCHING															
		Tandem Switching Function Per MOU					0.0007360bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
	-	only)					0.000736									1	+
	* Thio	Tandem Intermediary Charge, per MOU* charge is applicable only to transit traffic and is applied in add	dition to	onnli	aabla awitabing and	l/or intercent	0.0025									1	+
		CHARGE	illon te	арріі	l	T THE COM	lection charges	•									+
$\overline{}$	1 KONF	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.65	8.16							—	\vdash
	1	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.65	8.16								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00		-		•						
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**		<u> </u>	OH1 OH1MS	TDW1P	0.00										_
		rate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	Tandem Swif	ching, per MOL	J rate elements	3								-
-	COMIN	ON TRANSPORT (Shared) Common Transport - Per Mile, Per MOU		-		-	0.0000045bk									1	+
-	1	Common Transport - Fer Mile, Fer MiOU Common Transport - Facilities Termination Per MOU		-		+	0.00045bk						-			-	+
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)				+	0.0004093BK									-	+
LOOK		OFFICE CHANNEL - DEDICATED TRANSPORT															<u> </u>
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															1
		Per Mile per month			ОНМ	1L5NF	0.0167										
	1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															1
		Facility Termination per month			OHM	1L5NF	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile				1											
		per month			OHM	1L5NK	0.0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			ОНМ	1L5NK	16.76	40.63	27.47	16.77	6.91						
	1	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile		-	OHIVI	ILDINK	16.76	40.63	21.41	16.77	6.91		-			-	+
		per month			ОНМ	1L5NK	0.0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OT IIVI	TEORIT	0.0107										
		Termination per month			ОНМ	1L5NK	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			OH1, OH1MS	1L5NL	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination per month			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
-	-	month Interoffice Channel - Dedicated Transport - DS3 - Facility		-	OH3, OH3MS	1L5NM	8.02									1	+
		Termination per month			OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59						
	LOCAL	. CHANNEL - DEDICATED TRANSPORT			OF 13, OF 13IVIS	TESINIVI	880.03	219.31	103.12	00.33	30.33					-	+
	LOUAL	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	15.33	193.53	33.24	36.72	3.21						+
	1	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	16.54	193.97	33.68	37.19	3.68					t	†
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	42.62	177.87	154.06	22.24	15.30						
		·															
	1	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77						1
	LOCAL	INTERCONNECTION MID-SPAN MEET					\Box								ļ		
<u> </u>	 	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00				1					
<u> </u>	MIN 7	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00				-				1	+
-	WULII	PLEXERS Channelization - DS1 to DS0 Channel System		-	OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81			-		 	+
 	+	DS3 to DS1 Channel System per month			OH1, OH1MS OH3, OH3MS	SATNS	107.57	91.24 178.54	94.18	33.33	31.90	-				 	+
-	+	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	8.64	6.59	4.73	55.55	31.50				 	 	+
SIGNA	LING (C				,	3, 30	0.04	0.00	7.73						1	1	
	1	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										1
		CCS7 Signaling Usage, Per TCAP Message					0.0000692										
1		CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	16.93	35.61	35.61	16.48	16.48						

LOCAL INTI	RCONNECTION - South Carolina												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring	Disconnect				Rates(\$)	2.00 .01	2.007.444.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	16.93	35.61	35.61	16.48	16.48		1			1	1
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Usage, Per ISUP Message					0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA		Ì	UDB	STU56	791.37					Ì					1
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
Notes:	If no rate is identified in the contract, the rates, terms, and co	ndition	s for t	he specific service	or function w	ill be as set fort	h in applicable	BellSouth tar	iff.	•						

LOCA	AL INTE	RCONNECTION - Tennessee												Attachment: 3		Exhibit: A	
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
	1							Nonrecurring		Nonrecurring Disconnect				000	Rates(\$)		
	-					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						+		FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	SOWAN
LOCAL	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)				†	t										†
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
	TANDE	M SWITCHING															
		Tandem Switching Function Per MOU				<u> </u>	0.0009778bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem					0 0000770										
	1	only) Tandem Intermediary Charge, per MOU*		-		+	0.0009778										-
	* This	charge is applicable only to transit traffic and is applied in add	dition to	annli	 rable switching and	Vor intercon											-
		CHARGE		l appii	babic switching and	lior intercom	leotion onarges										
		Installation Trunk Side Service - per DS0			OHD	TPP6X	1	21.59	8.09								
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.59	8.09								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00				·						
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	44 TL '-	Dedicated Tandem Trunk Port Service-per DS1**	Character at	F 1 0	OH1 OH1MS	TDW1P	0.00										ļ
		rate element is recovered on a per MOU basis and is included ON TRANSPORT (Shared)	in the	Ena O	tice Switching and	l andem Swi	cning, per MO	J rate elements									-
	COMIN	Common Transport - Per Mile, Per MOU				+	0.0000064bk										+
	1	Common Transport - Facilities Termination Per MOU					0.0003871bk										
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)					0.000007 1BK										
		OFFICE CHANNEL - DEDICATED TRANSPORT				1											
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHM	1L5NF	0.0174										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHM	1L5NF	18.58	55.39	17.37	27.96	3.51						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OLIM	41 ENIIZ	0.0474										
	1	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OHM	1L5NK	0.0174										-
		Termination per month			ОНМ	1L5NK	17.98	55.39	17.37	27.96	3.51						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OT IIVI	TESTAIC	17.30	33.33	17.57	21.50	3.51						
		per month			ОНМ	1L5NK	0.0174										
	1	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			OH1, OH1MS	1L5NL	0.3562										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			0114 0114140	41.5511	77.00	440.40	70.07	40.55	44.00						
	1	Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		-	OH1, OH1MS	1L5NL	77.86	112.40	76.27	19.55	14.99						-
		month			OH3, OH3MS	1L5NM	2.34										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			OTIO, OTIONIO	TEOTHI	2.04										
		Termination per month			OH3, OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91						
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	15.29	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	16.18	201.53	24.83	55.52	5.51						ļ
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	32.25	277.35	233.26	33.18	22.30						
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	611.30	595.37	304.50	215.82	151.15						
-	LOCAL	INTERCONNECTION MID-SPAN MEET			UI 13	IEFfJ	011.30	595.37	304.50	∠15.82	151.15				 	 	
	LOCAL	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00								1	
	t	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00								1	
	MULTI	PLEXERS					1.50					İ					
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	80.77	141.87	77.11	14.51	13.46						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	222.98	308.03	108.47	44.47	42.62						
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	17.58	6.07	4.66								
SIGNA	LING (C					DT001/											
	+	CCS7 Signaling Termination, Per STP Port		<u> </u>	UDB	PT8SX	138.41 0.0000916					-					ļ
	1	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)		-	UDB	TPP6A	0.0000916	130.84	130.84				ļ	20.35	20.35	13.32	13.32

LOCAL INTERCONNECTION - Tennessee Attachment: 3 Exhibit: A Svc Order Svc Order Incremental Incremental Incremental Incremental Incremental Svc Order															Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling	·		UDB	TPP9X	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message					0.0000373										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30		•								
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
Notes	If no rate is identified in the contract, the rates, terms, and co	ndition				II be as set for			riff.				20.00	20.00	10.02	10.0

Attachment 4

Central Office Collocation

CENTRAL OFFICE COLLOCATION TABLE OF CONTENTS

- 1. Scope of Attachment
 - 1.1 BellSouth Premises
 - 1.2. Right to Occupy
 - 1.3. Space Allocation
 - 1.4. Transfer of Collocation Space
 - **1.5.** Space Reclamation
 - 1.6. Use of Space
 - 1.7. Rates and Charges
 - 1.8. Due Dates
 - 1.9. Compliance
- 2. Space Availability Report
 - 2.1. Optional Space Availability Report
- 3. Collocation Options
 - 3.1. Cageless Collocation
 - 3.2. Caged Collocation
 - 3.3. Shared Caged Collocation
 - 3.4. Adjacent Collocation
 - 3.5. Direct Connect
 - 3.6. Co-Carrier Cross Connect
- 4. Occupancy
 - 4.1. Space Ready Notification
 - 4.2. Acceptance Walk Through
 - 4.3. Early Space Acceptance
 - **4.4.** Termination of Occupancy
- 5. Use of Collocation Space
 - **5.1.** Equipment Type
 - **5.2.** Terminations
 - 5.3. Security Interest in Equipment
 - 5.4. No Marketing
 - 5.5. Equipment Identification
 - 5.6. Entrance Facilities
 - **5.7.** Dual Entrance Facilities
 - **5.8.** Shared Use
 - **5.9.** Demarcation Point
 - **5.10.** Equipment and Facilities
 - 5.11. BellSouth's Access to Collocation Space

Version: 4Q04 Standard ICA

01/12/05

CENTRAL OFFICE COLLOCATION TABLE OF CONTENTS (Cont'd.)

- 5.12. Customer's Access
- **5.13.** Interference or Impairment
- 5.14. Personalty and Its Removal
- 5.15. Alterations
- 5.16. Janitorial Service

6. Ordering and Preparation of Collocation Space

- 6.1. Initial Application
- **6.2.** Subsequent Application
- **6.3.** Space Preferences
- **6.4.** Space Availability Notification
- **6.5.** Denial of Application
- 6.6. Petition for Waiver
- 6.7. Waiting List
- 6.8. Public Notification
- **6.9.** Application Response
- **6.10.** Application Modifications
- 6.11. Bona Fide Firm Order

7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals
- 7.2. Joint Planning
- 7.3. Permits
- 7.4. Circuit Facility Assignments
- 7.5. Use of BellSouth Certified Supplier
- 7.6 Alarms and Monitoring
- 7.7. Virtual to Physical Relocation
- 7.8 Virtual to Physical Conversion (In Place)
- 7.9. Cancellation
- 7.10. Licenses
- 7.11. Environmental Compliance

8. Rates and Charges

- **8.1.** Rates
- 8.2. Application Fees
- 8.3. Recurring Charges
- **8.4.** Non-Recurring Charges
- 8.5. Space Preparation
- 8.6. Floor Space
- 8.7 Power

Version: 4Q04 Standard ICA

01/12/05

CENTRAL OFFICE COLLOCATION TABLE OF CONTENTS (Cont'd.)

- 8.8 Cable Installation
- 8.9 Cable Records
- 8.10 Security Escort
- **8.11** Other
- 9. Insurance
- 10. Mechanics Lien
- 11. Inspections
- 12. Security and Safety Requirements
- 13. Destruction of Collocation Space
- 14. Eminent Domain
- 15. Nonexclusivity

EXHIBIT A ENVIRONMENTAL AND SAFETY PRINCIPLES EXHIBIT B RATES

BELLSOUTH

CENTRAL OFFICE COLLOCATION

1. Scope of Attachment

- 1.1 BellSouth Premises. The rates, terms, and conditions contained within this Attachment shall only apply when BSLD is physically collocated as a sole occupant or as a Host within a BellSouth Premises pursuant to this Attachment. BellSouth Premises, as defined in this Attachment, includes BellSouth Central Offices and Serving Wire Centers (hereinafter "BellSouth Premises"). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. If the BellSouth Premises occupied by BellSouth is leased by BellSouth from a third party or otherwise controlled by a third party, special considerations and/or intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to BSLD collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow BSLD to occupy a certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by BSLD and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for a premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by BSLD may contemplate a request for space sufficient to accommodate BSLD's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by BSLD may contemplate a request for space sufficient to accommodate BSLD's growth within an eighteen (18) month period.
- 1.3 <u>Space Allocation.</u> BellSouth shall assign BSLD Collocation Space that utilizes existing infrastructure (e.g., heating, ventilation, air conditioning (HVAC), lighting and available power), if such space is available for collocation. Otherwise, BellSouth shall attempt to accommodate BSLD's requested space preferences, if any, including the provision of contiguous space for any subsequent request for collocation. In allocating Collocation Space, BellSouth shall not materially increase BSLD's cost or materially delay BSLD's occupation and use of the Collocation Space, assign

Collocation Space that will impair the quality of service or otherwise limit the service BSLD wishes to offer, reduce unreasonably the total space available for physical collocation or preclude reasonable physical collocation within the BellSouth Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the BellSouth Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Transfer of Collocation Space.</u> BSLD shall be allowed to transfer Collocation Space to another CLEC under the following conditions: (1) the central office is not at or near space exhaustion; (2) the transfer of space shall be contingent upon BellSouth's approval, which will not be unreasonably withheld; (3) BSLD has no unpaid, undisputed collocation charges; and (4) the transfer of the Collocation Space is in conjunction with BSLD's sale of all, or substantially all, of the in-place collocation equipment to the same CLEC.
- 1.4.1 The responsibilities of BSLD shall include: (1) submitting a letter of authorization to BellSouth for the transfer; (2) entering into a transfer agreement with BellSouth and the acquiring CLEC; and (3) returning all Security Access Devices to BellSouth. The responsibilities of the acquiring CLEC shall include: (1) submitting an application to BellSouth for the transfer of the Collocation Space; (2) satisfying all requirements of its interconnection agreement with BellSouth; (3) submitting a letter to BellSouth for the assumption of services; and (4) entering into a transfer agreement with BellSouth and BSLD.
- 1.4.2 In conjunction with a transfer of Collocation Space, any services associated with the Collocation Space shall be transferred pursuant to separately negotiated rates, terms and conditions.
- 1.5 <u>Space Reclamation.</u> In the event of space exhaust within a BellSouth Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the BellSouth Premises. BSLD will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5.1 BellSouth may reclaim unused Collocation Space when a BellSouth central office is at, or near, space exhaustion and BSLD cannot demonstrate that BSLD will utilize the Collocation Space within a reasonable time. In the event of space exhaust or near exhaust within a BellSouth Premises, BellSouth will provide written notice to BSLD

requesting that BSLD release non-utilized Collocation Space to BellSouth, when 100 percent of the Collocation Space in BSLD's collocation arrangement is not being utilized.

Within twenty (20) days of receipt of written notification from BellSouth, BSLD shall either: (1) return the non-utilized Collocation Space to BellSouth, in which case BSLD shall be relieved of all obligations for charges associated with that portion of the Collocation Space applicable from the date the Collocation Space is returned to BellSouth; or (2) for all states, with the exception of Florida, provide BellSouth with information demonstrating that the Collocation Space will be utilized within twenty-four (24) months from the date BSLD accepted the Collocation Space (Acceptance Date) from BellSouth. For Florida, BSLD shall provide information to BellSouth demonstrating that the Collocation Space will be utilized within eighteen (18) months from the Acceptance Date.

Disputes concerning BellSouth's claim of central office space exhaust, or near exhaust, or BSLD's refusal to return requested Collocation Space should be resolved by BellSouth and BSLD pursuant to the Dispute Resolution language contained in this Agreement.

- 1.6 <u>Use of Space.</u> BSLD shall use the Collocation Space for the purpose of installing, maintaining and operating BSLD's equipment (which may include testing and monitoring equipment) necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to BSLD may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and Charges.</u> BSLD agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or a national holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less, national holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day, and Christmas Day.
- 1.9 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Optional Space Availability Report

- Upon request from BSLD and at BSLD's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular BellSouth Premises. This report will include the amount of Collocation Space available at the BellSouth Premises requested, the number of collocators present at the BellSouth Premises, any modifications in the use of the space since the last report on the BellSouth Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the BellSouth Premises for which the Space Availability Report was requested by BSLD.
- 2.1.1 The request from BSLD for a Space Availability Report must be in writing and include the BellSouth Premises street address, as identified in the Local Exchange Routing Guide (LERG), and the Common Language Location Identification (CLLI) code for the BellSouth Premises requested. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.
- BellSouth will respond to a request for a Space Availability Report for a particular BellSouth Premises within ten (10) days of the receipt of such request. BellSouth will make commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the request is for the same state or for two or more states within the BellSouth Region, shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) day response time, BellSouth shall notify BSLD and inform BSLD of the timeframe under which it can respond.

3. Collocation Options

3.1 Cageless Collocation. BellSouth shall allow BSLD to collocate BSLD's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow BSLD to have direct access to BSLD's equipment and facilities in accordance with Section 5.12. BellSouth shall make cageless collocation available in single bay increments. Except where BSLD's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, BSLD must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

- 3.2 Caged Collocation. BellSouth will make caged Collocation Space available in fifty (50) square foot increments. At BSLD's option and expense, BSLD will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications, BSLD and BSLD's BellSouth Certified Supplier must comply with the more stringent local building code requirements. BSLD's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at BSLD's expense, documentation, which may include existing building architectural drawings, enclosure drawings, specifications, etc., necessary for BSLD's BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. BSLD's BellSouth Certified Supplier shall bill BSLD directly for all work performed for BSLD. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by BSLD's BellSouth Certified Supplier. BSLD must provide the local BellSouth Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access BSLD's locked enclosure prior to notifying BSLD at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to BSLD's Collocation Space is required. Upon request, BellSouth shall construct the enclosure for BSLD.
- 3.2.1 In the event BSLD's BellSouth Certified Supplier will construct the collocation arrangement enclosure, BellSouth may elect to review BSLD's plans and specifications, prior to allowing the construction to start, to ensure compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify BSLD of its desire to conduct this review in BellSouth's Application Response, as defined herein, to BSLD's Initial Application. If BSLD's Initial Application does not indicate its desire to construct its own enclosure and BSLD subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then BSLD will resubmit its Initial Application, indicating its desire to construct its own enclosure. If BSLD subsequently decides to construct its own enclosure after the bona fide firm order (hereinafter "BFFO") has been accepted by BellSouth, BSLD will submit a Subsequent Application, as defined in Section 6.2 of this Attachment. If BellSouth elects to review BSLD's plans and specifications, then BellSouth will provide notification to BSLD within ten (10) days after the Initial Application BFFO date or, if a Subsequent Application is submitted as set forth in the preceding sentence, then the Subsequent Application BFFO date. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of BSLD's plans and specifications. Regardless of whether or not BellSouth elects to review BSLD's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to BSLD's submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth

decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of BSLD's written notification that the enclosure has been completed. Within seven (7) days after BellSouth has completed its inspection of BSLD's caged Collocation Space BellSouth shall require BSLD, at BSLD's expense, to remove or correct any structure that does not meet BSLD's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.

- Shared Caged Collocation. BSLD may allow other telecommunications carriers to share BSLD's caged Collocation Space, pursuant to the terms and conditions agreed to by BSLD (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to BSLD. BellSouth shall be notified in writing by BSLD upon the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by BSLD that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and BSLD. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between BellSouth and BSLD.
- 3.3.1 BSLD, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide BSLD with a pro-ration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, BSLD shall be the responsible Party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own Initial Application and Subsequent Applications for equipment placement using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written Application Response to the Guest(s) Bona Fide application.
- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and/or access to Network Elements. The bill for these interconnecting facilities, services and Network Elements will be charged to the Guest(s) pursuant to the applicable BellSouth Tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 BSLD shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of BSLD's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on BellSouth Premises' property only when space within the requested BellSouth Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the BellSouth Premises' property. An Adjacent Arrangement shall be constructed or procured by BSLD or BSLD's BellSouth Certified Supplier and must be in conformance with the provisions of BellSouth's design and construction specifications. Further, BSLD shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the applicable rates, terms and conditions set forth in this Attachment.
- 3.4.1 If BSLD requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, BSLD must arrange with a BellSouth Certified Supplier to construct or procure the Adjacent Arrangement structure in accordance with BellSouth's specifications. BellSouth will provide the appropriate specifications upon request. Where local building codes require specifications more stringent than BellSouth's own specifications, BSLD and BSLD's BellSouth Certified Supplier shall comply with the more stringent local building code requirements. BSLD's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. BSLD's BellSouth Certified Supplier shall bill BSLD directly for all work performed for BSLD to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by BSLD's BellSouth Certified Supplier. BSLD must provide the local BellSouth Central Office Building Contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access BSLD's locked enclosure prior to notifying BSLD at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.2 BSLD must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review BSLD's plans and specifications prior to the construction of an Adjacent Arrangement to ensure BSLD's compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of the plans and specifications from BSLD for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to BSLD's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of BSLD's written notification that the Adjacent Arrangement has been

completed. Within seven (7) days after BellSouth has completed its inspection of BSLD's Adjacent Arrangement, BellSouth shall require BSLD, at BSLD's expense, to remove or correct any structure that does not meet its submitted plans and specifications or BellSouth's specifications, as applicable.

- 3.4.3 BSLD shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At BSLD's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical Collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical Collocation arrangement. In Alabama and Louisiana, at BSLD's request and expense, BellSouth will provide DC power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law. BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), all safety and building codes, and any local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and provisioning intervals. BSLD will pay for any and all DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. BSLD's BellSouth Certified Supplier shall be responsible, at BSLD's sole expense, for filing the required documentation to obtain any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.
- 3.5 Direct Connect. BellSouth will permit BSLD to directly interconnect between its own physical/virtual Collocation Spaces within the same BellSouth central office (Direct Connect). BSLD shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by BSLD. A Direct Connect shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the actual common cable support structure used by BSLD to provision the Direct Connect between its physical/virtual Collocation Spaces. In those instances where BSLD's physical/virtual Collocation Spaces are contiguous in the central office, BSLD will have the option of using BSLD's own technicians to deploy the Direct Connect using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. BSLD will deploy such electrical or optical connections directly between its own equipment without being routed through BellSouth's equipment or common cable support structure. BSLD may not self-provision a Direct Connect on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital

- System Cross-Connect) panel or LGX (Light Guide Cross-Connect) panel. BSLD is solely responsible for ensuring the integrity of the signal.
- 3.5.1 To place an order for a Direct Connect, BSLD must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a Direct Connect, the Co-Carrier Cross Connect/Direct Connect Application Fee for Direct Connect, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a Direct Connect, either an Initial Application Fee or a Subsequent Application Fee will apply, pursuant to Section 6.2 of this Attachment. BellSouth will bill this nonrecurring charge on the date that BellSouth provides an Application Response to BSLD.
- Co-Carrier Cross Connect. A Co-Carrier Cross Connect (CCXC) is a cross connection between BSLD and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Premises. Where technically feasible, BellSouth will permit BSLD to interconnect between its Collocation Space(s) and the physical/virtual collocation space(s) of another collocated telecommunications carrier(s) within the same BellSouth Premises via a CCXC, pursuant to the FCC's Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of a CCXC between the two collocated carriers. The applicable BellSouth charges will be assessed to BSLD upon BSLD's request for the CCXC. BSLD is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.
- 3.6.1 BSLD must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by BSLD. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. BSLD shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by BSLD to provision the CCXC to the other collocated telecommunications carrier. In those instances where BSLD's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, BSLD may use its own technicians to install the CCXC using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two contiguous cages. BSLD shall deploy such electrical or optical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. BSLD shall not provision CCXC on any BellSouth distribution frame, POT Bay, DSX

- panel or LGX panel. BSLD is solely responsible for ensuring the integrity of the signal.
- 3.6.2 To place an order for a CCXC, BSLD must submit an application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect/Direct Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, either an Initial Application or a Subsequent Application Fee will apply, pursuant to Section 6.2 of this Attachment. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to BSLD.

4. Occupancy

- 4.1 <u>Space Ready Notification.</u> BellSouth will notify BSLD in writing when the Collocation Space is ready for occupancy (Space Ready Date).
- 4.2 Acceptance Walk Through. BSLD will schedule and complete an acceptance walkthrough of new or additional provisioned Collocation Space with BellSouth within fifteen (15) days after the Space Ready Date. BellSouth will correct any identified deviations from BSLD's original or jointly amended application within seven (7) days after the walkthrough, unless the Parties mutually agree upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those deviations identified in the initial walkthrough. If BSLD completes its acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, billing will begin upon the date of BSLD's acceptance of the Collocation Space (Space Acceptance Date). In the event BSLD fails to complete an acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, the Collocation Space shall be deemed accepted by BSLD on the Space Ready Date and billing will commence from that date.
- 4.3 <u>Early Space Acceptance.</u> If BSLD decides to occupy the Collocation Space prior to the Space Ready Date, the date BSLD occupies the space is deemed the Space Acceptance Date and billing will begin from that date. BSLD must notify BellSouth in writing that its collocation equipment installation is complete. BSLD's collocation equipment installation is complete, which is when BSLD's equipment has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to BSLD's customers. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice from BSLD.
- 4.4 <u>Termination of Occupancy.</u> In addition to any other provisions addressing termination of occupancy in this Agreement, BSLD may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy for such Collocation Space. Such termination shall be effective upon

BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that BSLD and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that BSLD signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth and BSLD jointly conduct an inspection, confirming that BSLD has corrected all of the noted discrepancies identified by BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to the services terminating to such Collocation Space. The particular disconnect fees that would apply in each state are contained in Exhibit B of this Attachment. BellSouth may terminate BSLD's right to occupy Collocation Space in the event BSLD fails to comply with any provision of this Agreement, including payment of the applicable fees contained in Exhibit B of this Attachment, for such Collocation Space.

- 4.4.1 Upon termination of occupancy, BSLD, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by BSLD from the Collocation Space. BSLD shall have thirty (30) days from the BFFO date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of BSLD's Guest(s), unless BSLD's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Collocation Space to the Guest(s) prior to BSLD's Termination Date.
- 4.4.2 BSLD shall continue the payment of all monthly recurring charges to BellSouth until the date BSLD, and if applicable BSLD's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If BSLD or BSLD's Guest(s) fails to vacate the Collocation Space within thirty (30) days from the Termination Date BellSouth shall have the right to remove and dispose of the equipment and any other property of BSLD or BSLD's Guest(s), in any manner that BellSouth deems fit, at BSLD's expense and with no liability whatsoever for BSLD's property or BSLD's Guest(s)'s property.
- 4.4.3 Upon termination of BSLD's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's central office space inventory. BSLD shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by BSLD, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. BSLD's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, BellSouth's Central Office Record Drawings and ERMA Records. BSLD shall be responsible for the cost of removing any BSLD constructed enclosure, as well as any supporting

structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

5. <u>Use of Collocation Space</u>

- 5.1 Equipment Type. BellSouth shall permit the collocation and use of any equipment necessary for interconnection to BellSouth's network and/or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a BellSouth Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services. Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.
- 5.1.2 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a BellSouth Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to allow the collocation of any equipment on a nondiscriminatory basis.
- 5.1.3 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on BSLD's failure to comply with this Section.
- 5.2 <u>Terminations.</u> BSLD shall not request more DS0, DS1, DS3 and/or optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the Collocation Space. The total capacity of the equipment collocated in the Collocation Space will include equipment contained in an application, as well as any equipment already placed in the Collocation Space. If

full network termination capacity of the equipment being installed is not requested in the application submitted by BSLD, additional network terminations for the installed equipment will require the submission of a Subsequent Application. In the event BSLD submits an application for terminations that will exceed the total capacity of the collocated equipment, BSLD will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

- Security Interest in Equipment. Commencing with the most current calendar quarter after the effective date of this Attachment, and thereafter with respect to each subsequent calendar quarter during the term of this Agreement, BSLD will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34A55, 675 W. Peachtree Street, Atlanta, Georgia 30375, listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or another entity that has a secured financial interest in such equipment (Secured Equipment). If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.
- 5.4 <u>No Marketing.</u> BSLD shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the BellSouth Premises.
- 5.5 <u>Equipment Identification.</u> BSLD shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of BSLD's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify BSLD's equipment in the case of an emergency. For caged Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- Entrance Facilities. BSLD may elect to place BSLD-owned or BSLD leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the BellSouth Premises housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. BSLD will provide and place fiber cable in the entrance manhole of sufficient length to be pulled through conduit and into the splice location. BSLD will provide and install a sufficient length of fire retardant riser cable, to which BellSouth will splice the entrance cable. The fire retardant riser cable will extend from the splice location to BSLD's equipment in BSLD's Collocation Space. In the event BSLD utilizes a non-metallic, riser-type entrance facility, a splice will not be required. BSLD must contact BellSouth for authorization and instruction prior to placing any entrance facility cable in an entrance manhole or cable vault. BSLD is responsible for the maintenance of the entrance facilities.

- 5.6.1 <u>Microwave Transmission Facilities.</u> At BSLD's request, BellSouth will accommodate, where technically feasible and space is available, a microwave entrance facility, pursuant to separately negotiated rates, terms and conditions.
- 5.6.2 Copper and Coaxial Cable Entrance Facilities. In Florida, Georgia and Tennessee, BellSouth shall permit BSLD to use copper or coaxial cable entrance facilities, if approved by the Commission, but only in those rare instances where BSLD demonstrates a necessity and entrance capacity is not at or near exhaust in a particular BellSouth Premises in which BSLD's Collocation Space is located. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point, unless BellSouth determines that limited space is available for the placement of these entrance facilities.
- Dual Entrance Facilities. BellSouth will provide at least two interconnection points at each BellSouth Premises where at least two such interconnection points are available and capacity exists. Upon receipt of a request by BSLD for dual entrance facilities to its physical Collocation Space, BellSouth shall provide BSLD with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for the installation of a second entrance facility to BSLD's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to a lack of capacity, BellSouth will provide this information to BSLD in the Application Response.
- 5.8 <u>Shared Use.</u> BSLD may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to BSLD's Collocation Space within the same BellSouth Premises.
- BellSouth shall allow the splice, as long as the fiber is non-working dark fiber. BSLD must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the BSLD-provided riser cable to the spare capacity on the other telecommunications carrier's entrance facility. If BSLD desires to allow another telecommunications carrier to use its entrance facilities, the telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from BSLD authorizing BellSouth to perform the splice of the telecommunications carrier's provided riser cable to the spare capacity on BSLD's entrance facility.
- 5.9 <u>Demarcation Point.</u> BellSouth will designate the point(s) of demarcation between BSLD's equipment and/or network facilities and BellSouth's network facilities. Each

Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. BSLD shall be responsible for providing the necessary cabling and BSLD's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. BSLD or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.10, following, and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.

- 5.9.1 In Tennessee, BellSouth will designate the point(s) of demarcation between BSLD's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, BSLD may request that the demarcation point be a Point of Termination (POT) bay in a common area within the BellSouth Premises, which BSLD shall be responsible for providing and BSLD's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling. BSLD's BellSouth Certified Supplier shall also be responsible for installing the necessary cabling between BSLD's Collocation Space and the POT bay. BSLD, its agent, or BSLD's BellSouth Certified Supplier must perform all required maintenance to the equipment/network facilities on its side of the demarcation point and may self-provision cross-connects that it requires within its own Collocation Space to activate service requests. If BSLD desires to avoid the use of a POT bay or any other intermediary device as contemplated by the Tennessee Regulatory Authority, BellSouth shall negotiate alternative rates, terms and conditions for such requested demarcation point.
- Equipment and Facilities. BSLD, or if required by this Attachment, BSLD's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, and maintenance/repair of the equipment and network facilities used by BSLD, which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. BSLD and its designated BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to BSLD's Collocation Space. BellSouth retains the right to access BSLD's Collocation Space for the purpose of making BellSouth equipment and building modifications (e.g., installing, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). In such cases, BellSouth will give notice to BSLD at least forty-eight (48) hours before access to BSLD's Collocation Space is required. BSLD may elect to be present whenever BellSouth performs work in the BSLD's Collocation

- Space. The Parties agree that BSLD will not bear any of the expense associated with this type of work.
- 5.11.1 In the case of an emergency, BellSouth will provide oral notice of entry as soon as possible and, upon request, will provide subsequent written notice.
- 5.11.2 BSLD must provide the local BellSouth Central Office Building Contact with two (2) Access Devices that will allow BellSouth entry into any enclosed and locked Collocation Space including, but not limited to, an Adjacent Arrangement, pursuant to the requirements contained in this Section.
- 5.12 BSLD's Access. Pursuant to Section 12, BSLD shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. BSLD agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of BSLD or BSLD's Guest(s) with BSLD's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by BSLD and returned to BellSouth Access Management within fifteen (15) days of BSLD's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Devices may not be duplicated under any circumstances. BSLD agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of BSLD's employees, suppliers, agents, or Guests after termination of the employment relationship, the contractual obligation with BSLD ends, upon the termination of this Agreement, or upon the termination of occupancy of Collocation Space in a specific BellSouth Premises. BSLD shall pay all applicable charges associated with lost or stolen Access Devices.
- 5.12.1 BellSouth will permit one (1) accompanied site visit, which will be limited to no more than one hour, to BSLD's designated Collocation Space, after receipt of the BFFO, without charge to BSLD. BSLD must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date BSLD desires to gain access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, BSLD may submit a request for its one (1) free accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event BSLD desires access to its designated Collocation Space after the first accompanied free visit and BSLD's access request form(s) has not been approved by BellSouth or BSLD has not yet submitted an access request form to BellSouth, BSLD shall be permitted to access the Collocation Space accompanied by a BellSouth security escort, at BSLD's expense, which will be

assessed pursuant to the Security Escort fees contained in Exhibit B. BSLD must request that escorted access be provided by BellSouth to BSLD's_designated Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever BSLD or its approved agent or supplier requires access to the entrance manhole.

- 5.12.2 Lost or Stolen Access Devices. BSLD shall immediately notify BellSouth in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of BSLD's employees, suppliers, agents or Guest(s) to return an Access Device(s), BSLD shall pay for the costs of re-keying the building or deactivating the Access Device(s).
- 5.13 Interference or Impairment. Notwithstanding any other provisions of this Attachment, BSLD shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; 3) compromises the privacy of any communications routed through the BellSouth Premises; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of BSLD violates the provisions of this paragraph, BellSouth shall provide written notice to BSLD, which shall direct BSLD to cure the violation within forty-eight (48) hours of BSLD's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.
- 5.13.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if BSLD fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to BSLD's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to BSLD prior to the taking of such action and BellSouth shall have no liability

- to BSLD for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.13.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and BSLD fails to cure the violation within forty-eight (48) hours, or if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to BSLD or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by BSLD is significantly degrading the performance of other advanced services or traditional voice band services, BSLD shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. §51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.14 Personalty and Its Removal. Facilities and equipment placed by BSLD in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by BSLD at any time. Any damage caused to the Collocation Space by BSLD's employees, suppliers, agents, or Guests during the installation or removal of such property shall be promptly repaired by BSLD at its sole expense. If BSLD decides to remove equipment and/or facilities from its Collocation Space and the removal requires no physical work be performed by BellSouth and BSLD's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill BSLD the Administrative Only Application Fee associated with the type of removal activity performed by BSLD, as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response to BSLD.
- Alterations. Under no condition shall BSLD or any person acting on behalf of BSLD make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by BSLD. An Alteration shall require the submission of a Subsequent Application and will result in the assessment of the applicable application fee

associated with the type of alteration requested, as set forth in Sections 6.2.1, and 7.1.4, which will be billed by BellSouth on the date that BellSouth provides BSLD with an Application Response.

5.16 <u>Janitorial Service</u>. BSLD shall be responsible for the general upkeep of its Collocation Space. BSLD shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to caged Collocation Space. Upon request, BellSouth shall provide a list of such suppliers on a BellSouth Premises-specific basis.

6. Ordering and Preparation of Collocation Space

- 6.1 <u>Initial Application.</u> For BSLD's or BSLD's Guest's(s') initial equipment placement, BSLD shall input a physical Expanded Interconnection Application Document (Initial Application) for physical Collocation Space directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Initial Application are completed with the appropriate type of information. An Initial Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by BSLD and will be billed by BellSouth on the date BellSouth provides BSLD with an Application Response.
- Subsequent Application. In the event BSLD or BSLD's Guest(s) desires to modify its use of the Collocation Space after a BFFO, BSLD shall complete an application that contains all of the detailed information associated with a requested Alteration of the Collocation Space, as defined in Section 5.15 of this Attachment (Subsequent Application). The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application have been completed with the appropriate type of information associated with the requested Alteration. BellSouth shall determine what modifications, if any, to the BellSouth Premises are required to accommodate the change(s) requested by BSLD in the Subsequent Application. Such modifications to the BellSouth Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- Subsequent Application Fees. The application fee paid by BSLD for an Alteration shall be dependent upon the level of assessment needed to complete the Alteration requested. Where the Subsequent Application does not require provisioning or construction work, but requires BellSouth to perform an administrative activity, an Administrative Only Application Fee shall apply as set forth in Exhibit B. The Administrative Only Application Fee will apply to Subsequent Applications associated with a transfer of ownership of the Collocation Space, removal of equipment from the Collocation Space (where the removal requires no physical work to be performed by BellSouth), an Alteration made to a Bona Fide application by BSLD prior to BellSouth's receipt of the BFFO, and a virtual-to-physical conversion (in place). The Co-Carrier Cross Connect/Direct Connect Application Fee will apply when BSLD

submits a Subsequent Application for a direct connection between its own physical and virtual Collocation Space(s) in the same BellSouth Premises or between its physical or virtual Collocation Space and that of another collocated telecommunications carrier within the same BellSouth Premises. The Power Reconfiguration Only Application Fee will apply when BSLD submits a Subsequent Application that reflects only an upgrade or reduction in the amount of power that BellSouth is currently providing to BSLD's physical Collocation Space. The fee for a Subsequent Application, for which the Alteration requested has limited effect (e.g., requires limited assessment and sufficient cable support structure, HVAC, power and terminations are available), shall be the Subsequent Application Fee, as set forth in Exhibit B. The appropriate nonrecurring application fee will be billed on the date that BellSouth provides BSLD with an Application Response.

- 6.3 Space Preferences. If BSLD has previously requested and received a Space Availability Report for the BellSouth Premises, BSLD may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate BSLD's space preference(s), BSLD may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same BellSouth Premises. This application will be treated as a new application and the appropriate application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides BSLD with an Application Response.
- 6.4 <u>Space Availability Notification.</u>

For all states except Florida and Tennessee, BellSouth will respond to an application within ten (10) days as to whether space is available or not available within the requested BellSouth Premises. In Florida and Tennessee, BellSouth will respond to an application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system will reflect when BSLD's application is Bona Fide. If the application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the application to become Bona Fide.

- 6.4.1 If the amount of space requested is not available, BellSouth will notify BSLD of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by BSLD or space that is configured differently, no application fee will apply. If BSLD decides to accept the available space, BSLD must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When BSLD resubmits its application to accept the available space, BellSouth will bill BSLD the appropriate application fee.
- 6.5 <u>Denial of Application.</u> If BellSouth notifies BSLD that no space is available (Denial of Application), BellSouth will not assess an application fee to BSLD. After notifying

BSLD that BellSouth has no available space in the requested BellSouth Premises, BellSouth will allow BSLD, upon request, to tour the entire BellSouth Premises within ten (10) days of such Denial of Application. In order to schedule this tour, BellSouth must receive the request for the tour of the BellSouth Premises within five (5) days of the Denial of Application.

- 6.6 Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit BSLD to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. BellSouth will notify each telecommunications carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carrier on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunications carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.
- 6.7.2 When physical Collocation Space becomes available, BSLD must submit an updated, complete, and accurate application to BellSouth within thirty (30) days of notification by BellSouth that physical Collocation Space will be available in the requested BellSouth Premises previously out of space. If BSLD has originally requested caged Collocation Space and cageless Collocation Space becomes available, BSLD may refuse such space and notify BellSouth in writing, within the thirty (30) day timeframe

referenced above, that BSLD wishes to maintain its place on the waiting list for caged physical Collocation Space, without accepting the available cageless Collocation Space.

- 6.7.3 BSLD may accept an amount of space less than what it originally requested by submitting an application as set forth above, and, upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If BSLD does not submit an application or notify BellSouth in writing within the thirty (30) day timeframe as described above in Section 6.7.2, BellSouth will offer the available space to the next telecommunications carrier on the waiting list and remove BSLD from the waiting list. Upon request, BellSouth will advise BSLD as to its position on the waiting list for a particular BellSouth Premises.
- 6.8 <u>Public Notification.</u> BellSouth will maintain on its Interconnection Services website, www.interconnection.bellsouth.com, a notification document that will indicate all BellSouth Premises that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical Collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space becomes available in a BellSouth Premises previously on the space exhaust list.
- 6.9 <u>Application Response.</u>
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when space has been determined to be available for physical (caged or cageless) Collocation arrangements, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide application. The Application Response will be a written response that includes sufficient information to enable BSLD to place a Firm Order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable BSLD to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8. When BSLD submits ten (10) or more applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) applications or fraction thereof.

- Application Modifications. If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of BSLD or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge BSLD the appropriate application fee associated with the level of assessment performed by BellSouth, pursuant to Sections 6.1 and 6.2.
- 6.11 <u>Bona Fide Firm Order.</u>
- 6.11.1 BSLD shall indicate its intent to proceed with a Collocation Space request in a BellSouth Premises by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to BSLD's Bona Fide application or BSLD's application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of BSLD's BFFO. BellSouth will acknowledge the receipt of BSLD's BFFO within seven (7) days of receipt, so that BSLD will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals.</u>
- In Florida and Tennessee, BellSouth will complete construction of physical 7.1.1 Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, BellSouth will complete construction as soon as possible within a maximum of sixty (60) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Collocation Space after the initial space has been completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by BSLD, If additional space has been requested by BSLD, BellSouth will complete construction for the requested Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Collocation Space and forty five (45) days from receipt of a BFFO for virtual Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and BSLD cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for caged physical Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless physical Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant.) Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Collocation Space requested or BellSouth may seek a waiver from the ordered interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.
- 7.1.3 Records Only Change. When BSLD adds equipment, that was originally included on BSLD's Initial Application or a Subsequent Application, and the addition of this equipment requires no additional space preparation work or cable terminations on the part of BellSouth, then BellSouth will impose no additional charges or intervals.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to BSLD, when BSLD requests an Alteration specifically identified in Sections 7.1.4.1 through 7.1.4.9 as an "Augment. Except as otherwise set forth in Section 7.1.4.10 below, such Augment will require a Subsequent Application and will result in the assessment of the appropriate application fee associated with the type of Augment requested by BSLD. BellSouth will assess the appropriate nonrecurring application fee set forth in Exhibit B on the date that it provides an Application Response to BSLD.
- 7.1.4.1 Simple Augments will be completed within twenty (20) days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing BellSouth BDFB
- 7.1.4.2 Minor Augments will be completed within forty-five (45) days after receipt of the BFFO for:

- 168 DS1 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 96 DS3 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 99 Fiber Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- Maximum of 2000 Service Ready DS0 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - Installation of Cable Racking or Other Support Structures, as Required, to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) days after BFFO. This category includes all requests for additional Physical Collocation Space (caged or cageless).
- 7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.1.4.6 If BSLD submits an Augment that includes two Augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the provisioning interval associated with the next highest Augment category will apply (e.g., if two items from the Minor Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.7 If BSLD submits an Augment that includes three Augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the Major Augment interval of ninety (90) days from the receipt of the BFFO would apply (e.g., if three items from the Simple Augment category are requested on the same request for a

physical Collocation arrangement, then an interval of ninety (90) days from the receipt of the BFFO would apply, which is the Major physical Augment interval; likewise if three items from the Simple Augment category are requested on the same request for a virtual Collocation arrangement, then an interval of seventy-five (75) days from the receipt of the BFFO would apply, which is the Major virtual Augment interval).

- 7.1.4.8 If BSLD submits an Augment that includes one Augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the Augment interval associated with the highest Augment category will apply (e.g., if an item from the Minor Augment category and an item from the Intermediate Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major Augment categories, as outlined above, will be placed into the appropriate category as negotiated by BSLD and BellSouth. If BSLD and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate Major Augment category, identified in Section 7.1.4.4 and Section 7.1.4.5, would apply based on whether the Augment is for BSLD's physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with Simple, Minor and Intermediate Augments are contained in Exhibit B. If BSLD requests multiple items from different Augment categories, BellSouth will bill BSLD the Augment application fee, as identified in Exhibit B of this Attachment, associated with the higher Augment category only. The appropriate application fee will be assessed to BSLD at the time BellSouth provides BSLD with the Application Response. BSLD will be assessed a Subsequent Application Fee for all Major Augments (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5 for physical and virtual Collocation Space, respectively). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and BSLD will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements, as reflected in the application and affirmed in the BFFO.
- 7.3 Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of the finalized construction design and specifications.
- 7.4 <u>Circuit Facility Assignments.</u> Unless otherwise specified, BellSouth will provide Circuit Facility Assignments (CFAs) to BSLD prior to the applicable provisioning

interval set forth herein (Provisioning Interval) for those BellSouth Premises in which BSLD has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by BellSouth. BellSouth cannot provide CFAs to BSLD prior to the Provisioning Interval for those BellSouth Premises in which BSLD has physical Collocation Space with a POT bay provided by BSLD or virtual Collocation Space, until BSLD has provided BellSouth with the following information:

- 7.4.1 For physical Collocation Space with a BSLD-provided POT bay, BSLD shall provide BellSouth with a complete layout of the POT panels on an Equipment Inventory Update (EIU) form that shows the locations, speeds, etc.
- 7.4.2 For virtual Collocation Space, BSLD shall provide BellSouth with a complete layout of BSLD's equipment on an EIU form, that includes the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by BSLD's BellSouth Certified Supplier.
- 7.4.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form has been received from BSLD. If the EIU form is provided within ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) days of BellSouth's receipt of the EIU form.
- 7.4.4 BellSouth will bill BSLD a nonrecurring charge, as set forth in Exhibit B, each time BSLD requests a resend of its original CFA information for any reason other than a BellSouth error in the CFAs initially provided to BSLD.
- Use of BellSouth Certified Supplier. BSLD shall select a supplier which has been 7.5 approved as a BellSouth Certified Supplier to perform all engineering and installation work. BSLD, if a BellSouth Certified Supplier, or BSLD's BellSouth Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, BSLD must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide BSLD with a list of BellSouth Certified Suppliers, upon request. BSLD, if a BellSouth Certified Supplier, or BSLD's BellSouth Certified Supplier(s) shall be responsible for installing BSLD's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and BSLD upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by BSLD, the BellSouth Certified Supplier shall bill BSLD directly for all work performed for BSLD pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by BSLD's BellSouth Certified

Supplier. BellSouth shall make available its supplier certification program to BSLD or any supplier proposed by BSLD and will not unreasonably withhold certification. All work performed by or for BSLD shall conform to generally accepted industry standards.

- Alarms and Monitoring. BellSouth shall place environmental alarms in the BellSouth Premises for the protection of BellSouth equipment and facilities. BSLD shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service BSLD's Collocation Space. Upon request, BellSouth will provide BSLD with an applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by BSLD. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- Virtual to Physical Relocation. In the event physical Collocation Space was previously denied at a BellSouth Premises due to technical reasons or space limitations and physical Collocation Space has subsequently become available, BSLD may relocate its existing virtual Collocation arrangement(s) to a physical Collocation arrangement(s) and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Collocation arrangement, as set forth in Exhibit B to this Attachment. If BellSouth knows when additional physical Collocation Space may become available at the BellSouth Premises requested by BSLD, such information will be provided to BSLD in BellSouth's written denial of physical Collocation Space. BSLD must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Collocation Space to a physical Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Collocation Space to the new physical Collocation Space.
- 7.7.1 In Alabama, BellSouth will complete a relocation of a virtual collocation arrangement to a cageless physical collocation arrangement within sixty (60) days from BellSouth's receipt of a BFFO and from a virtual collocation arrangement to a caged physical collocation arrangement within ninety (90) days from BellSouth's receipt of a BFFO.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical caged collocation arrangements if the potential conversion meets all of the following criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and 3) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will

- bill BSLD an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to BSLD.
- 7.8.1 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified above in Section 7.8.
- Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, BSLD cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if BSLD cancels its order for Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, BSLD will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of BSLD up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if BSLD cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill BSLD for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the Firm Order not been canceled.
- 7.10 <u>Licenses.</u> BSLD, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy Collocation Space in a BellSouth Premises.
- 7.11 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Rates.</u> BSLD agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.2 <u>Application Fees.</u> BellSouth shall assess any non-recurring application fees within thirty (30) days of the date that BellSouth provides an Application Response to BSLD or on BSLD's next scheduled monthly billing statement.
- 8.2.1 In Tennessee, the application fee for caged Collocation Space shall be the Application Cost Planning Fee for both Initial Applications and Subsequent Applications placed by BSLD. Likewise, for cageless Collocation Space, the same Cageless Application Fee applies for both Initial Applications and Subsequent Applications placed by BSLD. BellSouth will bill the appropriate non-recurring application fee on the date that BellSouth provides an Application Response to BSLD.

- 8.3 Recurring Charges. If BSLD has met the applicable fifteen (15) day acceptance walk through interval specified in Section 4.2, billing for recurring charges will begin upon the Space Acceptance Date. In the event BSLD fails to complete an acceptance walk through within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If BSLD occupies the space prior to the Space Ready Date, the date BSLD occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in BSLD 's next billing cycle and will include any prorated charges for the period from BSLD's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2, to the date the bill is issued by BellSouth.
- 8.3.1 Unless otherwise stated in Section 8.6 below, monthly recurring charges for -48V DC power will be assessed per fused amp, per month, based upon the total number of fused amps of power capacity requested by BSLD on BSLD's Initial Collocation Application and all Subsequent Collocation Applications, which may either increase or decrease the originally requested, and any subsequently augmented, number of fused amps of power capacity requested, consistent with Commission orders.
- 8.3.2 BellSouth shall have the right to inspect and inventory any DC power fuse installations at a BellSouth BDFB or DC power circuit installations at BellSouth's main power board for any BSLD collocation arrangement, to verify that the total number of fused amps of power capacity installed by BSLD's BellSouth Certified Supplier matches the number of fused amps of DC power capacity requested by BSLD on BSLD's Initial Application and all Subsequent Applications. If BellSouth determines that BSLD's BellSouth Certified Supplier has installed more DC capacity than BSLD requested on its Initial Application and all Subsequent Applications, BellSouth shall notify BSLD in writing of such discrepancy and shall assess BSLD for the additional DC power fuse/circuit capacity from the Space Acceptance Date or Space Ready Date, whichever is applicable pursuant to Section 8.3 above, for the most recent Initial Application or Subsequent Application, submitted for such collocation arrangement. BellSouth shall also revise BSLD's recurring DC power charges, on a going-forward basis, to reflect the higher number of fused amps of power capacity available for the collocation arrangement.
- 8.4 Nonrecurring Charges. In Florida, unless specified otherwise herein, BellSouth shall assess nonrecurring charges, including all application fees, within thirty (30) days of the date that BellSouth provides an Application Response to BSLD or on BSLD's next scheduled monthly billing statement, if BSLD's current month's billing cycle has already closed. Nonrecurring charges associated with the processing of the Firm Order for collocation space preparation (Firm Order Processing Fee) shall be billed by BellSouth within thirty (30) days of BellSouth's

confirmation of BSLD's BFFO or on BSLD's next scheduled monthly billing statement.

- 8.5 Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications and Common Systems Modifications. For all states except Florida, BSLD shall remit the payment of the non-recurring Firm Order Processing Fee coincident with the submission of BSLD's BFFO. In Florida, the non-recurring Firm Order Processing Fee will be billed by BellSouth, pursuant to Section 8.4 above. The monthly recurring charge for Central Office Modifications will be assessed per arrangement, per square foot, for both caged and cageless physical Collocation Space. The monthly recurring charge for Common Systems Modifications will be assessed per arrangement, per square foot, for cageless physical Collocation Space and on a per cage basis for caged physical Collocation Space. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, and design and modification costs for network, building and support systems.
- 8.6 <u>Floor Space.</u> The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the BellSouth Premises; however, this charge does not include any expenses associated with AC or DC power supplied to BSLD's Collocation Space for the operation of BSLD's equipment.

For caged physical Collocation Space, BSLD shall pay floor space charges based upon the number of square feet enclosed. The minimum size for caged Collocation Space is 50 square feet. Additional caged Collocation Space may be requested in increments of 50 square feet. For cageless Collocation Space, BSLD shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign cageless Collocation Space in conventional equipment rack lineups where feasible. In the event BSLD's collocated equipment requires special cable racking, an isolated ground plane, or any other considerations and treatment which prevents placement within conventional equipment rack lineups, BSLD shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

8.7 <u>Power.</u> BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for BSLD's Collocation Space at a BellSouth Battery Distribution Fuse Bay (BDFB). When obtaining DC power from a BellSouth BDFB, BSLD's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by BSLD's BellSouth Certified Supplier, in accordance with the number of fused amps of DC power

requested by BSLD on BSLD's Initial Application and any Subsequent Applications. BSLD is also responsible for contracting with a BellSouth Certified Supplier to run the power distribution feeder cable from the BellSouth BDFB to the equipment in BSLD's Collocation Space. The BellSouth Certified Supplier contracted by BSLD must provide BellSouth with a copy of the engineering power specifications prior to the day on which BSLD's equipment becomes operational (hereinafter "Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB and BSLD's Collocation Space. BSLD shall contract with a BellSouth Certified Supplier who shall be responsible for performing those power provisioning activities required to enable BSLD's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within BSLD's Collocation Space, power cable feeds, and terminations of the power cabling. BSLD and BSLD's BellSouth Certified Supplier shall comply with all applicable NEC, BellSouth TR73503, Telcordia and ANSI Standards that address power cabling, installation, and maintenance.

- 8.7.1 In Florida only, pursuant to technical feasibility, commercial availability, and safety limitations, BellSouth will permit BSLD to request DC power in 5-amp increments from 5 amps up to 100 amps from the BellSouth BDFB. However, in accordance with industry standard fuse sizing, BSLD may request that BellSouth provision DC power of 70 amps or greater directly from BellSouth's main power board. The industry standard fuse size (which is a circuit breaker on the main power board) available at a BellSouth main power board in all BellSouth Premises is a 225-amp circuit breaker.
- 8.7.2 BellSouth will revise BSLD's recurring power charges, in accordance with Section 8.3 above, to reflect a power upgrade when BSLD submits a Subsequent Application requesting an increase in the number of fused amps it is currently receiving from BellSouth for its Collocation Space. If BSLD's existing fuses and power cables (for the A&B power feed) are not sufficient to support the additional number of fused amps requested, BSLD's BellSouth Certified Supplier shall perform whatever activities are necessary, which may include the installation of new/additional fuses or power cables, to comply with the appropriate NEC, BellSouth TR73503, Telcordia, and ANSI Standards, as well as the requirements noted above in Section 8.7 and 8.7.1. BSLD's BellSouth Certified Supplier shall provide notification to BellSouth when these activities have been completed.
- 8.7.3 BellSouth will revise BSLD's recurring power charges, in accordance with Section 8.3 above, to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from BSLD, certifying the completion of the power reduction work, including the removal of any associated power cabling by BSLD's BellSouth Certified Supplier. Notwithstanding the foregoing, if BSLD's BellSouth Certified Supplier has not removed or, at BellSouth's discretion, cut the power cabling within thirty (30) days, the power reduction will not become effective until the cabling is removed or, at

BellSouth's discretion, cut by BSLD 's BellSouth Certified Supplier and BSLD shall pay for the amount of power that had been requested prior to the power reduction request for the period up to the date the power cabling is actually removed.

- 8.7.4 If BSLD requests an increase or a reduction in the amount of power that BellSouth is currently providing, BSLD must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the increase or reduction in power, the Power Reconfiguration Only Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the increase or reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to BSLD's Subsequent Application.
- 8.7.5 If BSLD has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, BSLD must submit a Subsequent Application. BellSouth will respond to such application within seven (7) days and a Subsequent Application fee will apply for this reconfiguration to a BellSouth BDFB.
- 8.7.6 If BSLD elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed BSLD's DC Power Plant. Charges for AC power will be assessed on a per breaker ampere, per month basis, pursuant to the rates specified in Exhibit B. The AC power rates include recovery for the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by BSLD's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. BSLD's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At BSLD's option, BSLD may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.
- 8.7.7 BSLD shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within BSLD's arrangement and terminations of cable within the Collocation Space.
- 8.7.8 <u>Fused Amp Billing</u>. In all states, except as noted above in 8.7.1 for Florida, BellSouth shall make available –48V DC power on a per fused amp, per month basis, pursuant to the following formula:

<u>For power provisioned from a BDFB.</u> The number of fused amps requested by BSLD on its application should reflect a multiplier of 1.5 to convert its requested amps to fused amps, with a minimum of ten (10) fused amps required. The

number of fused amps requested by BSLD on its collocation application will be multiplied by the DC power fused amp rate set forth in Exhibit B.

For existing power configurations that are provisioned from BellSouth's main power board. The number of fused amps made available at the main power board, in increments of 225 amps/main power board circuit, will be multiplied by the DC power fused amp rate set forth in Exhibit B. In Florida, the number of fused amps requested by BSLD on its collocation application will be multiplied by the DC power fused amp rate set forth in Exhibit B

- 8.7.9 Florida Power Usage Option. In Florida only, BSLD may request that -48 DC power provisioned by BellSouth to BSLD's Collocation Space be assessed per ampere (amp), per month based upon amps used, pursuant to the rates set forth in Exhibit B of this Attachment. Monthly recurring power charges will be assessed on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3. If BSLD desires to convert existing physical collocation arrangements to the Florida Power Usage Option (hereinafter "FL Option"), then the monthly recurring power charges that are applicable to the FL Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by BSLD to convert an existing collocation arrangement to the FL Option. The monthly recurring charges for DC power, under the FL Option, shall be calculated and applied based on the amount of power BSLD requests that it be allowed to draw at a given time to a specific physical collocation arrangement in a particular BellSouth Premises on BSLD's Initial Application or Subsequent Application. BellSouth shall allow BSLD, at BSLD's option, to order a power feed that is capable of delivering a higher DC power level but to fuse this power feed so as to allow a power level less than the feed's maximum to be drawn by BSLD. BellSouth is not required to build its central office power infrastructure to meet BSLD's forecasted DC power demand. BSLD must specify on its Initial or Subsequent Application the power level it wishes to be able to draw from BellSouth's power plant for each existing collocation arrangement BSLD converts to the FL Option or for any new collocation arrangements BSLD establishes under the FL Option.
- 8.7.9.1 BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of BSLD's power usage under the FL Option for a specific collocation arrangement in a particular BellSouth Premises, based on a meter reading(s) taken by BellSouth of the amount of power being consumed by BSLD's collocation arrangement. BellSouth may perform its own meter reading(s) via any method it chooses, such as, but not limited to, a clamp-on ammeter. If the meter reading(s) varies by more than ten percent (10%) or five (5) amps from the power usage that has been requested by BSLD for the collocation arrangement, under the FL Option, the Parties agree to work cooperatively to reconcile such discrepancy and establish the appropriate usage figure in a reasonable and expeditious manner. If the Parties substantiate BellSouth's reading, then BellSouth shall adjust BSLD's billing to reflect

- BellSouth's power reading beginning with the first day of the month immediately following the date of the last metered reading taken by BellSouth.
- 8.7.9.2 BellSouth shall assess BSLD a monthly recurring charge for DC power under the FL Option, as set forth in Exhibit B of this Attachment. BSLD shall notify BellSouth of any change in its DC power usage by submitting a Subsequent Application, which reflects the new DC power level desired by BSLD. The requested change in DC power usage will be reflected in BSLD's next scheduled monthly billing cycle.
- 8.7.10 Tennessee Caged Collocation Power Usage Metering Option. In Tennessee only, BSLD may request that DC power provisioned by BellSouth to BSLD's caged Collocation Space be assessed pursuant to the Tennessee Regulatory Authority's Power Usage Metering Option (hereinafter "TN Option"). If BSLD chooses the TN Option, BellSouth will assess BSLD for -48V DC power using the following two components: (1) the actual measured AC usage, and (2) the DC power plant infrastructure provisioned by BellSouth to support the total number of fused amps of DC power requested by BSLD on BSLD's Initial Collocation Application and all Subsequent Collocation Applications. These monthly recurring power charges will be assessed by BellSouth on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3. If BSLD desires to convert an existing caged collocation arrangement to the TN Option, then the monthly recurring power charges that are applicable to the TN Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by BSLD to convert an existing caged collocation arrangement to the TN Option.
- 8.7.10.1 BellSouth, or its BellSouth Certified Supplier, will perform all metering activities, which will include providing the necessary ammeter or other measurement device, to measure the actual power usage (AC usage) being drawn by BSLD's collocation equipment on both the A and B power feeds. The AC Usage component of the DC power charge will be based upon the sum of either the instantaneous or busy hour average electric current readings, depending on the capabilities of the ammeter or other measurement device. BSLD may, at its sole cost and expense, install its own meters on those BDFBs located in its own caged Collocation Space(s) and may notify BellSouth if it would like to offer BellSouth the option of using such meters for the purposes of measuring BSLD's actual power usage. In such case, BellSouth, or its BellSouth Certified Supplier, will have the option of reading and recording the actual power usage from either the meter installed or maintained by BSLD on BSLD's own BDFB(s) or via a BellSouth provided measurement device. The usage reading for the option elected by BellSouth shall be used for purposes of calculating the DC power usage billing.
- 8.7.10.2 If BellSouth, or its BellSouth Certified Supplier, requires access to BSLD's caged Collocation Space(s) for purposes of measuring the power usage, BellSouth or its BellSouth Certified Supplier shall provide BSLD with a minimum of forty-eight (48) hours notice that access is required. BSLD shall respond to such request for access

within twenty-four (24) hours for the purpose of establishing the date and time of access to BSLD's caged Collocation Space(s). Once the date and time of access to BSLD's caged Collocation Space(s) has been agreed upon, BSLD and BellSouth, or its BellSouth Certified Supplier, shall adhere to the agreed upon date and time, or provide a minimum of twenty-four (24) hours notice to the other Party if the original appointment(s) will be missed or must be canceled and rescheduled. If BSLD fails to provide access to its caged Collocation Space(s) or fails to provide BellSouth, or its BellSouth Certified Supplier, with sufficient notification of the missed appointment(s), as noted above, then BSLD shall pay the non-recurring "Additional Meter Reading Trip Charge", as set forth in Exhibit B of this Attachment, for each additional meter reading trip that must be rescheduled to measure BSLD's power usage for such caged Collocation Space(s). BSLD and the BellSouth Certified Supplier may jointly agree to less stringent notification requirements to address, for example, any service interruption or restoration of service situations, on a location-by-location basis.

8.7.10.3 For each new caged collocation arrangement for which BSLD desires the TN Option, BSLD shall indicate on BSLD's Initial Application that the TN Option is being selected. For each location that BSLD wishes to convert to the TN Option, BSLD will submit a Subsequent Application and agrees to include in the Comments section of the Subsequent Application the following comment:

This Subsequent Application is BSLD's certification that BSLD is opting to convert this caged collocation arrangement to the TN Option and will permit BellSouth, or the BellSouth Certified Supplier, to measure its actual power usage on all power feeds.

- 8.7.10.4 BellSouth will bill BSLD a Power Reconfiguration Only Application Fee, as set forth in Exhibit B of this Attachment, on the date that BellSouth provides an Application Response to each Subsequent Application submitted by BSLD requesting to convert a caged collocation arrangement to the TN Option. BellSouth shall then arrange for the measurement of BSLD's actual power usage on each power feed (each A and B power feed) once each quarter at each of BSLD's caged collocation arrangements for which BSLD has submitted an Initial or Subsequent Application electing the TN Option. Based upon the actual power usage measurement taken by BellSouth or the BellSouth Certified Supplier, BellSouth shall assess BSLD for AC power usage for the following quarter based upon BSLD's actual metered usage for each power feed (both the A and B power feeds) or a minimum of ten (10) amps of -48V DC power usage for the sum of the A and B feeds for each power cable, whichever is greater. Such usage shall then be multiplied by the AC power consumption rate, set forth in Exhibit B of this Attachment, to determine the appropriate monthly recurring AC Usage charge that will be billed to BSLD for the following three (3) months or until the next AC power usage measurement is taken, whichever is later.
- 8.7.10.5 Either Party, within fifteen (15) days of notice of the usage measurement established by the scheduled meter reading, may challenge the accuracy of that reading by

requesting a new reading. If BSLD requests that an unscheduled (prior to the next scheduled quarterly power reading date) power usage reading be taken, then BSLD will be responsible for paying the "Additional Meter Reading Trip Charge" contained in Exhibit B of this Attachment. If BellSouth requests a power usage reading be taken in this instance, then BSLD will not be charged the "Additional Meter Reading Trip Charge" for the unscheduled meter reading. If the readings vary by more than ten (10) % or five (5) Amps, whichever is greater, the Parties shall work cooperatively to reconcile such discrepancies and establish the appropriate usage figure in a reasonable and expeditious manner. If the readings do not vary outside these ranges, the initial reading will be used to calculate BSLD's AC Usage charge for the next three (3) months.

- 8.7.10.6 In the event BellSouth elects to measure BSLD's power using BSLD's BDFB meter, then BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of BSLD's BDFB meter by performing its own meter reading via an alternate method, such as, but not limited to, an ammeter. If the meter readings vary significantly, the Parties agree to perform a joint investigation. If BSLD's BDFB meter is found to be in error, then BSLD agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Attachment are instantaneous readings that can experience minor fluctuations due to usage traffic, voltage fluctuations, and calibration of the meters themselves. The readings must vary by more than ten (10) % or five (5) Amps, whichever is greater, before any recalibration, repair, or replacement will be required. If the BellSouth reading is substantiated, BellSouth shall adjust BSLD's billing retroactive to the beginning of the quarter for which the last meter reading was taken.
- 8.7.10.7 When BSLD submits the appropriate Initial or Subsequent Application indicating its desire to elect the TN Option for a specific caged collocation arrangement in a particular BellSouth Premises, BellSouth will provide the associated Application Response pursuant to Section 6 of this Attachment. It will then be the responsibility of BSLD to submit a BFFO, indicating its desire to proceed with its request to elect the TN Option. After BellSouth receives the BFFO from BSLD, the Initial or Subsequent Application will be completed by BellSouth within the provisioning intervals contained in Section 7 of this Attachment and BSLD will be notified of the Space Ready Date or when the appropriate record and database changes have been made by BellSouth to reflect BSLD's election of the TN Option (which will be considered the "Space Ready Date" for purposes of a Subsequent Application submitted to convert a specific caged collocation arrangement in a particular BellSouth Premises to the TN Option). BellSouth will not permit BSLD to elect an earlier Space Acceptance Date than the Space Ready Date for any request submitted via a Subsequent Application for an existing caged collocation arrangement. When a Subsequent Application is used to elect the TN Option and there are no other changes requested, billing for the recurring charges associated with the AC Usage and DC Power Infrastructure components will begin upon the Space Ready Date. If BSLD

occupies the space prior to the Space Ready Date, for Initial Application requests only, the date BSLD occupies the space will be deemed the new Space Acceptance Date and billing for the AC Usage and DC Power Infrastructure components will begin on that date. When BSLD elects to move to the TN Option, the number of fused amps of DC Power infrastructure capacity requested by BSLD on its Initial or Subsequent Application will be used for calculating the number of amps to be billed for the AC Usage component until such time as BellSouth or its BellSouth Certified Supplier can perform, under the currently existing quarterly meter reading schedule, a reading of BSLD's power usage for the requested caged Collocation Space. As soon as this reading has been taken, BellSouth will adjust BSLD's billing accordingly to reflect the actual metered usage back to the Space Acceptance Date. BellSouth will also use this reading for billing purposes until the next quarterly meter reading is performed by BellSouth or its BellSouth Certified Supplier.

- 8.7.10.8 BellSouth shall assess BSLD the monthly recurring charge as set forth in Exhibit B of this Attachment for BellSouth's power plant infrastructure component of the DC power charges based upon the number of fused DC power amps requested by BSLD, as reflected by BSLD on its Initial Application, as well as any Subsequent Applications (i.e., augment applications), for the particular caged collocation arrangement(s) converted to the TN Option or any new caged collocation arrangement(s) for which BSLD has chosen the TN Option.
- 8.7.10.9 BSLD agrees to submit a Subsequent Application to notify BellSouth when BSLD has removed or installed telecommunications equipment in BSLD's physical Collocation Space to ensure that BSLD's existing fused DC power capacity is sufficiently engineered to accommodate the power requirements associated with the installation of additional equipment in BSLD's Collocation Space. An associated change in power usage will be reflected in the next quarterly power measurement billing cycle.
- 8.7.10.10 BellSouth will bill BSLD a monthly recurring charge per caged Collocation Space for each arrangement that BSLD has converted to the TN Option or has elected the TN Option for new caged Collocation Space. This "Meter Reading" monthly recurring rate element will be assessed to BSLD for the first twelve (12) power circuits (each A and B feed counts as two circuits), and then for each additional two (2) circuits, read by BellSouth or its BellSouth Certified Supplier, at the rates set forth in Exhibit B of this Attachment and based on whether the power meter is provided by BellSouth or its BellSouth Certified Supplier or BSLD.
- 8.7.11 In Alabama and Louisiana, BSLD has the option to purchase power directly from an electric utility company. Under such option, BSLD is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by BSLD. BSLD's BellSouth Certified Supplier

must comply with all applicable safety codes, including the NEC and National Electric Safety Code (NESC) standards, in the installation of this power arrangement. If BSLD currently has power supplied by BellSouth, BSLD may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc. utilized by BSLD in provisioning said power will be billed by BellSouth on an ICB basis.

- 8.7.12 In South Carolina, BSLD has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such option, BSLD is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by BSLD. BSLD's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the NESC standards, in the installing this power arrangement, just as BellSouth is required to comply with these codes. BSLD must submit an application to BellSouth for the appropriate amount of Collocation Space that BSLD requires in order to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the BellSouth Premises for the installation of BSLD's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the BellSouth Premises that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a competitive local exchange carrier (CLEC) that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. BSLD shall be responsible for the recurring charges associated with the additional space needed in the BellSouth Premises for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, fuse panel, power meter, etc.). If there is no space available for this type of power arrangement in the requested BellSouth Premises, BellSouth may seek a waiver of these requirements from the Commission for the BellSouth Premises requested. BSLD would have the option to order its power needs directly from BellSouth.
- 8.7.13 In Alabama and Louisiana, if BSLD has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific BellSouth Premises, BSLD must submit a Subsequent Application to BellSouth. BellSouth will provide a response to such

application within seven (7) days and no application fee will be assessed by BellSouth for this one time only power reconfiguration to a BellSouth BDFB. For any power reconfigurations thereafter, BSLD will submit a Subsequent Application and the appropriate application fee will apply.

- 8.8 <u>Cable Installation.</u> Cable Installation fees will be assessed on a per entrance cable basis. This nonrecurring charge will be billed by BellSouth upon receipt of BSLD's BFFO.
- 8.9 <u>Cable Records.</u> Cable Records charges apply for work activities required to build or remove existing cable records assigned to BSLD in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of 3,600 records per request. The fiber cable record charge is for a maximum of 99 records per request. Cable Record fees will be assessed as a nonrecurring charge, upon receipt of BSLD's BFFO, in all BellSouth states, except Louisiana. In Louisiana, Cable Record fees will be assessed on a monthly recurring charge basis, upon receipt of BSLD's BFFO.
- 8.10 Security Escort. After BSLD has used its one accompanied site visit, pursuant to Section 5.12.1, and prior to BSLD's completion of the BellSouth Security Training requirements, contained in Section 12 of this Agreement, a security escort will be required when BSLD's employees, approved agent, supplier, or Guest(s) desire access to the entrance manhole or a BellSouth Premises. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and BSLD shall pay for such half-hour charges in the event BSLD's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.11 Other. If no collocation rate element and associated rate is identified in Exhibit B of this Attachment, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

9. Insurance

- 9.1 BSLD shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 BSLD shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00).

- BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of BSLD's real and personal property situated on or within a BellSouth Premises.
- 9.2.4 BSLD may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement, upon thirty (30) days notice to BSLD, to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by BSLD shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Agreement or until all of BSLD's property has been removed from BellSouth's Premises, whichever period is longer. If BSLD fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from BSLD.
- 9.5 BSLD shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. BSLD shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from BSLD's insurance company. BSLD shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Office - Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

9.6 BSLD must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations

- 9.7 Self-Insurance. If BSLD's net worth exceeds five hundred million dollars (\$500,000,000.00), BSLD may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2. BSLD shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to BSLD in the event that self-insurance status is not granted to BSLD. If BellSouth approves BSLD for self-insurance, BSLD shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of BSLD's corporate officers. The ability to self-insure shall continue so long as the BSLD meets all of the requirements of this Section. If BSLD subsequently no longer satisfies the requirements of this Section, BSLD is required to purchase insurance as indicated by Section 9.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to BSLD to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Lien

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or BSLD), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

BellSouth may conduct an inspection of BSLD's equipment and facilities in BSLD's Collocation Space(s) prior to the activation of facilities and/or services between BSLD's equipment and equipment of BellSouth. BellSouth may conduct an inspection if BSLD adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide BSLD with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater,

advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

12. <u>Security and Safety Requirements</u>

- Unless otherwise specified, BSLD will be required, at its own expense, to conduct a statewide investigation of criminal history records for each BSLD employee hired in the past five years being considered for work on a BellSouth Premises, for the states/counties where the BSLD employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. BSLD shall not be required to perform this investigation if an affiliated company of BSLD has performed an investigation of the BSLD employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if BSLD has performed a preemployment statewide investigation of criminal history records of the BSLD employee for the states/counties where the BSLD employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- BSLD will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at www.interconnection.bellsouth.com/guides.
- BSLD shall provide its employees and agents with picture identification, which must be worn and visible at all times while in BSLD's Collocation Space or other areas in or around the BellSouth Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and BSLD's name. BellSouth reserves the right to remove from a BellSouth Premises any employee of BSLD not possessing identification issued by BSLD or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. BSLD shall hold BellSouth harmless for any damages resulting from such removal of BSLD's personnel from a BellSouth Premises. BSLD shall be solely responsible for ensuring that any Guest(s) of BSLD is in compliance with all subsections of this Section.
- BSLD shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. BSLD shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any of BSLD's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event BSLD chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, BSLD may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 BSLD shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- BSLD shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each BSLD employee or agent hired by BSLD within the last five years, who requires access to a BellSouth Premises to perform work in BSLD Collocation Space(s), BSLD shall furnish BellSouth certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, BSLD will disclose the nature of the convictions to BellSouth at that time. In the alternative, BSLD may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other BSLD employees requiring access to a BellSouth Premises pursuant to this Attachment, BSLD shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, BSLD shall promptly remove from the BellSouth Premises any employee of BSLD that BellSouth does not wish to grant access to a BellSouth Premises: 1) pursuant to any investigation conducted by BellSouth, or 2) prior to the initiation of an investigation if an employee of BSLD is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.
- Security Violations. BellSouth reserves the right to interview BSLD's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to BSLD's Security representative of such interview. BSLD and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving BSLD's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill BSLD for all reasonable costs associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually

agreed in good faith that BSLD's employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill BSLD for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of BSLD's employees, agents, suppliers, or Guests and where BSLD agrees, in good faith, with the results of such investigation. BSLD shall notify BellSouth in writing immediately in the event that BSLD discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. BSLD shall hold BellSouth harmless for any damages resulting from such removal of BSLD's personnel from a BellSouth Premises.

- 12.8 <u>Use of Supplies.</u> Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

13. Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar force majeure circumstances to such an extent as to be rendered wholly unsuitable for BSLD's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for BSLD's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to BSLD, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. BSLD may, at its own expense, accelerate the rebuild of its

Version: 4Q04 Standard ICA 01/12/05

Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If BSLD's acceleration of the project increases the cost of the project, then those additional charges will be incurred at BSLD's expense. Where allowed and where practical, BSLD may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, BSLD shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for BSLD's permitted use, until such Collocation Space is fully repaired and restored and BSLD's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where BSLD has placed an Adjacent Arrangement pursuant to Section 3.4, BSLD shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and BSLD shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

15. Nonexclusivity

BSLD understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

CCCS 306 of 667

Version: 4Q04 Standard ICA 01/12/05

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and BSLD agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended, and National Fire Protection Association (NFPA), NEC and National Electric Safety Codes (NESC) (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and BSLD shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. BSLD should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for BSLD to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. BSLD will require its suppliers, agents, Guests, and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by BSLD when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections.</u> BellSouth reserves the right to inspect the BSLD space with proper notification. BellSouth reserves the right to stop any BSLD work operation that imposes Imminent Danger to the environment, employees or other persons in or around a BellSouth Premises.
- Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at a BellSouth Premises by BSLD are owned by and considered the property of BSLD. BSLD will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by BSLD or different hazardous materials used by BSLD at a BellSouth Premises. BSLD must demonstrate adequate emergency response capabilities for the materials used by BSLD or remaining at a BellSouth Premises.

Version: 4004 Standard ICA

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by BSLD to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits.</u> BellSouth and BSLD will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and BSLD will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, BSLD must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and BSLD shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a BellSouth Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, BSLD agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. BSLD further agrees to cooperate with BellSouth to ensure that BSLD's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps, which apply to the specific Environmental function being performed by BSLD, its employees, agents, suppliers, and/or Guests.
- The most current version of the reference documentation must be requested from BSLD's BellSouth Regional Contract Manager (RCM).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000

Version: 4004 Standard ICA

		T
tubes, solvents & cleaning materials)	Pollution liability insurance	Std T&C 660-3
materials)	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on BellSouth's Premises)
Contract labor/outsourcing for services with environmental implications	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage	Performance of services in accordance with BST's environmental M&Ps	Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.)
tanks)	Insurance	Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services

Version: 4Q04 Standard ICA

	All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator.</u> Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a BellSouth Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

Version: 4Q04 Standard ICA

4. ACRONYMS

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

Version: 4Q04 Standard ICA

Attachment 4

Remote Site Collocation

Version: 4Q04 Standard ICA 12/14/04

REMOTE SITE COLLOCATION TABLE OF CONTENTS

- 1. Scope of Attachment
 - 1.1 Scope
 - 1.2 Right to Occupy
 - 1.3. Space Reservation
 - 1.4. Third Party Property
 - 1.5 Space Reclamation
 - 1.6 Use of Space
 - 1.7 Due Dates
 - 1.8 Compliance
- 2. Space Availability Optional Report
 - 2.1 Space Availability Optional Report
 - 2.2 Remote Terminal Information
- 3. Collocation Options
 - 3.1 Cageless Collocation
 - 3.2 Caged Collocation
 - 3.3 Shared Caged Collocation
 - 3.4 Adjacent Collocation
 - 3.5 Co-Carrier Cross Connects (CCXCs)
- 4. Occupancy
 - 4.1. Space Ready Date
 - 4.2 Acceptance Walk Through
 - 4.3 Early Space Acceptance
 - 4.4 Termination of Occupancy
- 5. Use of Remote Collocation Space
 - **5.1.** Equipment Type
 - 5.2. No Marketing
 - 5.3. Equipment Identification
 - **5.4.** Entrance Facilities
 - 5.5 Shared Use
 - **5.6** Demarcation Point
 - 5.7 Equipment and Facilities
 - 5.8 BellSouth Access
 - **5.9** Customer Access
 - 5.10 Lost or Stolen Access Kevs
 - **5.11** Interference or Impairment
 - 5.12 Personalty and Its Removal
 - 5.13 Alterations
 - **5.14** Upkeep of Remote Collocation Space

Version: 4Q04 Standard ICA

12/14/04

6. Ordering and Preparation of Remote Collocation Space

- **6.1.** Procedures and Intervals
- **6.2.** Remote Site Application
- 6.3 Availability of Space
- **6.4** Space Availability Notification
- 6.5 Denial of Application
- 6.6 Petition for Waiver
- 6.7 Waiting List
- **6.8** Public Notification
- **6.9** Application Response
- **6.10** Application Modifications
- 6.11 Bona Fide Firm Order

7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals
- 7.2. Joint Planning
- 7.3. Permits
- 7.4 Use of a BellSouth Certified Supplier
- 7.5 Alarms and Monitoring
- 7.6 Virtual to Physical Remote Collocation Space Relocation
- 7.7 Virtual to Physical Conversion (In-Place)
- 7.8 Cancellation
- 7.9 Licenses
- 7.10 Environmental Compliance

8. Rates and Charges

- **8.1.** Rates
- 8.2 Recurring Charges
- 8.3 Application Fee
- 8.4 Bay Space
- 8.5 Power
- 8.6 Adjacent Collocation Power
- 8.7 Security Escort
- 8.8 Other

9. Insurance

10. Mechanics Liens

11. Inspections

12. Security and Safety Requirements

13. Destruction of Remote Collocation Space

Version: 4Q04 Standard ICA

12/14/04

- 14. Eminent Domain
- 15. Nonexclusivity

EXHIBIT A ENVIRONMENTAL AND SAFETY PRINCIPLES

EXHIBIT B RATES

Version: 4Q04 Standard ICA

12/14/04

BELLSOUTH

REMOTE SITE COLLOCATION

1. Scope of Attachment

- 1.1 Scope. The rates, terms, and conditions contained within this Attachment shall only apply when BSLD is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "BellSouth Premises"). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. However, if the BellSouth Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to occupy. BellSouth shall offer to BSLD Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory, and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow BSLD to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by BSLD and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

1.3 <u>Space Reservation.</u>

- 1.3.1 In all states other than Florida, the number of bays specified by BSLD may contemplate a request for space sufficient to accommodate BSLD's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of bays specified by BSLD may contemplate a request for space sufficient to accommodate BSLD's growth within an eighteen (18) month period.

Version: 4Q04 Standard ICA

12/14/04

- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 Third Party Property. If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies BSLD that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon BSLD's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for BSLD. BSLD agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for BSLD. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for BSLD as above, BSLD shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with BSLD in obtaining such permission.
- 1.5 <u>Space Reclamation.</u> In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. BSLD will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> BSLD shall use the Remote Collocation Space for the purposes of installing, maintaining and operating BSLD's equipment (which may include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) in accordance with the Act and FCC and Commission rules. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day, and Christmas Day.
- 1.8 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

Version: 4Q04 Standard ICA

12/14/04

2. Space Availability Optional Report

- 2.1 Space Availability Optional Report. Upon request from BSLD, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.
- 2.1.1 The request from BSLD for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If BSLD is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, BSLD may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, BSLD should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. BSLD should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) days of receipt of such request. BellSouth will make commercially reasonable efforts to respond in ten (10) days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) day response time, BellSouth shall notify BSLD and inform BSLD of the time frame under which it can respond.
- Remote Terminal Information. Upon request, BellSouth will provide BSLD with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) days of a BSLD request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center

Version: 4Q04 Standard ICA

12/14/04

designated by BSLD, up to a maximum of thirty (30) wire centers per BSLD request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) BSLD agrees to pay the costs incurred by BellSouth in providing the information. Multiple Wire Center CLLI code requests may be place on one CD.

3. <u>Collocation Options</u>

- 3.1 <u>Cageless Collocation.</u> BellSouth shall allow BSLD to collocate BSLD's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow BSLD to have direct access to BSLD's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single bay increments. Except where BSLD's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, BSLD must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.4 following.
- 3.2 Caged Collocation. At BSLD's option and expense, BSLD may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications, BSLD and BSLD's BellSouth Certified Supplier must comply with the more stringent local building code requirements. BSLD's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at BSLD's expense, documentation, which may include existing building architectural drawings, enclosure drawings, and specifications etc., necessary for BSLD's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. BSLD's BellSouth Certified Supplier shall bill BSLD directly for all work performed for BSLD pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by BSLD's BellSouth Certified Supplier. BSLD must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access BSLD's locked enclosure prior to notifying BSLD at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to BSLD's Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for BSLD.
- 3.2.1 BellSouth may elect to review BSLD's plans and specifications, if BSLD has indicated its desire to have BSLD's BellSouth Certified Supplier construct the collocation

Version: 4Q04 Standard ICA

12/14/04

arrangement enclosure, prior to allowing the construction to start, to ensure BSLD's compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify BSLD of its desire to execute this review in BellSouth's Application Response to BSLD's application. The Application Response is defined for purposes of this Attachment as BellSouth's written response that includes sufficient information for BSLD to place a firm order for the Remote Collocation Space it is requesting. If BSLD's application does not indicate their desire to construct their own enclosure and BSLD subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then BSLD will resubmit its application, indicating its desire to construct its own enclosure. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of BSLD's plans and specifications. Regardless of whether or not BellSouth elects to review BSLD's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Remote Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of BSLD's written notification that the enclosure has been completed. BellSouth shall require BSLD, at BSLD's expense, to remove or correct within seven (7) days after BellSouth has completed its inspection of BSLD's caged Remote Collocation Space, any structure that does not meet BSLD's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.

- 3.3 Shared Caged Collocation. BSLD may allow other telecommunications carriers to sublease BSLD's Remote Collocation Space pursuant to terms and conditions agreed to by BSLD ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. BSLD shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest prior to any application. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by BSLD that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and BSLD.
- 3.3.1 BSLD, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide BSLD with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each. BellSouth will not allocate less than one (1) bay per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, BSLD shall be the responsible Party to BellSouth for the purpose of submitting applications for bay placement for the Guest.

Version: 4Q04 Standard ICA

12/14/04

In Florida the Guest may submit its own initial bay placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written Application Response to the Guest(s) bona fide application.

- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services, and/or access to UNEs. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable BellSouth tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 BSLD shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of BSLD's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent Remote Site collocation arrangement ("Adjacent Arrangement") on the property on which BellSouth's Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Adjacent Arrangement shall be constructed or procured by BSLD and in conformance with BellSouth's design and construction specifications. Further, BSLD shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Adjacent Arrangement.
- 3.4.1 Should BSLD elect Adjacent Collocation, BSLD must arrange with a BellSouth Certified Supplier to construct or procure an Adjacent Arrangement structure in accordance with BellSouth's specifications. Where local building codes require specifications more stringent than BellSouth's own specifications, BSLD and BSLD's BellSouth Certified Supplier must comply with local building code requirements. BSLD's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. BSLD's BellSouth Certified Supplier shall bill BSLD directly for all work performed for BSLD pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by BSLD's BellSouth Certified Supplier. BSLD must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access BSLD's locked enclosure prior to notifying BSLD at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.

Version: 4Q04 Standard ICA

12/14/04

- 3.4.2 BSLD must submit its plans and specifications to BellSouth with its firm order. BellSouth shall review BSLD's plans and specifications prior to construction of an Adjacent Arrangement to ensure compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of BSLD's written notification that the Adjacent Arrangement has been completed. BellSouth shall require BSLD, at BSLD's expense, to remove or correct within seven (7) days after BellSouth has completed its inspection of BSLD's Adjacent Arrangement, any structure that does not meet its submitted plans and specifications or, BellSouth's specifications, as applicable.
- 3.4.3 BSLD shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At BSLD's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, at BSLD's request and expense, BellSouth will provide DC power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law, BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), any and all safety and local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and intervals. BSLD will pay for any and all (100%) DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins, and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. BSLD's BellSouth Certified Supplier shall be responsible, at BSLD's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared caged Host/Guest collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 <u>Co-Carrier Cross-Connects (CCXCs).</u> A Co-Carrier Cross Connect (CCXC) is a cross connection between BSLD and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Remote Site Location. Where technically feasible, BellSouth will permit BSLD to interconnect between its Remote Collocation Space(s) and Remote Collocation Space(s) of another (or other) collocated telecommunications carrier(s) within the same BellSouth Remote Site Location via a CCXC, pursuant to FCC Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will

Version: 4Q04 Standard ICA

12/14/04

permit the provisioning of CCXC between the two collocated carriers. The applicable BellSouth charges will be assessed to the collocated telecommunications carrier that requests the CCXC. BSLD is prohibited from using the Remote Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.

- 3.5.1 BSLD must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by BSLD. Such cross-connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. BSLD shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by BSLD to provision the CCXC to the other collocated telecommunications carrier. In those instances where BSLD's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Remote Collocation Spaces, BSLD may use its own technicians to install the co-carrier cross connects using either electrical or optical facilities between the sets of equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two contiguous cages. BSLD shall deploy such optical or electrical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. BSLD shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) panel or LGX (Light Guide Cross-connect) panel. BSLD is solely responsible for ensuring the integrity of the signal.
- 3.5.2 To place an order for a CCXC, BSLD must submit an application to BellSouth. If no modification to the Remote Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, the Application Fee will apply. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to BSLD.

4. Occupancy

- 4.1 <u>Space Ready Date.</u> BellSouth will notify BSLD in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date").
- 4.2 <u>Acceptance Walk Through.</u> BSLD will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) days after BellSouth notifies BSLD that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to BSLD's original or jointly amended requirements within seven (7) days after the walkthrough,

Version: 4Q04 Standard ICA

12/14/04

unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If BSLD completes its acceptance walkthrough within the fifteen (15) day interval(s) associated with the applicable Space Ready Date, billing will begin upon the date of BSLD's acceptance of the Remote Collocation Space ("Space Acceptance Date"). In the event that BSLD fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Remote Collocation Space shall be deemed accepted by BSLD on the Space Ready Date and billing will commence from that date.

- 4.3 Early Space Acceptance. If BSLD decides to occupy the Remote Collocation Space prior to the Space Ready Date, the date BSLD occupies the space is deemed the Space Acceptance Date and billing will begin from that date. BSLD must notify BellSouth in writing that its collocation equipment installation is complete. BSLD's collocation equipment installation is complete, which is when BSLD's equipment has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to BSLD's customers. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice from BSLD.
- 4.4 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, BSLD may terminate occupancy in a particular Remote Collocation Space by submitting an application requesting termination of occupancy for such Remote Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date BSLD and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that BSLD signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth and BSLD jointly conduct an inspection, which confirms that BSLD has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate BSLD's right to occupy the Remote Collocation Space in the event BSLD fails to comply with any provision of this Agreement, for such Remote Collocation Space..
- 4.4.1 Upon termination of occupancy, BSLD, at its sole expense, shall remove its equipment and other property from the Remote Collocation Space. BSLD shall have thirty (30) days from the BFFO date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of BSLD's Guest(s), unless BSLD's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by

Version: 4Q04 Standard ICA

12/14/04

BellSouth to transfer the Remote Collocation Space to the Guest(s) prior to BSLD's Termination Date.

- 4.4.2 BSLD shall continue payment of all monthly recurring charges to BellSouth until the date BSLD, and if applicable BSLD's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. If BSLD or BSLD's Guest(s) fails to vacate the Remote Collocation Space within thirty (30) days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of BSLD or BSLD's Guest(s), in any manner that BellSouth deems fit, at BSLD's expense and with no liability whatsoever for BSLD's property or BSLD's Guest(s)'s property.
- 4.4.3 Upon termination of BSLD's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and BSLD shall surrender such Remote Collocation Space to BellSouth in the same condition as when it was first occupied by BSLD, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. For CEVs and huts, BSLD's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, Record Drawings and ERMA Records. BSLD shall be responsible for the cost of removing any BSLD constructed enclosure, as well as any support structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

5. <u>Use of Remote Collocation Space</u>

- Equipment Type. BellSouth permits the collocation and use of any type of equipment that is necessary and will be used primarily for interconnection to BellSouth's network or for access to UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater

Version: 4Q04 Standard ICA

12/14/04

relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on BSLD's failure to comply with this Section.
- 5.1.2.1 All BSLD equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 BSLD shall identify to BellSouth whenever BSLD submits a Method of Procedure ("MOP") adding equipment to BSLD's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in BSLD's Remote Collocation Space. BSLD shall submit a copy of the list of any lien holders or other entities that have a financial interest to BSLD's ATCC Representative.
- 5.2 <u>No Marketing.</u> BSLD shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- Equipment Identification. BSLD shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of BSLD's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify BSLD's equipment in the case of an emergency. For caged Remote Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- Entrance Facilities. BSLD may elect to place BSLD-owned or BSLD-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. BSLD will provide and place copper cable through conduit from the Remote Collocation Space to the feeder distribution interface to the splice location of sufficient length for splicing by BellSouth. BSLD must contact BellSouth for authorization and instruction prior to

Version: 4Q04 Standard ICA

12/14/04

- placing any entrance facility cable. BSLD is responsible for maintenance of the entrance facilities that terminate into BSLD's Remote Collocation Space.
- 5.5 <u>Shared Use.</u> BSLD may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to BSLD's Remote Collocation Space within the same BellSouth Remote Site Location.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between BSLD's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. BSLD or its agent must perform all required maintenance to BSLD equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following.
- Equipment and Facilities. BSLD, or if required by this Attachment, BSLD's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and network facilities used by BSLD which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include but are not limited to cable(s), equipment, and point of termination connections. BSLD and its selected BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouthTechnical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth Access. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to BSLD at least forty-eight (48) hours before access to the Remote Collocation Space is required. BSLD may elect to be present whenever BellSouth performs work in the Remote Collocation Space. The Parties agree that BSLD will not bear any of the expense associated with this work. In the case of an emergency, BellSouth will provide oral notice of entry as soon as possible and, upon request, will provide subsequent written notice.
- Customer Access. Pursuant to Section 12, BSLD shall have access to its Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. BSLD agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of BSLD or BSLD's Guest(s) with BSLD's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by BSLD and returned to

Version: 4Q04 Standard ICA

12/14/04

BellSouth Access Management within fifteen (15) days of BSLD's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Devices may not be duplicated under any circumstances. BSLD agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of BSLD's employees, suppliers, agents, or Guests after termination of the employment relationship, the contractual obligation with BSLD ends, upon the termination of this Agreement, or upon the termination of occupancy of Remote Collocation Space in a specific BellSouth Premises. BSLD shall pay all applicable charges associated with lost or stolen Access Devices.

- 5.9.1 BellSouth will permit one (1) accompanied site visit, which will be limited to no more than one hour, to BSLD's designated Remote Collocation Space, after receipt of the BFFO, without charge to BSLD. BSLD must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date BSLD desires to gain access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, BSLD may submit a request for its one (1) free accompanied site visit to its designated Remote Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event BSLD desires access to its designated Remote Collocation Space after the first accompanied free visit and BSLD's access request form(s) has not been approved by BellSouth or BSLD has not yet submitted an access request form to BellSouth, BSLD shall be permitted to access the Remote Collocation Space accompanied by a BellSouth security escort, at BSLD's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. BSLD must request that escorted access be provided by BellSouth to BSLD's designated Remote Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever BSLD or its approved agent or supplier requires access to the entrance manhole.
- 5.10 <u>Lost or Stolen Access Keys.</u> BSLD shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), BSLD shall pay for all reasonable costs associated with the re-keying or deactivating the device(s).
- 5.11 <u>Interference or Impairment.</u> Notwithstanding any other provisions of this Attachment, BSLD shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of

Version: 4Q04 Standard ICA

12/14/04

any communications routed through the Remote Site; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of BSLD violates the provisions of this paragraph, BellSouth shall provide written notice to BSLD, which shall direct BSLD to cure the violation within forty-eight (48) hours of BSLD's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct the inspection of the Remote Collocation Space.

- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if BSLD fails to take cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character which poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to BSLD's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to BSLD prior to the taking of such action and BellSouth shall have no liability to BSLD for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and BSLD fails to take curative action within forty-eight (48) hours, or such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to BSLD or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. Where BellSouth demonstrates that a certain technology deployed by BSLD is significantly degrading the performance of other advanced services or traditional voice band services, BSLD shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47CFR, Section 51.230 of the FCC's Rules, the degraded service shall not prevail against the newly-deployed technology.

Version: 4Q04 Standard ICA

12/14/04

- 5.12 Personalty and Its Removal. Facilities and equipment placed by BSLD in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personal property and may be removed by BSLD at any time. Any damage caused to the Remote Collocation Space by BSLD's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by BSLD at its sole expense.
- Alterations. Under no condition shall BSLD or any person acting on behalf of BSLD make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by BSLD. An Alteration shall require the submission of an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides BSLD with an Application Response.
- 5.14 <u>Upkeep of Remote Collocation Space.</u> BSLD shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. BSLD shall be responsible for removing any of BSLD's debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

- Procedures and Intervals. Should any state or federal regulatory agency impose procedures or intervals applicable to BSLD and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Attachment, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted after the effective date thereof.
- Remote Site Application. When BSLD or BSLD's Guest(s) desires to install a bay in a Remote Site Location, BSLD shall input a BellSouth Physical Expanded Interconnection Application Document ("Application") directly into BellSouth's electronic application (e.App) system for processing. The Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Application are completed with the appropriate type of information. An Application Fee, as set forth in Exhibit B, will apply to each Application submitted by BSLD and will be billed on the date BellSouth provides BSLD with an Application Response. The placement of an additional bay at a later date will be treated in the same fashion and an Application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.7, within an existing bay, does not require an Application.

Version: 4Q04 Standard ICA

12/14/04

- Availability of Space. Upon submission of an Application, BellSouth will permit BSLD to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section, in which case, virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify BSLD of the amount that is available.
- Space Availability Notification. For all states except Florida and Tennessee, BellSouth 6.4 will respond to an Application within ten (10) days as to whether space is available or not available within a BellSouth Remote Site Location. . In Florida and Tennessee, BellSouth will respond to an Application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system will reflect when BSLD's Application is Bona Fide. If the Application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the Application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify BSLD of the amount of space that is available and no Application fee will apply. When BellSouth's response includes an amount of space less than that requested by BSLD or space that is configured differently, no Application Fee shall apply. If BSLD decides to accept the available space, BSLD must resubmit its Application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When BSLD resubmits its Application to accept the available space, BellSouth will bill BSLD the appropriate Application Fee.
- Denial of Application. If BellSouth notifies BSLD that no space is available (Denial of Application), BellSouth will not assess an Application Fee to BSLD. After notifying BSLD that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow BSLD, upon request, to tour the Remote Site Location within ten (10) days of such Denial of Application. In order to schedule this tour within ten (10) days, BellSouth must receive the request for the tour of the Remote Site Location within five (5) days of the Denial of Application.
- 6.6 Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit BSLD to inspect any plans or diagrams that BellSouth provides to the Commission.

Version: 4Q04 Standard ICA

12/14/04

- 6.7 <u>Waiting List.</u> On a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers who have either received a Denial of Application or, where it is publicly known that a Remote Site Location is out of space, have submitted a Letter of Intent to collocate in that Remote Site Location. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a Remote Site Location is out of space, have submitted a Letter of Intent to collocate in that Remote Site Location. Sixty (60) days prior to Remote Collocation Space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when Remote Collocation Space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available.
- 6.7.2 When Remote Collocation Space becomes available, BSLD must submit an updated, complete, and accurate Application to BellSouth within thirty (30) days of such notification that Remote Collocation Space will be available in the requested Remote Site Location previously out of space. If BSLD has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, BSLD may refuse such space and notify BellSouth in writing, within the thirty (3) day timeframe referenced above, that BSLD wishes to maintain its place on the waiting list for caged Remote Collocation Space, without accepting the available cageless Remote Collocation Space. BSLD may accept an amount of space less than what it originally requested by submitting an Application as set forth above, and, upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If BSLD does not submit an Application or notify BellSouth in writing within the thirty (3) day timeframe as described above, BellSouth will offer the available Remote Collocation Space to the next telecommunications carrier on the waiting list and remove BSLD from the waiting list. Upon request, BellSouth will advise BSLD as to its position on the waiting list for a particular Remote Site Location.
- 6.8 <u>Public Notification.</u> BellSouth will maintain on its Interconnection Services Web site, www.interconnection.bellsouth.com, a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a

Version: 4Q04 Standard ICA

12/14/04

general notice where space has become available in a Remote Site Location previously on the space exhaust list.

6.9 <u>Application Response.</u>

- 6.9.1 In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide Application, when Remote Collocation Space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the Remote Collocation Space available, BellSouth will provide an Application Response including sufficient information to enable BSLD to place a firm order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8. When BSLD submits ten (10) or more Applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- 6.9.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when Remote Collocation Space has been determined to be available, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide Application. The Application Response will be a written response that includes sufficient information to enable BSLD to place a firm order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- Application Modifications. If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of BSLD or as necessitated by technical considerations, the Application shall be considered a new Application and handled as a new Application with respect to the response and provisioning intervals. BellSouth will charge BSLD the Application Fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

6.11 Bona Fide Firm Order.

- 6.11.1 BSLD shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a BFFO to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to BSLD's Bona Fide Application or BSLD's Application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of BSLD's BFFO. BellSouth will acknowledge the receipt of BSLD's BFFO within seven (7) days of receipt, so that BSLD will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order

Version: 4Q04 Standard ICA

12/14/04

Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction for Remote Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Remote Collocation Space after the initial space has been completed, BellSouth will complete construction for Remote Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by BSLD, If additional space has been requested by BSLD, BellSouth will complete construction for the requested Remote Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Remote Collocation Space and forty five (45) days from receipt of a BFFO for virtual Remote Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and BSLD cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for Remote Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant). Extraordinary conditions, include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Remote Collocation Space requested or BellSouth may seek a waiver from the interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.
- 7.1.3 If BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect, but not be limited, to make additional space available by rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation

Version: 4Q04 Standard ICA

12/14/04

Space in a nondiscriminatory manner and at parity with BellSouth and will provide BSLD with the estimated completion date in its Application Response.

- Joint Planning. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and BSLD will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Remote Collocation Space and the equipment configuration requirements, as reflected in the Application and affirmed in the BFFO.
- 7.3 <u>Permits.</u> Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of finalized construction designs and specifications.
- 7.4 Use of BellSouth Certified Supplier. BSLD shall select a supplier, which has been approved as a BellSouth Certified Supplier to perform all construction, engineering (as specified in TR 73503), installation, and removal work. BSLD, if a BellSouth Certified Supplier, or BSLD's BellSouth Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, BSLD must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide BSLD with a list of BellSouth Certified Suppliers, upon request. BSLD, if a BellSouth Certified Supplier, or BSLD's BellSouth Certified Supplier(s) shall be responsible for installing BSLD's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and BSLD upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by BSLD, the BellSouth Certified Supplier shall bill BSLD directly for all work performed for BSLD pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by BSLD's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to BSLD or any supplier proposed by BSLD and will not unreasonably withhold certification. All work performed by or for BSLD shall conform to generally accepted industry standards.
- 7.5 <u>Alarms and Monitoring.</u> BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. BSLD shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service BSLD's Remote Collocation Space. Upon request, BellSouth will provide BSLD with applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by BSLD. Both Parties shall use best efforts to notify the other

Version: 4Q04 Standard ICA

12/14/04

of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.

- 7.6 Virtual to Physical Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations and physical Remote Collocation Space has subsequently become available, BSLD may relocate its existing virtual Remote Collocation Space(s) to physical Remote Collocation Space and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Remote Collocation Space. If BellSouth knows when additional physical Remote Collocation Space may become available at the Remote Site Location requested by BSLD, such information will be provided to BSLD in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to BSLD within one hundred eighty (180) days of BellSouth's written denial of BSLD's request for physical Remote Collocation Space, (ii) BellSouth had knowledge that the Remote Collocation Space was going to become available, and (iii) BSLD was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) day period, then BSLD may relocate its virtual Remote Collocation Space to a physical Remote Collocation Space and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. BSLD must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Remote Collocation Space to a physical Remote Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Remote Collocation Space to the new physical Remote Collocation Space.
- 7.6.1 In Alabama, BellSouth will complete a relocation of a virtual Remote Collocation Space to a cageless physical Remote Collocation Space within sixty (60) days from BellSouth's receipt of a BFFO and from a virtual Remote Collocation Space to a caged physical Remote Collocation Space within ninety (90) days from BellSouth's receipt of a BFFO.
- 7.7 <u>Virtual to Physical Conversion (In-Place).</u> Virtual Remote Collocation Space may be converted to "in-place" physical caged Remote Collocation Space if the potential conversion meets all of the following criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Remote Collocation Space; 2) the conversion of the virtual Remote Collocation Space will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and 3) any changes to the existing Remote Collocation Space can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Remote Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill BSLD an Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to BSLD.

Version: 4Q04 Standard ICA

12/14/04

- 7.7.1 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in-place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified above in Section 7.7.
- Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, BSLD cancels its order for Remote Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if BSLD cancels its order for Remote Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, BSLD will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of BSLD up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if BSLD cancels its order for Remote Collocation Space at any time prior to Space Acceptance, BellSouth will bill BSLD for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the firm order not been cancelled.
- 7.9 <u>Licenses.</u> BSLD, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Remote Collocation Space.
- 7.10 Environmental Compliance. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Rates.</u> BSLD agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.2 Recurring Charges. If BSLD has met the applicable fifteen (15) day acceptance walkthrough interval specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event BSLD fails to complete an acceptance walkthrough within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If BSLD occupies the space prior to the Space Ready Date, the date BSLD occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in BSLD 's next billing cycle and will include any prorated charges for the period from BSLD's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2, to the date the bill is issued by BellSouth.

Version: 4Q04 Standard ICA

12/14/04

- 8.3 <u>Application Fee.</u> BellSouth shall assess a nonrecurring Application Fee, via a service order, on the date that BellSouth provides an Application Response. BellSouth will bill the appropriate non-recurring Application Fee on the date that BellSouth provides an Application Response to BSLD.
- 8.4 <u>Bay Space.</u> The bay space charge recovers the costs associated with air conditioning, ventilation and other allocated expenses for the maintenance of the Remote Site Location, and includes the amperage necessary to power BSLD's equipment. BSLD shall remit bay space charges based upon the number of bays requested. BellSouth will assign Remote Collocation Space in conventional remote site bay lineups where feasible.
- 8.5 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for BSLD's Remote Collocation Space at a BellSouth Battery Distribution Fuse Bay (BDFB) within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for bay space, as referenced above in Section 8.4. If the power requirements for BSLD's equipment exceed the capacity available, then such additional power requirements shall be assessed on an individual case basis. BellSouth will revise BSLD's recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by BSLD's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from BSLD certifying the completion of the power reduction, including the removal of the power cabling by BSLD's BellSouth Certified Supplier.
- Adjacent Collocation Power. Charges for AC power will be assessed on a per breaker ampere, per month basis. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by BSLD's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install the protection devices and power cables for Adjacent Collocation. BSLD's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At BSLD's option, BSLD may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.7 <u>Security Escort.</u> After BSLD has used its one accompanied site visit, pursuant to Section 5.9.1, and prior to BSLD's completion of the BellSouth Security Training requirements, contained in Section 12 of this Agreement, a security escort will be required when BSLD's employees, approved agent, supplier, or Guest(s) desire access to the Remote Site Location The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one-half (1/2) hour after the

Version: 4Q04 Standard ICA

12/14/04

scheduled escort time to provide such requested escort service and BSLD shall pay for such half-hour charges in the event BSLD's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.

8.8 Other. If no collocation rate element and associated rate is identified in Exhibit B of this Attachment, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

9. <u>Insurance</u>

- 9.1 BSLD shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 BSLD shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of BSLD's real and personal property situated on or within a BellSouth Premises and BellSouth's Remote Site Locations.
- 9.2.4 BSLD may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days notice to BSLD to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by BSLD shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to a BellSouth Remote Site Location and shall remain in effect for the term of this Agreement or until all of BSLD's property has been removed from BellSouth's Remote Site Location,

Version: 4Q04 Standard ICA

12/14/04

whichever period is longer. If BSLD fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from BSLD.

9.5 BSLD shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. BSLD shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from BSLD's insurance company. BSLD shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Office - Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 BSLD must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If BSLD's net worth exceeds five hundred million dollars (\$500,000,000.00), BSLD may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2. BSLD shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to BSLD in the event that self-insurance status is not granted to BSLD. If BellSouth approves BSLD for self-insurance, BSLD shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of BSLD's corporate officers. The ability to self-insure shall continue so long as BSLD meets all of the requirements of this Section. If BSLD subsequently no longer satisfies the requirements of this Section, BSLD is required to purchase insurance as indicated by Section 9.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to BSLD to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or BSLD), or any improvement thereon by reason of or arising out of any

Version: 4Q04 Standard ICA

12/14/04

labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of BSLD's equipment and facilities in BSLD's Remote Collocation Space(s) prior to the activation of facilities and/or services between BSLD's equipment and equipment of BellSouth. BellSouth may conduct an inspection if BSLD adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide BSLD with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

12. <u>Security and Safety Requirements</u>

- Unless otherwise specified, BSLD will be required, at its own expense, to conduct a statewide investigation of criminal history records for each BSLD employee hired in the past five years being considered for work on a BellSouth Remote Site Location, for the states/counties where the BSLD employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. BSLD shall not be required to perform this investigation if an affiliated company of BSLD has performed an investigation of the BSLD employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if BSLD has performed a preemployment statewide investigation of criminal history records of the BSLD employee for the states/counties where the BSLD employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- BSLD will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at www.interconnection.bellsouth.com/guides.
- BSLD shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in BSLD's Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and BSLD's name. BellSouth reserves

Version: 4Q04 Standard ICA

12/14/04

the right to remove from its Remote Site Location any employee of BSLD not possessing identification issued by BSLD or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. BSLD shall hold BellSouth harmless for any damages resulting from such removal of BSLD's personnel from BellSouth Remote Site Location. BSLD shall be solely responsible for ensuring that any Guest(s) of BSLD is in compliance with all subsections of this Section.

- BSLD shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. BSLD shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any of BSLD's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event BSLD chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, BSLD may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 BSLD shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 BSLD shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each BSLD employee or agent hired by BSLD within five years prior to being considered for work on the BellSouth Premises or BellSouth's Remote Site Locations, who requires access to a BellSouth Remote Site Location to perform work in BSLD's Remote Collocation Space(s), BSLD shall furnish BellSouth, a certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certifying that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, BSLD will disclose the nature of the convictions to BellSouth at that time. In the alternative, BSLD may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other BSLD employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, BSLD shall furnish BellSouth, prior to an employee

Version: 4Q04 Standard ICA

12/14/04

gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.

- At BellSouth's request, BSLD shall promptly remove from the BellSouth Remote Site Location any employee of BSLD that BellSouth does not wish to grant access to a Remote Site Location: 1) pursuant to any investigation conducted by BellSouth, or 2) prior to the initiation of an investigation if an employee of BSLD is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview BSLD's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or Remote Site Location or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to BSLD's Security representative of such interview. BSLD and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving BSLD's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill BSLD for all reasonable costs associated with investigations involving its employees, agents, or suppliers, or Guests if it is established and mutually agreed in good faith that BSLD's employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill BSLD for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of BSLD's employees, agents, suppliers, or Guests and where BSLD agrees, in good faith, with the results of such investigation. BSLD shall notify BellSouth in writing immediately in the event that BSLD discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from a BellSouth Premises or Remote Site Location, any employee found to have violated the security and safety requirements of this Section. BSLD shall hold BellSouth harmless for any damages resulting from such removal of BSLD's personnel from a BellSouth Premises.
- 12.8 <u>Use of Supplies.</u> Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.

Version: 4Q04 Standard ICA

12/14/04

12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

13. Destruction of Remote Collocation Space

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar Acts of God or force majeure circumstances beyond a Party's reasonable control to such an extent as to be rendered wholly unsuitable for BSLD's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for BSLD's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to BSLD, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. BSLD may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. A BellSouth Certified Vendor must perform a rebuild of equipment. If BSLD's acceleration of the project increases the cost of the project, then those additional charges will be incurred at BSLD's expense. Where allowed and where practical, BSLD may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, BSLD shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for BSLD's permitted use, until such Remote Collocation Space is fully repaired and restored and BSLD's equipment installed therein (but in no event later than thirty (30) days after the Remote Collocation Space is fully repaired and restored). Where BSLD has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, BSLD shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the date possession shall be taken by such public

Version: 4Q04 Standard ICA

12/14/04

authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and BSLD shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

15. <u>Nonexclusivity</u>

BSLD understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Remote Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

Version: 4Q04 Standard ICA

12/14/04

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and BSLD agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended, and National Fire Protection Association (NFPA) NEC and National Electric Safety Codes (NESC) ("Applicable Laws") requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and BSLD shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. BSLD should contact 1-800-743-6737 for any BellSouth MSDS required.
- Practices/Procedures. BellSouth may make available additional environmental control procedures for BSLD to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. BSLD will require its suppliers, agents, Guests and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by BSLD when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections.</u> BellSouth reserves the right to inspect BSLD's Remote Collocation Space with proper notification. BellSouth reserves the right to stop any BSLD work operation that imposes Imminent Danger to the environment, employees or other persons in or around a Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned a BellSouth Remote Site Location by BSLD are owned by and considered the property of BSLD. BSLD will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by BSLD or different hazardous materials used by BSLD at the BellSouth Remote Site Location. BSLD must demonstrate adequate emergency response capabilities

Version: 4Q04 Standard ICA

12/14/04

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by BSLD to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits.</u> BellSouth and BSLD will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and BSLD will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, BSLD must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and BSLD shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, BSLD agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. BSLD further agrees to cooperate with BellSouth to ensure that BSLD's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by BSLD, its employees, agents , suppliers and/or Guests.
- 2.1.1 The most current version of reference documentation must be requested from BSLD's BellSouth Regional Contract Manager (RCM).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3

Version: 4Q04 Standard ICA

12/14/04

	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps InsuranceBSLD	 Std T&C 450 Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier	 Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste Other maintenance work	Compliance with all applicable local, state, & federal laws and regulations Protection of BST employees and equipment	 Std T&C 450 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	 -Procurement Manager (CRES Related Matters)-BST Supply Chain Services Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS

12/14/04

		(Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator.</u> Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger.</u> Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC - Account Team Collocation Coordinator

Version: 4Q04 Standard ICA

12/14/04

<u>BST</u> – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

 $\underline{E/S}-Environmental/Safety$

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

Version: 4Q04 Standard ICA

12/14/04

COLLOCAT	ION - Alabama												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
Applio	Physical Collocation - Initial Application Fee		1	CLO	PE1BA		1,879.48		0.51		1					—
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,566.60		0.51							
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	FLICA		1,300.00		0.31							<u> </u>
	Connect, Application Fee, per application			CLO	PE1DT		584.22									İ
	Physical Collocation - Power Reconfiguration Only, Application															
	Fee			CLO	PE1PR		398.76									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.15									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.41		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		833.47		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO CLO	PE1K1 PE1KJ		1,058.00 2,410.00		1.21 1.21							
Cnass	Physical Collocation - Application Cost - Major Augment Preparation		<u> </u>	CLO	PETKJ		2,410.00		1.21							
эрасе	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	3.22										
	Physical Collocation - Space Enclosure, welded wire, first 50			CLO	LIII	J.22										
	square feet			CLO	PE1BX	140.99										ĺ
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	156.33										İ
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW	15.34										
	Physical Collocation - Space Preparation - C.O. Modification per															İ
	square ft.			CLO	PE1SK	1.96										
	Physical Collocation - Space Preparation, Common Systems			CLO	PE1SL	2.62										İ
	Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems			CLO	PETSL	2.02										
	Modifications-Caged, per cage			CLO	PE1SM	88.86										İ
	Physical Collocation - Space Preparation - Firm Order			OLO	I L IONI	00.00										
	Processing			CLO	PE1SJ		600.71									ĺ
	Physical Collocation - Space Availability Report, per Central															
	Office Requested			CLO	PE1SR		1,075.17									İ
Power																
	Physical Collocation - Power, -48V DC Power - per Fused Amp															İ
	Requested			CLO	PE1PL	7.83										
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	4.91										İ
	Physical Collocation - Power, 240V AC Power, Single Phase,			CLO	PEIFB	4.91										
	per Breaker Amp			CLO	PE1FD	9.84										İ
	Physical Collocation - Power, 120V AC Power, Three Phase, per			020		0.01										
	Breaker Amp			CLO	PE1FE	14.74										İ
	Physical Collocation - Power, 277V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FG	34.06										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
				UEANL,UEQ,												İ
				UNCNX, UEA, UCL,												1
	District Collegation 2 wire seen as a large seed to be			UAL, UHL, UDN,	DE4DO	0.00	40.00	44.00	0.00	F 44						1
ļ	Physical Collocation - 2-wire cross-connect, loop, provisioning		-	UNCVX UEA, UHL, UNCVX,	PE1P2	0.03	12.30	11.80	6.03	5.44	1					
	Physical Collocation - 4-wire cross-connect, loop, provisioning		1	UNCDX, UCL, UDL	PE1P4	0.05	12.39	11.87	6.39	5.73						1
	Physical Collocation - 4-wire cross-connect, loop, provisioning			WDS1L, WDS1S,	PE IP4	0.05	12.39	11.07	6.39	5.73						
				UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB,												
	Physical Collocation -DS1 Cross-Connect for Physical		1	UEPSE, UEPSP,	DE4D4		00.00	45.00	0.40							1
	Collocation, provisioning		1	USL	PE1P1	1.11	22.03	15.93	6.40	5.79	I			l		1

COLLOCA	TION - Alabama												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred First	curring Add'l	Nonrecurring First	Add'I	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSB, UEPSB, UEPSE, UEPSP	PE1P3	14.16	20.89	15.20	7.38	5.92	SOWIEC	SUMAN	SUMAN	SOWAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.81	20.89	15.20	7.38	5.92						
	Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	4.99	25.55	19.86	9.71	8.25						
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per Cable.			CLO	PE1ES	0.0011										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0016										
	Physical Collocation 2-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.05	12.39	11.87	6.39	5.73						
Secu	Physical Collocation - Security Escort for Basic Time - normally				+	-										
	scheduled work, per half hour			CLO	PE1BT		16.93	10.73								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.17	16.98								
	Physical Collocation - Security Access System - Security System per Central Office Physical Collocation - Security Access System - New Card			CLO	PE1AX	45.70										
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.05	27.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.79									
	Stolen Card, per Card			CLO	PE1AR		22.78									
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		13.10									
CFA	Stolen Key, per Key Physical Collocation - CFA Information Resend Request, per			CLO	PE1AL		13.10									
Cabl	premises, per arrangement, per request			CLO	PE1C9		77.56									
	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PE1CR		759.29	S 488.11	133.00							
	record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD PE1CO		326.92		189.12							
	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO PE1C1		4.81 2.25		5.90 2.76		1					
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.88		9.66						İ	

COLLOCAT	ION - Alabama												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR			Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						B	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable															
	record (maximum 99 records)			CLO	PE1CB		84.49		77.13							
Virtual	to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1BV		33.00									ĺ
	per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,		1	CLO	PEIBV		33.00									
	per DSO Circuit			CLO	PE1BO		33.00									ĺ
	Physical Collocation - Virtual to Physical Collocation Relocation,														İ	
	per DS1 Circuit			CLO	PE1B1		52.00									ĺ
	Physical Collocation - Virtual to Physical Collocation Relocation,															ĺ
	per DS3 Circuit	 	ļ	CLO	PE1B3		52.00		 							
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									ĺ
-	Physical Collocation Virtual to Physical Collocation In-Place, Per	1	1	CLU	FEIDK		23.00	1	1	1	-				1	
	DSO Circuit			CLO	PE1BP		23.00									i
	Physical Collocation - Virtual to Physical Collocation In-Place,						20.00	İ	İ	İ					1	
	Per DS1 Circuit			CLO	PE1BS		33.00									ĺ
	Physical Collocation - Virtual to Physical Collocation In-Place,															ĺ
	per DS3 Circuit			CLO	PE1BE		37.00									
Entran	ce Cable Physical Collocation - Cable Installation, Pricing, non-recurring		1												-	
	charge, per Entrance Cable			CLO	PE1BD		859.71		22.49							ĺ
	Physical Collocation - Cable Support Structure, per Entrance		1	OLO	I LIBB		000.7 1		22.40							—
	Cable			CLO	PE1PM	17.11										ĺ
	Physical Collocation - Fiber Entrance Cable Installation, per															
	Fiber		1	CLO	PE1ED		3.87									L
VIRTUAL COL			1													
Applic	Virtual Collocation - Application Fee		1	AMTFS	EAF		1,205.26		0.51							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,		1	AWIII O	LAI		1,200.20		0.51							
	Application Fee, per application			AMTFS	VE1CA		584.22									ĺ
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		742.15									
Space	Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.22										
Power			1	AMTEC	ESPAX	7.83										
Cross	Virtual Collocation - Power, per fused amp Connects (Cross Connects, Co-Carrier Cross Connects, and P	orte)	1	AMTFS	ESPAX	7.83										
01033		1	1	UEANL, UEA, UDN,												
				UAL, UHL, UCL,											1	1
				UEQ, UNCVX,												ĺ
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44					1	
				UEA, UHL, UCL,												ĺ
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UDL, UNCVX, UNCDX	UEAC4	0.05	12.39	11.87	6.39	5.73						ĺ
	virtual Conocation - 4-wire cross-connect, 100p, provisioning		+	ULR, UXTD1,	ULAU4	0.05	12.39	11.07	0.39	3.73			1		 	
				UNC1X, ULDD1,											1	1
	Virtual collocation - Special Access & UNE, cross-connect per			U1TD1, USLEL,											1	1
	DS1			UNLD1, USL	CNC1X	1.11	22.03	15.93	6.40	5.79						
				USL, UE3, U1TD3,											1	i
				UXTS1, UXTD3, UNC3X, UNCSX,												l
				ULDD3, U1TS1,												ĺ
	Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UDLSX,											1	1
	DS3			UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92					1	1
				UDL12, UDLO3,											1	1
				U1T48, U1T12, U1TO3, ULDO3,											1	1
	Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	2.84	20.89	15.20	7.38	5.92			1			İ
	THE CONTROL OF THE CONTROLS		1	52512, 52540, 0DI	011041	2.04	20.03	10.20	1.30	J.3Z	<u> </u>	1	1	L	1	

COLLOCATI	ON - Alabama												Attachment:	4	Exhibit: B	
JULEUUAII	VII / IIUWAIIIU		1		1						Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UDL12, UDLO3,												
				U1T48. U1T12.												
				U1TO3, ULDO3,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	F CNC4F	5.69	25.55	19.86	9.71	8.25						
İ																
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
					\ /= 4 OB											
	Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0011										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -				1						I	l			1	1
	Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0016					1	l			1	1
	Coppositional Cable Support Structure, per linear root, per cable		 		4 L 10 D	0.0010					-	 			-	
				UEPSX, UEPSB,	1						ĺ	l				l
				UEPSE, UEPSP,	1						ĺ	l				l
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSR, UEP2C	VE1R2	0.03	12.30	11.80	6.03	5.44	ĺ	l				l
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.73						
CFA		1		3D, GE, EX	1	0.00	.2.50		0.00	3.70		1				
CFA	Vistant Callerenia - OFA Lafarrania - Barrant Barrania															
	Virtual Collocation - CFA Information Resend Request, per															
	Premises, per Arrangement, per request			AMTFS	VE1QR		77.56									
Cable F	Records															
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		759.29	488.11	133.00							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable				72.07		700.20	100.11	100.00							
	record			AMTFS	VE1BB		326.92		189.12							
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		4.81		5.90							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.25		2.76							
	Virtual Collocation Cable Records - DS3, per T3TIE	-	- I	AMTFS	VE1BE		7.88		9.66							
				AIVIIFO	VEIDE		1.00		9.00							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		84.49		77.13							
Securit	v															
	Virtual collocation - Security escort, basic time, normally															
	scheduled work hours			AMTFS	SPTBX		16.93	10.73								
				AWITTO	OF IDA		10.93	10.73								
	Virtual collocation - Security escort, overtime, outside of															
	normally scheduled work hours on a normal working day			AMTFS	SPTOX		22.05	13.86								
	Virtual collocation - Security escort, premium time, outside of a															
	scheduled work day			AMTFS	SPTPX		27.17	16.98								
Mainte		-	- I	, aviii O	OI II X		27.17	10.00								
Wante					OTDI V		07.00	40.70								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.93	10.73								
					1						ĺ	l				l
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.47	13.86			1	l			1	1
	Vistoral collegation Maintenance in CO. Browning and half beau			AMTFS	SPTPM		45.02	16.98								
- 	Virtual collocation - Maintenance in CO - Premium per half hour			MIVITO	SFIPIVI		45.02	16.98				 			1	
Entran	ce Cable															
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		859.71		22.49			1				1
İ	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	14.97	ĺ									
COLLOCATION	IN THE REMOTE SITE						t t									
	al Remote Site Collocation				+										1	
Pnysic				01.000	DE4E:		60==6					 			1	
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		307.70		168.22			ļ				
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42					<u> </u>	L			<u> </u>	L
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.10				1	l			1	1
	Physical Collocation in the Remote Site - Space Availability						10.10				l .	 			1	
				01.000	DE 465						1	l			1	1
	Report per Premises Requested			CLORS	PE1SR		115.87				1					
	Physical Collocation in the Remote Site - Remote Site CLLI	I	I			1					1	1				1
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56				ĺ	l				l
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38				1					
		+		OLUNO	LINK	1	255.50				-				 	
+-	Power, DC Power Provisioning (Alabama Only ICB Rate)		ļļ		+						.	 				ļ
	Physical Collocation - Security Escort for Basic Time - normally											l				l
1	scheduled work, per half hour			CLORS	PE1BT	l	16.93	10.73				l			1	l

OLLOCATI	ON - Alabama												Attachment:	4	Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per LSK	per LON	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						- I	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.17	16.98								
Adjace	nt Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary	for adja	acent remote site col	location, the	Parties will ne	gotiate approp	riate rates.								
Virtual	Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		307.70	307.70	168.22	168.22						
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	201.42										
	Virtual Collocation in the Remote Site - Space Availability Report															
	per Premises requested			VE1RS	VE1RR		115.87	115.87								
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		37.56	37.56								
	DLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41										
				UEANL,UEQ,UEA,U												
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN		0.02	12.30	11.80	6.03	5.44						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1JF	0.04	12.39	11.87	6.39	5.73						
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.03	22.03	15.93	6.40	5.79						
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	13.95	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.36	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.52	25.55	19.86	9.71	8.25						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,576.69		0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1JL	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate									·						
	per AC Breaker Amp		<u> </u>	CLOAC	PE1JM	9.84									ļ	ļ
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	l			L											
	per AC Breaker Amp		<u> </u>	CLOAC	PE1JN	14.74									ļ	ļ
	Adjacent Collocation - 277V, Three Phase Standby Power Rate	l														
	per AC Breaker Amp		<u> </u>	CLOAC	PE1JO	34.06									ļ	
	Adjacent Collocation - DC power provisioning (Alabama Only	l														
	Mandate ICB)		<u> </u>												ļ	
	Note: ICB means Individual Case Basis	1	1	1		1			1			I	l		1	

COLLOCATION	N - Florida												Attachment:	4	Exhibit: B	
			1								Svc Order		Incremental		Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge -
04750000	DATE ELEMENTO	Interi		BCS	11000			DATEO(6)			Elec		Manual Svc		Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
																1
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																1
PHYSICAL COLLO																l
Applicatio																ſ
Ph	nysical Collocation - Initial Application Fee			CLO	PE1BA		2,785.00		1.20							ĺ
Ph	nysical Collocation - Subsequent Application Fee			CLO	PE1CA		2,236.00		1.20							
	nysical Collocation - Co-Carrier Cross Connects/Direct						·									
	onnect, Application Fee, per application			CLO	PE1DT		564.81									i
	nysical Collocation - Power Reconfiguration Only, Application															
Fe				CLO	PE1PR		409.50									i
	hysical Collocation Administrative Only - Application Fee		+	CLO	PE1BL		760.91		1.20							-
Space Pre			1	CLO	FLIBL	1	700.91		1.20							
		<u> </u>	+	CLO	PE1PJ	F 00			 							
	nysical Collocation - Floor Space, per sq feet			CLO	PETPJ	5.28										+
	nysical Collocation - Space Enclosure, welded wire, first 50	l	1	01.0	DEADY	474 10					1			Ì	l	1
	uare feet			CLO	PE1BX	171.12										1
	nysical Collocation - Space enclosure, welded wire, first 100															i
	uare feet			CLO	PE1BW	189.73										1
Ph	hysical Collocation - Space enclosure, welded wire, each															i
	ditional 50 square feet			CLO	PE1CW	18.61										i
Ph	nysical Collocation - Space Preparation - C.O. Modification per															
	uare ft.			CLO	PE1SK	2.38										i
	nysical Collocation - Space Preparation, Common Systems															
	odifications-Cageless, per square foot			CLO	PE1SL	2.50										i
	nysical Collocation - Space Preparation - Common Systems		1	020	1 2 1 0 2	2.00										—
	odifications-Caged, per cage			CLO	PE1SM	84.93										i
	hysical Collocation - Space Preparation - Firm Order		1	OLO	I L I OIVI	04.33										
				CLO	PE1SJ		207.20									i
	ocessing			CLO	PE15J		287.36									+
	nysical Collocation - Space Availability Report, per Central			0.0	DE 40D											i
	fice Requested			CLO	PE1SR		572.66									1
Power																1
	nysical Collocation - Power, -48V DC Power - per Fused Amp															i
Re	equested			CLO	PE1PL	7.80										l
Ph	nysical Collocation - Power, 120V AC Power, Single Phase,															1
pe	r Breaker Amp			CLO	PE1FB	5.26										i
Ph	nysical Collocation - Power, 240V AC Power, Single Phase,															
	r Breaker Amp			CLO	PE1FD	10.53										1
	hysical Collocation - Power, 120V AC Power, Three Phase, per				1				1					1	1	
	eaker Amp			CLO	PE1FE	15.80										i
	hysical Collocation - Power, 277V AC Power, Three Phase, per		1	OLO	1 - 11 -	15.00										
	eaker Amp			CLO	PE1FG	36.47										i
				CLO	PE1FN	10.69										
	nysical Collocation - Power - DC power, per Used Amp	1 - 1	1	CLO	PETEN	10.69										+
Cross Con	nnects (Cross Connects, Co-Carrier Cross Connects, and P	orts)			.											+
		l	1	UEANL,UEQ,UNCN	N						1			Ì	l	1
				X, UEA, UCL, UAL,												i
Ph	nysical Collocation - 2-wire cross-connect, loop, provisioning			UHL, UDN, UNCVX		0.0208	7.32	5.37	4.58	2.71						
				UEA, UHL, UNCVX												1
Ph	nysical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0416	8.00	5.75	5.00	2.69						1
				WDS1L, WDS1S,						<u> </u>						1
		l	1	UXTD1, ULDD1,							1			1	1	1
		l	1	USLEL, UNLD1,							1			Ì	İ	1
		l	1	U1TD1, UNC1X,							1			Ì	İ	1
		l	1	UEPSR, UEPSB,							1			1	1	1
Dh	nysical Collocation -DS1 Cross-Connect for Physical	l	1	UEPSE, UEPSP,							1			Ì	İ	1
	ollocation, provisioning			USL	PE1P1	0.3786	7.88	6.25	1.35	0.9899						1
L Co	mocation, provisioning		1	UJL	FEIFI	0.3786	7.88	0.25	1.35	0.9899				1		1

Page 6 of 48

COLLOCAT	ION - Florida												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonre		Nonrecurring					Rates(\$)		
				1150 114550			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB,	PE1P3	4.16	32.40	31.03	11.15	10.98						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	1.71	28.26	25.85	13.78	11.01						
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	3.34	37.92	35.51	18.20	15.44						
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0008										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -					3,3222										
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0012										
	Physical Collocation 2-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0208	7.32	5.37	4.58	2.71						
-	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0416	8.00	5.75	5.00	2.69						
Secur																
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.65	22.05								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.63	28.89								
	Physical Collocation - Security Escort for Premium Time -			CLO	PE1PT		55.62	35.73								
	outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.			CLO	PE1AY	0.0101	55.62	30.73								
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1		38.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		8.84									
	Stolen Card, per Card			CLO	PE1AR		28.78									
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		23.28									
	Stolen Key, per Key			CLO	PE1AL		23.28									
CFA	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		79.52									
Cable	Records			0_0	. 2100		70.02								1	
	Physical Collocation - Cable Records, per request			CLO	PE1CR		I 1515.00	S 973.64	256.35							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		646.84		362.41							
1	Physical Collocation, Cable Records, VG/DS0 Cable, per each	l		0.0	55400									l	I	
	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO PE1C1		9.11 4.52		10.80 5.35							

COLLOCAT	ION - Florida												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
			ļ			Rec	Nonrec		Nonrecurring					Rates(\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable															
	record (maximum 99 records)			CLO	PE1CB		169.96		149.97							
Virtua	I to Physical	<u> </u>														
	Physical Collocation - Virtual to Physical Collocation Relocation,			01.0	DE4D)/		00.00									
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1BO		22.00									
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,		1	CLO	PETBU		33.00									
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,	1		CLO	PEIDI		52.00									
	per DS3 Circuit			CLO	PE1B3		52.00									
-+	Physical Collocation - Virtual to Physical Collocation In-Place,	 	1	OLO	LLIDS		52.00				1			1	l .	
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per			OLO	LIDIO		25.00									
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			OLO	I L I DI		25.00									
	Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			OLO	I LIBO		00.00									
	per DS3 Circuit			CLO	PE1BE		37.00									
Entrar	nce Cable			020			01.00									
Entrai	Physical Collocation - Cable Support Structure, per Entrance															
	Cable			CLO	PE1PM	5.19										
	Physical Collocation - Fiber Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EC		994.12		43.84							
	Physical Collocation - Fiber Entrance Cable Installation, per						*****									
	Fiber			CLO	PE1ED		7.43									
VIRTUAL COL																
Applic	eation															
	Virtual Collocation - Application Fee			AMTFS	EAF		1,241.00		1.20							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			AMTFS	VE1CA		564.81									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		760.91		1.20							
Space	Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.28										
Power																
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.95										
	Virtual Collocation - Power, DC power, per Used Amp			AMTFS	VE1PF	10.69										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
			1	UEANL, UEA, UDN,												
			1	UAL, UHL, UCL,												
		1	1	UEQ, UNCVX,										l		
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.0201	7.32	5.37	4.58	2.71	ļ				ļ	
				UEA, UHL, UCL,												
	Not al Calle of a delay and a large of the second s		1	UDL, UNCVX,		0.0400	0.00			0.00						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning	 	1	UNCDX ULR, UXTD1,	UEAC4	0.0403	8.00	5.75	5.00	2.69	ļ			1	 	1
	Virtual collocation - Special Access & UNE, cross-connect per		1	UNC1X, ULDD1, U1TD1, USLEL,												
	DS1		1	UNLD1, USL	CNC1X	0.3786	7.88	6.26	1.35	0.9915						
	1001	1	1	USL, UE3, U1TD3,	CINCIA	0.3700	1.00	0.20	1.33	0.5915	1				1	1
		1		UXTS1, UXTD3,	1											
		1	1	UNC3X, UNCSX,										l		
	Virtual collocation - Special Access & UNE, cross-connect per			ULDD3, U1TS1, ULDS1, UDLSX,												

COLLOCAT	TION - Florida												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.75	28.26	25.85	13.78	11.01						
	Natural Callegration A Fibra Coppe Copperate			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3,	CNICAE	2.50	27.00	25.54	40.00	45.44						
	Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	3.50	37.92	35.51	18.20	15.44						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0008										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0012										
				UEPSX, UEPSB,												
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0201	7.32	5.37	4.58	2.71						
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0403	8.00	5.75	5.00	2.69						
CFA						5.5.55	5.55		5.55							
	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request			AMTFS	VE1QR		79.52									
Cable	Records Virtual Collocation Cable Records - per request			AMTFS	VE1BA		I 1515.00	S 973.64	256.35							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		646.84	3 973.04	362.41							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9.11		10.80							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.52		5.35							—
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.81		18.73							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		169.96		149.97							
Secur	,															.
	Virtual collocation - Security escort, basic time, normally scheduled work hours Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		33.65	22.05								1
	onormally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		44.63	28.89								ļ
	scheduled work day			AMTFS	SPTPX		55.62	35.73								İ
Maint	enance															
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		54.05	22.05								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		72.18	28.89								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.31	35.73								<u> </u>
Entra	virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX	 	1,473.00		43.84							-
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	4.54	1,-110.00		45.04							†
	ON IN THE REMOTE SITE															
Physi	cal Remote Site Collocation			0.000	DE (D.											
	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack		<u> </u>	CLORS CLORS	PE1RA PE1RB	154.59	612.23		270.35							
	Cabinet Space in the Remote Site per Bay/ Rack			CLUKO	LEIKB	154.59										
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		23.28									1
	Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI			CLORS	PE1SR		223.91									
	Code Request, per CLLI Code Requested			CLORS	PE1RE		73.39									

OLLOCAT	ION - Florida												Attachment:	4	Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		208.02									
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLORS	PE1BT		33.65	22.05								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		44.63	28.89								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		55.62	35.73								
Adjace	ent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or adja	cent remote site co	llocation, the	Parties will ne	gotiate approp	riate rates.								
Virtua	Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		612.23		270.35							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	154.59										
	Virtual Collocation in the Remote Site - Space Availability Report															
	per Premises requested			VE1RS	VE1RR		223.91									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		73.39									
JACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1666										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.62										
	i juni i															
				UEANL.UEQ.UEA.U												
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	PE1JE	0.0194	7.32	5.37	4.58	2.71						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0388	8.00	5.75	5.00	2.69						
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	0.3708	7.88	6.26	1.35	0.9915						
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	4.14	32.40	31.03	11.15	10.98						
_	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	1.70	28.26	25.85	13.78	11.01	l				 	
	Adjacent Collocation - 2-riber Cross-Connect			CLOAC	PE1JK	3.33	37.92	35.51	18.20	15.44		 			 	
	Adjacent Collocation - 4-riber Cross-Connect Adjacent Collocation - Application Fee			CLOAC	PE1JB	0.00	2.763.00	55.51	1.02	10.44		 			 	
	Adjacent Collocation - Application ree Adjacent Collocation - 120V, Single Phase Standby Power Rate			OLONO	1 2 100	 	2,700.00		1.02			 			 	
	per AC Breaker Amp			CLOAC	PE1JL	5.26	l					1			1	
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			OLONO	. 2102	5.20	ł					1			 	
	per AC Breaker Amp			CLOAC	PE1JM	10.53	l					1			1	
-	Adjacent Collocation - 120V, Three Phase Standby Power Rate			OLONO	LIGIVI	10.55	+		1			 		1	 	1
1	per AC Breaker Amp			CLOAC	PE1JN	15.80	l				l					
_	Per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate	 		CLOAC	FEIJIN	15.80									-	
	per AC Breaker Amp			CLOAC	PE1JO	36.47										
	Adjacent Collocation - Cable Support Structure per Entrance							-								
1	Cable			CLOAC	PE1JP	5.19					l	1				
	Rates displaying an "R" in the interim column are interim and								1							

COLLOCAT	ION - Georgia												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l		SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
								7144	1	71441		00	•••••	00		
PHYSICAL CO																
Applio	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,285.98		0.59							ļ
	Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,285.98		0.59		-					
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	FLICA		1,065.46		0.59							+
	Connect, Application Fee, per application			CLO	PE1DT		583.18									
	Physical Collocation - Power Reconfiguration Only, Application Fee			CLO	PE1PR		398.80									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83									1
 	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.05		1.21		1			 	†	
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		832.95		1.21		1				1	1
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1	<u> </u>	1,057.00		1.21							
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,408.00		1.21							
Space	Preparation															
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	4.52										<u> </u>
	Physical Collocation - Space Enclosure, welded wire, first 50 square feet			CLO	PE1BX	144.71										
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	160.45										
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet Physical Collocation - Space Preparation - C.O. Modification per			CLO	PE1CW	15.74					+					
	square ft.			CLO	PE1SK	2.01										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.23										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	75.61										
	Physical Collocation - Space Preparation - Firm Order															
	Processing Physical Collocation - Space Availability Report, per Central			CLO	PE1SJ		141.10									
	Office Requested			CLO	PE1SR		248.75									
Power																
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	4.78										
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.14										
 	Physical Collocation - Power, 240V AC Power, Single Phase,			OLO	12112	0.14					-					
	per Breaker Amp			CLO	PE1FD	10.30										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	15.44										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	35.65										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		CLO	FLIIG	33.03										1
1		,		UEANL,UEQ,	1										İ	
				UNCNX, UEA, UCL, UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0197										
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0393										
				WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB,												
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			UEPSE, UEPSP, USL	PE1P1	0.3726										

COLLO	CATIO	ON - Georgia												Attachment:	4	Exhibit: B	
	Î	V										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec		curring		g Disconnect				Rates(\$)		
							nco	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UE3, U1TD3,												
					UXTD3, UXTS1,												
					UNC3X, UNCSX,												
					ULDD3, U1TS1,												
					ULDS1, UNLD3,												
					UEPEX, UEPDX,												
					UEPSR, UEPSB,												
		Physical Collocation - DS3 Cross-Connect, provisioning		<u> </u>	UEPSE, UEPSP	PE1P3	4.06										
					CLO, ULDO3,												
					ULD12, ULD48,												
					U1TO3, U1T12,												
		Dhuriad Callagation - 2 Fiber Cores Comment			U1T48, UDLO3,	DE4E0	4.70										
\vdash		Physical Collocation - 2-Fiber Cross-Connect		1	UDL12, UDF ULDO3, ULD12,	PE1F2	1.72			 	1	-				 	1
			1	1	ULD48, U1TO3, U1T12, U1T48,					I	Ì					Ì	Ì
					U1112, U1148, UDLO3, UDL12,					I						1	1
		Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	3.30										
\vdash		Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Co-Carrier Cross Connects/Direct			ODF, ODFCX	FE1F4	3.30										
		Connect - Fiber Cable Support Structure, per linear foot, per															
		cable.			CLO	PE1ES	0.001										
\vdash		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	PETES	0.001					1					
		Copper/Coax Cable Support Structure, per linear foot, per															
		cable.			CLO	PE1DS	0.0015										
-		cable.		1	UEPSR, UEPSP,	TEIDO	0.0013			†							
					UEPSE, UEPSB,												
		Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0197										
		Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0393										
Se	ecurity				02. 27, 02. 33	. =	0.0000										
		Physical Collocation - Security Escort for Basic Time - normally															
		scheduled work, per half hour			CLO	PE1BT		16.52	10.83								
		Physical Collocation - Security Escort for Overtime - outside of															
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLO	PE1OT		21.92	14.19								
		Physical Collocation - Security Escort for Premium Time -															
		outside of scheduled work day, per half hour			CLO	PE1PT		27.31	17.55								
		Physical Collocation - Security Access System - Security System															
		per Central Office, per Sq. Ft.	<u></u>	L	CLO	PE1AY	0.0106			<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>		<u>l </u>	<u> </u>
		Physical Collocation -Security Access System - New Card															
		Activation, per Card Activation (First), per State		<u> </u>	CLO	PE1A1		22.00									
		Physical Collocation - Security Access System - New Access															
$\perp \perp$		Card Deactivation, per Card			CLO	PE1A4		8.72	8.72]	
	Ţ				<u> </u>					_]]]
		Physical Collocation-Security Access System-Administrative	1	1	ĺ					I	Ì					Ì	Ì
\vdash		Change, existing Access Card, per Request, per State, per Card		<u> </u>	CLO	PE1AA		5.38		1							
		Physical Collocation - Security Access System - Replace Lost or		1	L	L				1							
\vdash		Stolen Card, per Card		<u> </u>	CLO	PE1AR		17.01		ļ							
\vdash		Physical Collocation - Security Access - Initial Key, per Key		<u> </u>	CLO	PE1AK		13.20		ļ							
		Physical Collocation - Security Access - Key, Replace Lost or	1	1	L	L				I	Ì					Ì	Ì
		Stolen Key, per Key			CLO	PE1AL		13.20		_						 	
CF	FA	District Colleges OFA Information B		<u> </u>		+				-							
		Physical Collocation - CFA Information Resend Request, per	1	1	01.0	DE 100		77		I	Ì					Ì	Ì
⊢		premises, per arrangement, per request			CLO	PE1C9		77.42		_						 	
i ICa		ecords		<u> </u>	CLO	DE4CD		1 740.05	0 470.00	105 ==	 			ļ		 	
		Physical Collocation - Cable Records, per request		1	CLO	PE1CR		I 743.65	S 478.06	125.75	ļ	-				 	
		Dhysical Collegation, Coble Bookeds, VC/DC0 Cable 2011								•		i					Ì
		Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	DE1CD		247.60		477 77							
		Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		317.60		177.77							

COLLOCAT	TION - Georgia												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
1							Nonre		Nonrecurring	Dissennest			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.22	Add I	2.63	Add I	SOWIEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.76		9.19							
	Physical Collocation - Cable Records, Fiber Cable, per cable			OLO	1 2100		7.70		5.15							
	record (maximum 99 records)			CLO	PE1CB		83.45		73.57							
Virtua	al to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			0.0	55.5		=====									
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1B1		52.00									
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	FLIDS		32.00									
	Per Voice Grade Circuit	l		CLO	PE1BR		23.00									1
İ	Physical Collocation Virtual to Physical Collocation In-Place, Per						20.00							Ì		1
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	per DS3 Circuit			CLO	PE1BE		37.00									
Entra	nce Cable															
	Physical Collocation - Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		736.93		21.51							
	Physical Collocation - Cable Support Structure, per Entrance			CLO	FLIDD		730.93		21.31							
	Cable			CLO	PE1PM	7.21										
	Physical Collocation, Entrance Cable Support Structure,			020												
	Copper, per each 100 pairs or fraction thereof (CO Manhole to															
	Collocation Space)			CLO	PE1EE	0.2629										
	Physical Collocation, Entrance Cable Installation, Copper, per															
	Cable (CO Manhole to Collocation Space)			CLO	PE1EF		755.15		21.51							
	Physical Collocation, Entrance Cable Installation, Copper, per															
	each 100 pairs or fraction thereof (CO Manhole to Collocation Space)			CLO	PE1EG		9.12									
	Physical Collocation - Fiber Entrance Cable Installation, per			CLO	PETEG		9.12				1					-
	Fiber			CLO	PE1ED		3.90									
VIRTUAL CO				OLO	LILD		0.00									
	cation															
	Virtual Collocation - Application Fee			AMTFS	EAF		609.52		0.59					İ		
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,									· · · · · · · · · · · · · · · · · · ·				1		
	Application Fee, per application	ļ		AMTFS	VE1CA		583.18									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		609.52		1		ļ				ļ	
Space	Preparation	 		AMTEC	ESPVX	4.52			1		<u> </u>			1	1	1
Powe	Virtual Collocation - Floor Space, per sq. ft.	-		AMTFS	LOFVA	4.52			+		 			-	 	
Fowe	Virtual Collocation - Power, per fused amp	 		AMTFS	ESPAX	4.78			+		 			1	1	
Cross	S Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		,	2017/0	4.70			1					1	1	†
0.550		i		UEANL, UEA, UDN,					1					1	1	1
		1		UAL, UHL, UCL,												I
		l		UEQ, UNCVX,												1
	Virtual Collocation - 2-wire cross-connect, loop, provisioning]		UNCDX, UNCNX	UEAC2	0.0188					ļ					
		1		UEA, UHL, UCL,												
	Notice College Control of the contro	1		UDL, UNCVX,	11546											I
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0375			1						1	1
		1		ULR, UXTD1, UNC1X, ULDD1,												I
	Virtual collocation - Special Access & UNE, cross-connect per	1		U1TD1, USLEL.												I
ı	DS1		1	UNLD1, USL	CNC1X	0.3726			1		1	1		1	1	1

COLLOCAT	ION - Georgia					-		-					Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	4.06										
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.73										
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.45										
	Virtual Conceation 4 habit Cross Connects			OLD 12, OLD 10, OD1	CITOTI	0.40										1
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
	copper coax cable support structure, per linear root, per cable			UEPSX, UEPSB, UEPSE, UEPSP,	VETOD	0.0013										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSR, UEP2C	VE1R2	0.0188										
CEA	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0375										+
CFA	Virtual Collocation - CFA Information Resend Request, per					1									1	+
	Premises, per Arrangement, per request			AMTFS	VE1QR		77.42									
Cable	Records															
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		743.65	478.06	125.75							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB		317.60		177.77							_
	100 pair			AMTFS	VE1BC		4.48		5.30							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.22		2.63							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.76		9.19							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTFS	VE1BF		83.45		73.57							
Securi	records			AIVITES	VEIBF		83.45		13.51		1				-	+
oecuii	Virtual collocation - Security escort, basic time, normally															<u> </u>
	scheduled work hours			AMTFS	SPTBX		16.52	10.83								
	Virtual collocation - Security escort, overtime, outside of			AMTEG	ODTOV		21.2-									
	normally scheduled work hours on a normal working day		<u> </u>	AMTFS	SPTOX		21.92	14.19			1					
	Virtual collocation - Security escort, premium time, outside of a scheduled work day			AMTFS	SPTPX	1	27.31	17.55								
Mainte	enance		1								1					t
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		26.54	10.83								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.44	14.19								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		44.34	17.55								
Entrar	Tyrtual collocation - Maintenance in CO - Premium per hall hour		1	AVIII O	OF IT'IVI	1	44.34	17.35			<u> </u>				 	
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX	1	736.93		21.51		1					†
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	7.57										
	Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EE	0.23										

COLLOCAT	ION - Georgia												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation, Entrance Cable Installation, Copper, per															
	Cable (CO Manhole to Frame)			AMTFS	VE1EF		755.15		21.51							
	Virtual Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EG		9.12									
OLLOCATIO	N IN THE REMOTE SITE			AWITTS	VLILG		9.12									
	cal Remote Site Collocation															
,	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		300.61		132.62							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	143.23										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.20									
	Physical Collocation in the Remote Site - Space Availability				L]			1	
	Report per Premises Requested	<u> </u>	<u> </u>	CLORS	PE1SR		109.94									
	Physical Collocation in the Remote Site - Remote Site CLLI			CLORS	PE1RE		36.04					1			1	
	Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		<u> </u>	CLORS CLORS	PE1RE PE1RR		116.64									
	Physical Collocation - Security Escort for Basic Time - normally			CLORS	PEIKK		110.04									
	scheduled work, per half hour			CLORS	PE1BT		16.52	10.83								
	Physical Collocation - Security Escort for Overtime - outside of			020.10			10.02	10.00								
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		21.92	14.19								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.31	17.55								
Adjace	ent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
-	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE:	: If Security Escort and/or Add'l Engineering Fees become nec	essarv	or adia				gotiate annron	riate rates								
	Remote Site Collocation						gotilato appi op									
7	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		300.61		132.62							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	143.23										
	Virtual Collocation in the Remote Site - Space Availability Report															
	per Premises requested			VE1RS	VE1RR		109.94									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		36.04									
DJACENI CO	OLLOCATION Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.164										
-	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.01										
	Adjacent Conocation - Electrical Facility Charge per Elifear Ft.			CLOAC	FLISC	4.01										
				UEANL,UEQ,UEA,	u											
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UD		0.0172										
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCI	L PE1JF	0.0344										
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	0.3608										
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	4.73										
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	1.66										
	Adjacent Collocation - 4-Fiber Cross-Connect	<u> </u>	<u> </u>	CLOAC	PE1JK	3.24	1.000.15									
	Adjacent Collocation - Application Fee		<u> </u>	CLOAC	PE1JB		1,382.19		0.50	-	1		-		 	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	ĺ		CLOAC	DE4 II	E 44										
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate		-	CLOAC	PE1JL	5.14				-	-	-	1		1	-
1	per AC Breaker Amp	ĺ		CLOAC	PE1JM	10.30										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	-	 	OLONO	I L IJIVI	10.30					1				 	
	per AC Breaker Amp			CLOAC	PE1JN	15.44						1			1	1
	Adjacent Collocation - 277V, Three Phase Standby Power Rate				. 2.514	10.44									1	
		l	1	CLOAC	PE1JO	35.65				1	1	l	1		1	
	per AC Breaker Amp			OLOAG	1 L 130	33.03										
	per AC Breaker Amp Adjacent Collocation - 240V, Three Phase Standby Power Rate			CLOAC	PE1JD	33.03										

COLLOCA	TION - Georgia												Attachment:	4	Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	Zone								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dee	Nonre	curring	Nonrecurring	Disconnect		l	oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOT	E: Rates displaying an "R" in the interim column are interim and	d subje	ct to rat	e true-up as set fort	h in General	Terms and Co	nditions.								1	

COLLOCAT	FION - Kentucky												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
							11131	Auu	THISE	Auui	JOINEO	JONIAN	JOHAN	JOHIAN	JOHIAN	JOHIAN
	DLLOCATION															
Appli	cation			0.0	55.15.1		0 ==0 = 1									
	Physical Collocation - Initial Application Fee			CLO CLO	PE1BA		3,773.54		1.01							
	Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	PE1CA		3,145.35		1.01							
	Connect, Application Fee, per application			CLO	PE1DT		584.20									
	Physical Collocation - Power Reconfiguration Only, Application			OLO	1 2 101		004.20									
	Fee			CLO	PE1PR		399.50									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.12									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.98		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		834.26		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,059.00		1.21							
0	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,412.00		1.21							
Space	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	7.99					-					
	Physical Collocation - Ploor Space, per sq reet Physical Collocation - Space Enclosure, welded wire, first 50			CLO	PEIPJ	7.99					1				1	
	square feet			CLO	PE1BX	166.83										
	Physical Collocation - Space enclosure, welded wire, first 100										1				1	
	square feet			CLO	PE1BW	184.97										
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW	18.14										
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.32										
	Physical Collocation - Space Preparation, Common Systems			CLO	PE1SL	3.26										
-	Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems			CLO	PETSL	3.20					+			-	-	
	Modifications-Caged, per cage			CLO	PE1SM	110.57										
	Physical Collocation - Space Preparation - Firm Order			OLO	I L IOW	110.07										
	Processing			CLO	PE1SJ		1,206.07									
	Physical Collocation - Space Availability Report, per Central						,									
	Office Requested			CLO	PE1SR		2,158.67									
Powe																
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	8.06										
	Physical Collocation - Power, 120V AC Power, Single Phase,			OLO		0.00										
	per Breaker Amp			CLO	PE1FB	5.44										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	10.88										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	16.32										
	Physical Collocation - Power, 277V AC Power, Three Phase, per			OLO		10.02										
	Breaker Amp			CLO	PE1FG	37.68										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
				UEANL,UEQ,												
				UNCNX, UEA, UCL,												
				UAL, UHL, UDN,	55.50											
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX UEA, UHL, UNCVX,	PE1P2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0665	24.88	23.82	12.77	11.46						
	Friysical Collocation - 4-wire cross-connect, 100p, provisioning			WDS1L, WDS1S,	FLIF4	0.0003	24.00	23.02	12.11	11.40						
				UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB,												
	Physical Collocation -DS1 Cross-Connect for Physical		1	UEPSE, UEPSP,	L					l				I		
	Collocation, provisioning			USL	PE1P1	1.48	44.23	31.98	12.81	11.57	1					1

	TION - Kentucky															
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB,	PE1P3	18.89	41.93	30.51	14.75	11.83						
\vdash	Physical Collocation - D53 Cross-Connect, provisioning			CLO, ULDO3,	PE IP3	18.89	41.93	30.51	14.75	11.83						
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	3.75	41.93	30.51	14.76	11.84						
	51 1 10 11 11 15 17 10 10 11			UDLO3, UDL12,	5=.=.		=1.00									
	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Co-Carrier Cross Connects/Direct			UDF, UDFCX	PE1F4	6.65	51.29	39.87	19.41	16.49						
	Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			020	1 2 1 2 0	0.0012									İ	
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0018										
				UEPSR, UEPSP,												
	51			UEPSE, UEPSB,	55.50											
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2 PE1R4	0.0333	24.68	23.68	12.14 12.77	10.95						
Secu				UEPEX, UEPDD	PE1R4	0.0665	24.88	23.82	12.77	11.46					-	
Secu	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.26	27.81								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLO	PE1PT		54.54	34.09								
	Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	76.10										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.058	55.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.64									
	Stolen Card, per Card			CLO	PE1AR		45.74								1	
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29									
	Physical Collocation - Security Access - Key, Replace Lost or															
<u></u>	Stolen Key, per Key			CLO	PE1AL		26.29									
CFA	Physical Collocation - CFA Information Resend Request, per			01.0	DE400		77.55									
Cabi	premises, per arrangement, per request e Records			CLO	PE1C9		77.55								 	
Cable	Physical Collocation - Cable Records, per request			CLO	PE1CR		I 1524.45	S 980.01	267.02		1					
\vdash	Physical Collocation, Cable Records, VG/DS0 Cable, per cable						. 1027.40	5 555.01	207.02		1				†	1
\vdash	record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		656.37		379.70							
1 1	100 pair			CLO	PE1CO		9.65		11.84							
\vdash	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		4.52		5.54							

COLLOCA	TION - Kentucky												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
-		+					Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	I.
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable															
	record (maximum 99 records)			CLO	PE1CB		169.63		154.85							
Virtu	al to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per Voice Grade Circuit	-		CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	FLIBO		33.00									
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per															
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	FLIDS		33.00									
	per DS3 Circuit			CLO	PE1BE		37.00									
Entra	ance Cable				1											
	Physical Collocation - Cable Installation, Pricing, non-recurring															
	charge, per Entrance Cable			CLO	PE1BD		1,729.11		45.16							
	Physical Collocation - Cable Support Structure, per Entrance															
	Cable			CLO	PE1PM	19.86										
	Physical Collocation - Fiber Entrance Cable Installation, per			CLO	DE4ED		7.75									
VIDTUAL CC	Fiber DLLOCATION	-		CLO	PE1ED		7.75									
	ication	-									-					1
- Appi	Virtual Collocation - Application Fee		1	AMTFS	EAF		2,419.86		1.01							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,				1											
	Application Fee, per application			AMTFS	VE1CA		584.20									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		742.12									
Spac	e Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	7.99										
Powe																
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.06										
Cros	s Connects (Cross Connects, Co-Carrier Cross Connects, and F	orts)		UEANL, UEA, UDN,	+											
				UAL, UHL, UCL,												
				UEQ, UNCVX,												
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95						
	3			UEA, UHL, UCL,												
				UDL, UNCVX,												
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46						
				ULR, UXTD1,												
	Martin I will be after the Constitution of the			UNC1X, ULDD1,												
	Virtual collocation - Special Access & UNE, cross-connect per DS1			U1TD1, USLEL, UNLD1, USL	CNC1X	1.48	44.23	31.98	12.81	11.57						
	DSI			USL, UE3, U1TD3,	CINCIA	1.40	44.23	31.90	12.01	11.57						
				UXTS1, UXTD3,												
			1	UNC3X, UNCSX,	1											
				ULDD3, U1TS1,												
	Virtual collocation - Special Access & UNE, cross-connect per		1	ULDS1, UDLSX,	1											
	DS3	1	<u> </u>	UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
			1	LIDI 40 LIDI 00												
		1		UDL12, UDLO3,										I		
				U1T48, U1T12, U1TO3, ULDO3,												

COLLOCATION	- Kentucky												Attachment:	4	Exhibit: B	
DOLLOGATION	Remucky										Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	poi Loix	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ı	Nonrec		Nonrecurring	Disconnect		l	000	Rates(\$)		
						Rec					001150	SOMAN			SOMAN	SOMAN
							First	Add'l	First	Add'l	SOWIEC	SUMAN	SOMAN	SOMAN	SUMAN	SUMAN
				UDL12, UDLO3,												
				U1T48, U1T12,												
				U1TO3, ULDO3,												
Virtu	ual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49						
	dar Concodition 11 bot Cross Connects			020 12, 020 10, 001	0.10	7.00	01.20	00.01		10.10						
\ C=4.	and Callegation Co. Coming Comp. Company (Direct Company)															
	ual Collocation - Co-Carrier Cross Connects/Direct Connect -															
Fibe	er Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0012										
Virtu	ual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	oper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0018										
000	ppen edax dable dapport directure, per initedi foot, per dable			UEPSX, UEPSB,	VETOD	0.0010										
				UEPSE, UEPSP,		1					l	l		1		1
	ual Collocation 2-Wire Cross Connect, Port			UEPSR, UEP2C	VE1R2	0.0309	24.68	23.68	12.14	10.95						
Virtu	ual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0619	24.88	23.82	12.77	11.46						
CFA																
Virtu	ual Collocation - CFA Information Resend Request, per															
	emises, per Arrangement, per request			AMTFS	VE1QR		77.55									
				AWITTO	VLIQI		11.55									
Cable Reco																
	ual Collocation Cable Records - per request			AMTFS	VE1BA		1,524.45	980.01	267.02							
Virtu	ual Collocation Cable Records - VG/DS0 Cable, per cable															
reco	ord			AMTFS	VE1BB		656.37		379.70							
Virtu	ual Collocation Cable Records - VG/DS0 Cable, per each															
) pair			AMTFS	VE1BC		9.65		11.84							
	rual Collocation Cable Records -DS1, per T1TIE			AMTFS	VE1BD		4.52		5.54							
	ual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.81		19.39							
	ual Collocation Cable Records - Fiber Cable, per 99 fiber															
reco	ords			AMTFS	VE1BF		169.63		154.85							
Security																
Virtu	ual collocation - Security escort, basic time, normally															
	eduled work hours			AMTFS	SPTBX		33.98	21.53								
	ual collocation - Security escort, overtime, outside of			7 UVIII O	OI IDX		00.00	21.00								
				AMETER	ODTOV		44.00	07.04								
	mally scheduled work hours on a normal working day			AMTFS	SPTOX		44.26	27.81								
	ual collocation - Security escort, premium time, outside of a															
sch	eduled work day			AMTFS	SPTPX		54.54	34.09								
Maintenand	ce															
	ual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		56.07	21.53								
****	dar concodion maintenance in co bacic, per nan neur			7 411111 0	O TINEX		00.07	21.00								
\ C=4.	II II Maintenance in CO. Overtime and half have			AMTEC	CDTOM		70.00	07.04								
Virtu	ual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73.23	27.81								ļ
						1					l	l		1		
	ual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.39	34.09								
Entrance C	Cable															
Virtu	ual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		1,729.11		45.16							
	ual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	17.38	, ==		.50		1	1	1	†	1	†
	THE REMOTE SITE			7 411111 0	20. 07.	11.00										
			—		 	1					 	 	 	 	-	
	emote Site Collocation		-	01.000	DE4D:		0		600.0-		 	 	 	1	1	1
	ysical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.89		ļ	ļ				
Cab	binet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67					<u> </u>				<u> </u>	L
	<u> </u>															
Phv	ysical Collocation in the Remote Site - Security Access - Key		l	CLORS	PE1RD		26.29]]	1	1	1	1
	ysical Collocation in the Remote Site - Space Availability					 	20.20				l	l	l	1	<u> </u>	1
			l	CLORS	PE1SR		222.64				l	l	1	1	1	1
	port per Premises Requested		<u> </u>	CLUKS	LE 19K		232.64				 	 	ļ	ļ		ļ
	ysical Collocation in the Remote Site - Remote Site CLLI		l		l		l]]	1	1	1	1
	de Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
Ren	mote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42									
	ysical Collocation - Security Escort for Basic Time - normally										İ	ĺ				
	neduled work, per half hour			CLORS	PE1BT]	33.98	21.53			l	l		ĺ		ĺ
i isch	ieduled work, per flati flour			OLONG	ויבוטו	l	JJ.90	21.03			l	l		1	1	

OLLUCATIO	ON - Kentucky												Attachment:	4	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l l	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		44.26	27.81								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLORS	PE1PT		54.54	34.09								
	nt Remote Site Collocation			CLORS	PEIPI		54.54	34.09								-
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134	133.02	133.02								
	· · · · · · · · · · · · · · · · · · ·															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	f Security Escort and/or Add'l Engineering Fees become nec	essary t	or adja	cent remote site co	ollocation, the	Parties will ne	gotiate approp	riate rates.								
	Remote Site Collocation			VE4D0	VEADD		045.00		007.70							
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		615.60		337.70							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	224.41										
	Virtual Collocation in the Remote Site - Space Availability Report per Premises requested			VE1RS	VE1RR		231.82									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			VE1RS	VE1RL		75.13									
JACENT COL	LLOCATION															
/	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173										
,	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35										1
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN		0.0258	24.68	23.68	12.14	10.95						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0515	24.88	23.82	12.77	11.46					İ	†
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.37	44.23	31.98	12.81	11.57					İ	†
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	18.61	41.93	30.51	14.75	11.83					İ	†
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	3.15	41.93	30.51	14.76	11.84						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	6.02	51.29	39.87	19.41	16.49						1
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165.50									
,	Adjacent Collocation - 120V, Single Phase Standby Power Rate			0.0.0	DE 4 11											1
	per AC Breaker Amp			CLOAC	PE1JL	5.44										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.88										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	16.32										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1JO	37.68										

COLLOCATI	ON - Louisiana									Attachment:	4	Exhibit: B				
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)						Svc Order Submitted Manually per LSR	Incremental	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						- I	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
Applica	ation															
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,837.24									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,533.41									
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	PE1DT		502.20									
	Connect, Application Fee, per application Physical Collocation - Power Reconfiguration Only, Application			CLO	PEIDI		583.30									
	Fee			CLO	PE1PR		398.76									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.97									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		596.35		1.22							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM	1	836.18		1.22						İ	
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,061.00		1.22							
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,418.00		1.22							
Space	Preparation															
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.30										
	Physical Collocation - Space Enclosure, welded wire, first 50															
	square feet			CLO	PE1BX	166.40										
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	184.50										
	Physical Collocation - Space enclosure, welded wire, each			01.0	DE 4014/	10.10										
	additional 50 square feet Physical Collocation - Space Preparation - C.O. Modification per			CLO	PE1CW	18.10										
	square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation, Common Systems			CLO	FLIOR	2.31										
	Modifications-Cageless, per square foot			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems			010	I L IOL	2.70										
	Modifications-Caged, per cage			CLO	PE1SM	91.60										
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Availability Report, per Central															
	Office Requested			CLO	PE1SR		1,044.07									
Power																
	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	Requested			CLO	PE1PL	8.32										
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	DE4ED	5 45										
	Physical Collocation - Power, 240V AC Power, Single Phase,			CLO	PE1FB	5.45										
	per Breaker Amp			CLO	PE1FD	10.92										
	Physical Collocation - Power, 120V AC Power, Three Phase, per			CLO	ILIID	10.32										
	Breaker Amp			CLO	PE1FE	16.37										
	Physical Collocation - Power, 277V AC Power, Three Phase, per			-			İ									
	Breaker Amp			CLO	PE1FG	37.80						1			1	
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
				UEANL,UEQ,											1	
				UNCNX, UEA, UCL,								1			1	
				UAL, UHL, UDN,	55.5											
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0318	11.94	11.46								
	District College of the College of t			UEA, UHL, UNCVX,	DE 4 D 4	0.0000	40.61	44 = -				1			1	
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL WDS1L, WDS1S,	PE1P4	0.0636	12.04	11.53							 	
				UXTD1, ULDD1,												
				USLEL, UNLD1,												
				U1TD1, UNC1X,								1			1	
				UEPSR, UEPSB,								1			1	
	Physical Collocation -DS1 Cross-Connect for Physical			UEPSE, UEPSP,								1			1	
	Collocation, provisioning	Ì	1	USL	PE1P1	1.04	21.39	15.47		ĺ	1	ı	l			l

COLLOC	ATIO	ON - Louisiana												Attachment:	4	Exhibit: B	
			Interi		BCS	usoc			DATEO(A)				Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svo
CATEGOR	(Y	RATE ELEMENTS	m	Zone			RATES(\$)						per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Rec	Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
					UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,					Filst	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOWAY
		Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1P3	13.21	20.28	14.76								
		Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,	PE1F2	2.62	20.28	14.76								
		Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Co-Carrier Cross Connects/Direct			UDF, UDFCX	PE1F4	4.65	24.81	19.29								
		Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0015										
		Physical Collocation 2-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0318	11.94	11.46								
60	curity	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0636	12.04	11.53								
Se		Physical Collocation - Security Escort for Basic Time - normally															
		scheduled work, per half hour			CLO	PE1BT		16.44	10.42								
		Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.41	13.45								
		Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		26.38	16.49								
		Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.			CLO	PE1AY	0.0224										
		Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0579	27.50									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.74									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.64									
		Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		13.01									
CF	Α	Stolen Key, per Key			CLO	PE1AL		13.01									
		Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.43									
Ca		Recurring Collocation Cable Records - per request			CLO	PE1CU	10.97										
		Recurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CE	5.29										
		Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CT	0.08										
		Recurring Collocation Cable Records - DS1, per T1TIE Recurring Collocation Cable Records - DS3, per T3TIE			CLO CLO	PE1C2 PE1C4	0.04 0.13				ļ	ļ					

COLLOCAT	ION - Louisiana												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)								Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						_	Nonred	curring	Nonrecurring	g Disconnect		l	OSS Rates(\$)		I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber															1
10.	records			CLO	PE1CG	1.37										
Virtual	to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									ł
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	FLIDV		33.00									
	per DSO Circuit			CLO	PE1BO		33.00									ł
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS1 Circuit			CLO	PE1B1		52.00									.
	Physical Collocation - Virtual to Physical Collocation Relocation,			0.0	55.50		=====									ł
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00		1	-	1					
	Per Voice Grade Circuit		1	CLO	PE1BR		23.00			1						l
	Physical Collocation Virtual to Physical Collocation In-Place, Per			0_0			25.00		1	-	 	 				
	DSO Circuit		1	CLO	PE1BP		23.00			1						l
	Physical Collocation - Virtual to Physical Collocation In-Place,															i
	Per DS1 Circuit			CLO	PE1BS		33.00			ļ						ļ
	Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BE		27.00									ł
Entron	per DS3 Circuit			CLO	PETBE		37.00									
Liitiai	Physical Collocation - Cable Installation, Pricing, non-recurring															
	charge, per Entrance Cable			CLO	PE1BD		841.54									ł
	Physical Collocation - Cable Support Structure, per Entrance															i
	Cable			CLO	PE1PM	18.31										
	Physical Collocation - Fiber Entrance Cable Installation, per			0.0	55.55											ł
VIRTUAL COL	Fiber			CLO	PE1ED		3.88									
Applic																
7.45	Virtual Collocation - Application Fee			AMTFS	EAF		1,770.40									
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,						·									1
	Application Fee, per application			AMTFS	VE1CA		583.30									L
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		741.97									
Space	Preparation Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
Power				AWIIFS	ESPVA	3.20										
1 Ower	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.32										1
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														i i
				UEANL, UEA, UDN,												i
			1	UAL, UHL, UCL,						1						l
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0296	11.94	11.46								ł
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEA, UHL, UCL,	UEAC2	0.0296	11.94	11.40		1						
				UDL, UNCVX,												ł
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0591	12.04	11.53								ł
				ULR, UXTD1,												i
	L			UNC1X, ULDD1,												ł
	Virtual collocation - Special Access & UNE, cross-connect per DS1			U1TD1, USLEL, UNLD1, USL	CNC1X	1.04	21.39	15.47		1						l
	001			USL, UE3, U1TD3,	CINCIA	1.04	∠1.39	15.47	1	 						
			1	UXTS1, UXTD3,						1						l
				UNC3X, UNCSX,												l
				ULDD3, U1TS1,						1						l
	Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UDLSX,	ONDOX					1						l
	DS3			UNLD3	CND3X	13.21	20.28	14.76	1	 	 					
				UDL12, UDLO3,												l
				U1T48, U1T12,						1						l
				U1TO3, ULDO3,						1						l
	Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	2.65	20.29	14.76		<u> </u>	<u> </u>					<u> </u>

COLLOCAT	TION - Louisiana												Attachment:	4	Exhibit: B	
JULLUUAI	- Louisidila										Svc Order		Incremental		Incremental	Incrementa
												Submitted				
													Charge -	Charge -	Charge -	Charge -
		Interi	_					(4)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						_	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UDL12, UDLO3,												
				U1T48, U1T12,												
				U1TO3, ULDO3,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDI	- CNC4F	5.31	24.81	19.29								
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
				AMTFS	VE1CD	0.0015										
	Copper/Coax Cable Support Structure, per linear foot, per cable				AE ICD	0.0015				 	+					
				UEPSX, UEPSB,]	l			1	1					1
				UEPSE, UEPSP,						1	1					1
	Virtual Collocation 2-Wire Cross Connect, Port	L		UEPSR, UEP2C	VE1R2	0.0296	11.94	11.46		<u> </u>	1	<u> </u>				<u> </u>
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0591	12.04	11.53								
CFA					1											ĺ
1	Virtual Collocation - CFA Information Resend Request, per															
	Premises, per Arrangement, per request			AMTFS	VE1QR		77.43									
Cabla	Records			AWITTO	VLIQI		11.40			-						
Secur																
	Virtual collocation - Security escort, basic time, normally															
	scheduled work hours			AMTFS	SPTBX		16.44	10.42								
	Virtual collocation - Security escort, overtime, outside of															
	normally scheduled work hours on a normal working day			AMTFS	SPTOX		21.41	13.45								
	Virtual collocation - Security escort, premium time, outside of a										1					
	scheduled work day			AMTFS	SPTPX		26.38	16.49								
Maint				AWITTO	SFIFA		20.30	10.43		+	-					
waint	enance			ALATEO	OTDL V		07.40	40.40								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.12	10.42								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.42	13.45								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		43.72	16.49								
Entrai	nce Cable										1					
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		841.54									
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	16.02	0+1.54			+	-					
COLLOCATIO	ON IN THE REMOTE SITE			AWIIFS	ESPSA	16.02										
Physi	cal Remote Site Collocation															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80									
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39										L
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01				1					
	Physical Collocation in the Remote Site - Space Availability				1											ĺ
	Report per Premises Requested			CLORS	PE1SR		112.52				1					
+	Physical Collocation in the Remote Site - Remote Site CLLI			020110		 	112.02			+	1					1
				CLODC	DEADE		20.4-			1	1]
	Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47			1	-					
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21				-					
	Physical Collocation - Security Escort for Basic Time - normally									1	1]
	scheduled work, per half hour			CLORS	PE1BT	<u> </u>	16.44	10.42								<u> </u>
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,									1	1					l
	per half hour			CLORS	PE1OT]	21.41	13.45		1	1]
	Physical Collocation - Security Escort for Premium Time -					 	41.71	10.40		1	1					1
	outside of scheduled work day, per half hour			CLORS	PE1PT		26.38	16.49			1					
			ļ	CLUKO	reiri		∠0.38	16.49		1	+					
Adjac	ent Remote Site Collocation				<u> </u>											
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		1						
															-	1
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134				1	1]
	,									1	1					
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27				1	i	i		ı	ı	i

COLLO	CATIO	N - Louisiana												Attachment:	4	Exhibit: B	
													Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
		RATE ELEMENTS										Elec				Manual Svc	
CATEGO	PV		Interi	Zone	BCS	USOC			RATES(\$)								
CATEGO	11.1	NATE ELEMENTO	m	20116	500	0000			IXATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
		+					Rec	Nonrecurring		Nonrecurring Disconnect			l.		Rates(\$)	•	
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
N	IOTE: If	Security Escort and/or Add'l Engineering Fees become nece	essary f	or adja	cent remote site col	location, the	Parties will ne	gotiate approp	riate rates.								
٧	irtual R	emote Site Collocation															
	V	/irtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		614.73		336.08							
		/irtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	257.01										
	٧	/irtual Collocation in the Remote Site - Space Availability Report															
	р	per Premises requested			VE1RS	VE1RR		231.49									
	V	/irtual Collocation in the Remote Site - Remote Site CLLI Code															
	R	Request, per CLLI Code Requested			VE1RS	VE1RL		75.02									
ADJACEI	NT COL	LOCATION															
	Α	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61										
		, , , ,															
					UEANL,UEQ,UEA,U												
	А	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	PE1JE	0.0245	11.94	11.46								
		Adjacent Collocation - 4-Wire Cross-Connects				PE1JF	0.0491	12.04	11.53								
		Adjacent Collocation - DS1 Cross-Connects				PE1JG	0.9605	21.39	15.47								
		Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	13.01	20.28	14.76								
		Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.20	20.28	14.76								
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.21	24.81	19.29								
		Adjacent Collocation - Application Fee			CLOAC	PE1JB		1.543.20	10.20								
		Adjacent Collocation - 120V, Single Phase Standby Power Rate			020710	. 2.02		1,010.20									
		per AC Breaker Amp			CLOAC	PE1JL	5.45										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate			020710		0.10					1	1				
		per AC Breaker Amp			CLOAC	PE1JM	10.92										
l		Adjacent Collocation - 120V, Three Phase Standby Power Rate			020/10	10101	10.02					 	 				
		per AC Breaker Amp			CLOAC	PE1JN	16.37										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate				1011						 	 				
		per AC Breaker Amp			CLOAC	PE1JO	37.80										
		Rates displaying an "R" in the interim column are interim and	Loubio					aditiona				1	1			 	

COLLOCAT	ION - Mississippi												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
Applic																
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,890.38									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,575.69									
	Physical Collocation - Co-Carrier Cross Connects/Direct			01.0	DE 4 DT		500.40									
-	Connect, Application Fee, per application Physical Collocation - Power Reconfiguration Only, Application		1	CLO	PE1DT		583.13									
	Fee			CLO	PE1PR		398.76									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.76									
	Physical Collocation - Application Cost, Simple Augment		<u> </u>	CLO	PE1KS		597.34		1.22							
	Physical Collocation - Application Cost, Minor Augment		1	CLO	PE1KM PE1K1		837.57		1.22						-	
-	Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment		1	CLO	PE1K1 PE1KJ		1,063.00 2,422.00		1.22 1.22							
Snaco	Preparation			CLO	PEIKJ		2,422.00		1.22						-	
Space	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.74										
	Physical Collocation - Space Enclosure, welded wire, first 50			020	12110	0.74										
	square feet			CLO	PE1BX	165.23										
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	183.20										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	17.97										
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.30										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.52										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	85.67										
	Physical Collocation - Space Preparation - Firm Order						004.40									
	Processing Physical Collocation - Space Availability Report, per Central			CLO	PE1SJ		604.19									
	Office Requested			CLO	PE1SR		1,081.40									
Power																
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	7.33										
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.29										
	Physical Collocation - Power, 240V AC Power, Single Phase,		1	CLO	FLIID	3.29										
	per Breaker Amp			CLO	PE1FD	10.58										
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per		-	CLO	PE1FE	15.87									 	
	Breaker Amp			CLO	PE1FG	36.65										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)												İ		
		•		UEANL,UEQ,												
				UNCNX, UEA, UCL, UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning		1	UNCVX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
	, ,,,			UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning		1	UNCDX, UCL, UDL WDS1L, WDS1S,	PE1P4	0.0576	12.47	11.94	6.59	5.91						
	Physical Collocation -DS1 Cross-Connect for Physical			UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
	Collocation, provisioning	l	1	USL	PE1P1	1	22.16	16.02	6.60	5.97	1		l	i	l	l

COLLO	CATI	ON - Mississippi												Attachment:	4	Exhibit: B	
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge -
							Rec	Nonred		Nonrecurring					Rates(\$)		
		Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB,	PE1P3	14.49	First 21.01	Add'I	First 7.61	Add'I 6.10	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10						
		Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	5.10	25.70	19.97	10.01	8.50						
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP,	PE1DS	0.0015										
		Physical Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	ecurit	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75				4
3		y Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		17.02	10.79								
		Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.17	13.94								
		Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.32	17.08								
		Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	75.23										
		Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0576	27.95									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.84									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.91									
		Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AK PE1AL		13.17									
	FA	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.41									
C		Records Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PE1CR		I 763.69	S 490.94	133.77							
		record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		328.81		190.22							
		100 pair Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE			CLO CLO	PE1CO PE1C1 PE1C3		4.84 2.27 7.92		5.93 2.78 9.72							

Version: 4Q04 Standard ICA 12/09/04

COLLOCA	TION - Mississippi												Attachment:		Exhibit: B	
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
															D130 131	Disc Add 1
					1	Rec	Nonred First	aurring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable				1		FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SOWAN
	record (maximum 99 records)			CLO	PE1CB		84.98		77.58							
Virtu	al to Physical														1	
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			0.0	55.50		=====									
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per			01.0	DE 4 D D		00.00									
	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place,		<u> </u>	CLO	PE1BP		23.00									
	Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BE		37.00									
Entr	per DS3 Circuit ance Cable			CLO	PEIBE		37.00		1							
Entre	Physical Collocation - Cable Installation, Pricing, non-recurring				-											
	charge, per Entrance Cable			CLO	PE1BD		926.27		22.62							
	Physical Collocation - Cable Support Structure, per Entrance															
	Cable			CLO	PE1PM	17.42										
	Physical Collocation - Fiber Entrance Cable Installation, per															
VIDTUAL CO	Fiber			CLO	PE1ED		3.89									1
	DLLOCATION ication				-				1							
Дррі	Virtual Collocation - Application Fee			AMTFS	EAF		1,212.25		0.51							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,						.,								İ	
	Application Fee, per application			AMTFS	VE1CA		583.13									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		740.76									
Spac	e Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.74										
Pow	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.33			1							
Cros	s Connects (Cross Connects, Co-Carrier Cross Connects, and F	Ports)		AWITTS	LOFAX	7.33										
0.00	S Sommetts (cross Sommetts, So Sumer Siess Sommetts, und	0.13)		UEANL, UEA, UDN, UAL, UHL, UCL,												
				UEQ, UNCVX,											1	
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45						
				UEA, UHL, UCL,												1
				UDL, UNCVX,												
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91						
				ULR, UXTD1, UNC1X, ULDD1,												
	Virtual Collocation - Special Access & UNE, cross-connect per			U1TD1, USLEL,												
	DS1			UNLD1, USL	CNC1X	1.14	22.16	16.02	6.60	5.97						
				USL, UE3, U1TD3,												
				UXTS1, UXTD3,												
				UNC3X, UNCSX,											1	
	Virtual collegation Chaniel Access 9 LINE			ULDD3, U1TS1,											1	
	Virtual collocation - Special Access & UNE, cross-connect per DS3	1	1	ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10						
- H				UNLUS	CINDOV	14.49	21.01	15.29	1.01	6.10	1					
			1	UDL12, UDLO3,												
				U1T48, U1T12,											1	
				U1TO3, ULDO3,											1	
	Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10						

COLLOCAT	ION - Mississippi												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDI	CNC4F	5.82	25.70	19.97	10.01	8.50						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
			1	UEPSX, UEPSB, UEPSE, UEPSP,								1			1	1
	Virtual Collocation 2-Wire Cross Connect, Port		1	UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0268	12.37	11.87	6.04	5.45		1			1	1
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0536	12.37	11.94	6.59	5.45	-					-
CFA	Viitual Collocation 4-Wile Closs Collifect, Fort		1	OLFDD, OLFLX	VL IIV4	0.0330	12.41	11.54	0.55	3.91						
	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request			AMTFS	VE1QR		77.41									
Cable	Records			AMTFS	\/E4DA		700.00	490.94	133.77							+
	Virtual Collocation Cable Records - per request			AMIFS	VE1BA		763.69	490.94	133.77							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		328.81		190.22							İ
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB VE1BC		4.84		5.93							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.27		2.78							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.92		9.72							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.98		77.58							
Securi																
	Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		17.02	10.79								
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day			AMTFS	SPTOX		22.17	13.94								İ
	Virtual collocation - Security escort, premium time, outside of a scheduled work day			AMTFS	SPTPX		27.32	17.08								
Mainte	enance			,	U. 11.70		27.02									
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		28.09	10.79								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.69	13.94								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08]	
Entran	ice Cable															1
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		926.27		22.62						ļ	
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	15.24									 	+
	N IN THE REMOTE SITE		-		+						-				 	
Pnysic	Physical Collocation in the Remote Site - Application Fee		1	CLORS	PE1RA		309.48		168.63							
_	Cabinet Space in the Remote Site per Bay/ Rack		1	CLORS	PE1RA PE1RB	210.05	309.48		100.03							
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD	210.03	13.17									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.54									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLORS	PE1BT		17.02	10.79								

OLLOCATION	ON - Mississippi												Attachment:	4	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		22.17	13.94								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLORS	PE1PT		27.32	17.08								
	nt Remote Site Collocation			OLONO	1 - 11 1		27.02	17.00								
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62							1	
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134	7.00.02	. 55.02								
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or adja	cent remote site co	llocation, the	Parties will ne	gotiate approp	riate rates.								
	Remote Site Collocation				1		· · ·									
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		309.48		168.63							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	210.05										
	Virtual Collocation in the Remote Site - Space Availability Report per Premises requested Virtual Collocation in the Remote Site - Remote Site CLLI Code			VE1RS	VE1RR		116.54									
	Request, per CLLI Code Requested			VE1RS	VE1RL		37.77									
	LLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN		0.0223	12.37	11.87	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0446	12.47	11.94	6.59	5.91					İ	
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.05	22.16	16.02	6.60	5.97					İ	1
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	14.27	21.01	15.29	7.61	6.10					İ	1
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.42	21.01	15.29	7.61	6.10						1
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.62	25.70	19.97	10.01	8.50						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,585.83									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.29										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.58										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	36.65										

Version: 4Q04 Standard ICA

12/09/04

COLLOCAL	ION - North Carolina												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrect First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
							FIISL	Auu i	Filst	Auu i	JOIVILO	JOWAN	JOWAN	SOWAN	JOWAN	JOIVIAIN
PHYSICAL CO	LLOCATION															
Applic	ation															
	Physical Collocation - Initial Application Fee			CLO	PE1BA		2,322.00									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,311.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect, Application Fee, per application			CLO	PE1DT		317.20									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.44									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		269.83		1.15							
	Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Intermediate Augment			CLO CLO	PE1KM PE1K1		493.40 1,012.00		1.15 1.15		 				-	
-	Physical Collocation - Application Cost, intermediate Augment Physical Collocation - Application Cost - Major Augment			CLO	PE1KI PE1KJ		2,343.00		1.15		+				-	
Snace	Preparation			010	LINU	1	2,343.00		1.15		1				 	
Орисс	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	2.69					-					
	Physical Collocation - Space Enclosure, welded wire, first 50					2.00			1	1	1				1	
	square feet			CLO	PE1BX		534.44									
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW		559.81									
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW		25.37									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.42										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	2.88										
	Physical Collocation - Space Preparation - Common Systems			01.0	DE 4014	07.00										
	Modifications-Caged, per cage			CLO	PE1SM	97.98					1					
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		1,196.00									
	Physical Collocation - Space Availability Report, per Central			CLO	PETOJ		1,190.00		-		-					
	Office Requested			CLO	PE1SR		2,140.00									
Power				CLO	FLION		2,140.00				+					
1 OWE	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	Requested			CLO	PE1PL	7.65										
	Physical Collocation - Power, 120V AC Power, Single Phase,					1.00										
	per Breaker Amp			CLO	PE1FB	5.50										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	11.01										
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FE	16.51										
	Physical Collocation - Power, 277V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FG	38.12			ļ		1				1	
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	orts)							ļ		1				1	
				UEANL,UEQ,						1		1				
				UNCNX, UEA, UCL,											1	
	Dhusiaal Callagation 2 mins area and a second translation			UAL, UHL, UDN,	DE4B0	0.0000	40.77	446=]		1			I	
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0309	19.77	14.95	 	 	1				 	
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0618	19.95	15.05		1		1				
	r nysical Collocation - 4-wire cross-connect, loop, provisioning			WDS1L, WDS1S,	r = 1 F 4	0.0018	19.95	15.05	1	-		-				
				UXTD1, ULDD1,												
				USLEL, UNLD1,											1	
				U1TD1, UNC1X,											1	
				UEPSR, UEPSB,											1	
	Physical Collocation -DS1 Cross-Connect for Physical			UEPSE, UEPSP,											1	
	Collocation, provisioning			USL	PE1P1	1.38	39.15	23.20	1	i		l				

COLLOC	ATI	ON - North Carolina												Attachment:	4	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB,	PE1P3	17.62	First 38.25	Add'I 21.94	First	Add'l	SOWIEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - 2-5 cross-connect Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.50	38.25	21.94								
		Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	6.20	43.96	26.17								
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0028										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP,	PE1DS	0.0041										
		Physical Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0309	19.77	14.95					26.94	12.76		
80	curit	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0618	19.95	15.05					26.94	12.76		
36		Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.68	21.34								
		Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		43.87	27.57								
		Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		54.06	33.80								
		Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft. Physical Collocation - Security Access System - New Card			CLO	PE1AY	0.0135										
		Activation, per Card Activation (First), per State			CLO	PE1A1	0.0622	15.00									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.51									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		15.00									
		Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AK PE1AL		15.00 15.00									
CF	Α	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request tecords			CLO	PE1C9		77.48									
Ca		Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PE1CR		I 1458	S 937.29	245.00	245.00						
		record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		622.69	622.69	346.35	346.35						
		100 pair Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE			CLO CLO	PE1CO PE1C1 PE1C3		8.77 4.35 15.22	8.77 4.35 15.22	10.32 5.11 17.90	10.32 5.11 17.90						

Version: 4Q04 Standard ICA 04/05/05

COLLOCAT	TION - North Carolina												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					+		Nonrec	urring	Nonrecurrin	g Disconnect			220	Rates(\$)		<u> </u>
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable						101	,,,,,,		7.00.	0020					
	record (maximum 99 records)			CLO	PE1CB		163.61	163.61	143.32	143.32						i
Virtua	l to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation,															i
	per Voice Grade Circuit			CLO	PE1BV		33.00									├
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									i
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PEIBU		33.00									
	per DS1 Circuit			CLO	PE1B1		52.00									<u> </u>
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									1
	Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	FLIDS		32.00									
	Per Voice Grade Circuit			CLO	PE1BR		23.00									ĺ
	Physical Collocation Virtual to Physical Collocation In-Place, Per															
	DSO Circuit			CLO	PE1BP		23.00									İ
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	per DS3 Circuit			CLO	PE1BE		37.00									1
Entra	nce Cable															
	Physical Collocation - Cable Installation, Pricing, non-recurring			0.0												i
	charge, per Entrance Cable Physical Collocation - Cable Support Structure, per Entrance			CLO	PE1BD		1,233.00									+
	Cable			CLO	PE1PM	20.57										1
VIRTUAL COI				CLO	I E II IVI	20.51										—
	cation															
	Virtual Collocation - Application Fee			AMTFS	EAF		1,195.00						26.94	12.76		
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			AMTFS	VE1CA		317.20									
0	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		741.44									<u> </u>
Space	Preparation Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	2.69										
Powe				AIVITO	ESPVA	2.09										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.65										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
				UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX,												
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.0225	19.77	14.95					26.94	12.76		i
	Three cross sermest, resp, previous mag			UEA, UHL, UCL,	027.02	0.0220		1 1.00					20.01	12.70		
				UDL, UNCVX,												i
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0449	19.95	15.05					26.94	12.76		
				ULR, UXTD1, UNC1X, ULDD1,												
	Virtual collocation - Special Access & UNE, cross-connect per		1	U1TD1, USLEL,												1
	DS1			UNLD1, USL	CNC1X	0.4195	39.15	23.20					26.94	12.76		1
	Virtual collocation - Special Access & UNE, cross-connect per			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX,												
	DS3		1	UNLD3	CND3X	4.41	38.25	21.94					26.94	12.76		1
				UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	- CNC2F	1.96	38.25	21.94]		26.94	12.76		

OLLOCAT	ION - North Carolina												Attachment:	4	Exhibit: B	
OLLOGAI	North Carolina				1	1					Svc Order	Svc Order	Incremental		Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
							N		N	. D'				D = (= = (A)		
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UDL12, UDLO3,												
				U1T48, U1T12,												
				U1TO3, ULDO3,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4E	3.93	43.96	26.17					26.94	12.76		
	Virtual Collocation - 4-Fiber Cross Conflects			ULD 12, ULD46, UDF	CNC4F	3.93	43.90	20.17					20.94	12.70		
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
1	Copper/Coax Cable Support Structure, per linear foot, per cable		l	AMTFS	VE1CD	0.0041					1	1	1	1	1	1
	Copper/Coax Cable Support Structure, per linear root, per cable				VETCD	0.0041										
				UEPSX, UEPSB,		1								1		
				UEPSE, UEPSP,												
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSR, UEP2C	VE1R2	0.0225	19.77	14.95					26.94	12.76		
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0449	19.95	15.05					26.94	12.76		
CFA	Tintual Concoalion 1 Trice cross Connoct; 1 ort			02, 05, 02, 27	V =	0.01.0	10.00	10.00					20.01	.2		
017	Virtual Collocation - CFA Information Resend Request, per				1		+					1				
	Premises, per Arrangement, per request			AMTFS	VE1QR		77.48									
Cable	Records															
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,458.00	937.29	245.00	245.00						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record			AMTFS	VE1BB		622.69	622.69	346.35	346.35						
				AWITTO	VLIDD		022.09	022.09	340.33	340.33						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			l												
	100 pair			AMTFS	VE1BC		8.77	8.77	10.32	10.32						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.35	4.35	5.11	5.11						
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.22	15.22	17.90	17.90						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber						Î									
	records			AMTFS	VE1BF		163.61	163.61	143.32	143.32						
Secur				AWITTO	VETDI		100.01	100.01	140.02	140.02		-				
Secur																
	Virtual collocation - Security escort, basic time, normally															
	scheduled work hours			AMTFS	SPTBX		33.68	21.34					26.94	12.76		
	Virtual collocation - Security escort, overtime, outside of															
	normally scheduled work hours on a normal working day			AMTFS	SPTOX		43.87	27.57					26.94	12.76		
	Virtual collocation - Security escort, premium time, outside of a															
	scheduled work day			AMTFS	SPTPX		54.06	33.80					26.94	12.76		
				AMILES	SPIPX		54.06	33.80					26.94	12.76		
Mainte	enance															
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		52.03	21.22					26.94	12.76		
					1											
1	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM	1	69.48	27.81					26.94	12.76		
	The state of the s			1	1	† †					1	1		1	1	1
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		86.94	34.40					26.94	12.76		
F				AIVITO	OF I PIVI	├	80.94	34.40			!	 	∠0.94	12.76	-	!
Entra	nce Cable															
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		1,233.00						26.94	12.76		
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	13.28										
LLOCATIO	N IN THE REMOTE SITE						ĺ									
	cal Remote Site Collocation				İ	1					İ			İ		
,	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA	 	589.38		258.38		1	1	l	1	l	
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	218.07	303.30		230.30		-	 	-	-	-	-
	Cabinet Space in the Remote Site per Bay/ Rack			OLUKO	PEIKB	218.07					.	.	ļ		ļ	.
			l			j l					1	1	1	1	1	1
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		15.00									
	Physical Collocation in the Remote Site - Space Availability									,						
	Report per Premises Requested		l	CLORS	PE1SR		215.55				1		1	1	1	
	Physical Collocation in the Remote Site - Remote Site CLLI					 	2.0.00					 				
			l	CLORS	PE1RE	j l	70.05				1	1	1	1	1	I
	Code Request, per CLLI Code Requested						70.65					<u> </u>				
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94					ļ				
	Physical Collocation - Security Escort for Basic Time - normally															

Version: 4Q04 Standard ICA 04/05/05

OLLUCATION	ON - North Carolina												Attachment:	4	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		43.87	27.57								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		54.06	33.80								
	nt Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	f Security Escort and/or Add'l Engineering Fees become nec	essary f	or adja	cent remote site co	llocation, the	Parties will ne	gotiate approp	riate rates.								
	Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		589.38		258.38							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	218.07										
	Virtual Collocation in the Remote Site - Space Availability Report per Premises requested			VE1RS	VE1RR		215.55									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			VE1RS	VE1RL		70.65									
JACENT CO																
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1555										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.78										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN		0.0239	19.77	14.95								
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0477	19.95	15.05								†
	Adjacent Collocation - DS1 Cross-Connects	l		USL	PE1JG	1.28	39.15	23.20							1	†
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	17.35	38.25	21.94							İ	1
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.94	38.25	21.94								1
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	5.62	43.96	26.17								1
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,266.00		0.5842							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp	L		CLOAC	PE1JL	5.50										<u> </u>
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	11.01										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	38.12							_			

Version: 4Q04 Standard ICA

04/05/05

COLLOCAT	ION - South Carolina												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Dan .	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																i
PHYSICAL CO																ĺ
Applic																í .
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,883.67		0.51							
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,570.10		0.51							
	Physical Collocation - Co-Carrier Cross Connects/Direct			CL O	PE1DT		504.40									ł
	Connect, Application Fee, per application Physical Collocation - Power Reconfiguration Only, Application		<u> </u>	CLO	PEIDI		584.42									
	Fee			CLO	PE1PR		400.33									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66									.
	Physical Collocation - Application Cost, Simple Augment		<u> </u>	CLO	PE1KS		594.27		1.21		ļ					
	Physical Collocation - Application Cost, Minor Augment		1	CLO	PE1KM PE1K1		833.26		1.21						-	——
	Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment		1	CLO	PE1K1 PE1KJ		1,058.00 2,409.00		1.21 1.21							
Snaco	Preparation			CLO	PEINJ		2,409.00		1.21		1				-	
Эрасе	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	3.95										
	Physical Collocation - Space Enclosure, welded wire, first 50			020	12110	0.00										
	square feet			CLO	PE1BX	197.69										ł
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	219.19										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	21.50										
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.75										
	Physical Collocation - Space Preparation, Common Systems			OLO	LIOK	2.75										
	Modifications-Cageless, per square foot			CLO	PE1SL	3.24										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	110.16										ł
	Physical Collocation - Space Preparation - Firm Order															
	Processing Physical Collocation - Space Availability Report, per Central			CLO	PE1SJ		602.05									
	Office Requested			CLO	PE1SR		1,077.57									ł
Power																i
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	9.19										1
	Physical Collocation - Power, 120V AC Power, Single Phase,															
	per Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase,			CLO	PE1FB	5.67										
	per Breaker Amp			CLO	PE1FD	11.36										ł
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per			CLO	PE1FE	17.03										
	Breaker Amp			CLO	PE1FG	39.33										ł
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														í T
				UEANL,UEQ, UNCNX, UEA, UCL,												1
				UAL, UHL, UDN,												l
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0341	12.32	11.83	6.04	5.45					1	i
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0682	12.42	11.90	6.40	5.74						
	in nysical conceation - 4-wire cross-connect, roop, provisioning			WDS1L, WDS1S, UXTD1, ULDD1,		0.0002	12.42	11.90	0.40	3.74						
				USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB,												
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			UEPSE, UEPSP, USL	PE1P1	1.12	22.08	15.96	6.42	5.80						l

COLLOC	ATIO	ON - South Carolina												Attachment:	4	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
					UE3, U1TD3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	14.21	20.94	15.23	7.39	5.93						
		· · · ·			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
		Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93						
		Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	5.01	25.61	19.90	9.73	8.26						
		Physical Collocation - Co-Carrier Cross Connects/Direct			ODI, ODI OX	1 = 11 +	0.01	20.01	10.00	0.70	0.20						
		Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per	1														
		cable.			CLO	PE1DS	0.0015										
		Physical Collocation 2-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
		Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0682	12.42	11.90	6.40	5.74		15.69				
Sec	curity																
		Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.96	10.75								
		Physical Collocation - Security Escort for Overtime - outside of			CLO	FEIDI		16.96	10.75								
		normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.10	13.89								
		Physical Collocation - Security Escort for Premium Time -			CLO	PE1PT		27.23	17.00								
		outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	74.72	21.23	17.02								
		Physical Collocation -Security Access System - New Card															
		Activation, per Card Activation (First), per State			CLO	PE1A1	0.0601	27.85									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.81									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.83									
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13									
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.13									
CF/		Physical Collocation - CFA Information Resend Request, per					1										
		premises, per arrangement, per request			CLO	PE1C9		77.71									
Cal		Records Physical Collocation - Cable Records, per request			CLO	PE1CR		I 760.98	S 489.2	133.29							
		Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLU	FEICK	1	1 /00.98	3 489.2	133.29							
		Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		327.65		189.54							
		100 pair			CLO	PE1CO		4.82		5.91							
		Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE	1		CLO CLO	PE1C1 PE1C3	1	2.26 7.90		2.77 9.68						 	

Version: 4Q04 Standard ICA 12/09/04

CATEGORY RATE ELEMENTS Interf I	Exhibit: B	Exhibit: B	xhibit: B	3	
Physical Collection - Cable Records, Pietr Cable, per cable C.O. Per 108 Select First Age Som	ntal Incremental e - Charge - Svc Manual Svc vs. Order vs. nic- Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic	ncremental Charge - Manual Svc Order vs. Electronic-	ntal Incre e - Cha Svc Manu rs. Orde nic- Elect	crement Charge - anual Sv Order vs lectronic bisc Add
Psychiatric Coloration - Caste Records, Fiser Cable, per cable CLO PETCR Better Application Programme Programme Coloration Relocation CLO PETCR Better Application Application CLO PETCR Better Application Applicati	1				
Private Priv	N SOMAN	SOMAN	SOMAN	N SO	SOMAN
Wintable Prepared Collection - Virtual to Physical Cultication Relocation, Per Note Clinic Collection - Virtual to Physical Cultication Relocation, Per Note Clinic Collection - Virtual to Physical Collection Relocation, Per Note Clinic Collection - Virtual to Physical Collection Relocation, Per Note Clinic Collection - Relocation, Physical Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Relocation, Per Note Clinic Collection - Per Note Clinic Collectio					
Physical Collections - Virtual to Physical Collection Relocation, low Vising Grade Cried. Col.		1			
Def Votes Grade Critical Collection - Virtual to Physical Collection Refocation					
Physical Collection - Virtual to Physical Collection Relocation, per DSO Circuit Physical Collection Relocation, per DSO Circuit Physical Collection Relocation, per DSO Circuit Physical Collection Physical Physical Collection Physical Physical Collection Physical Physical Collection Physical Physical Physical Physical Physical Physical Collection Physical Physical Physical Physical Physical Phys		1			
Det Discount				$-\!\!\!\!+\!\!\!\!-$	
Physical Collocation - Virtual to Physical Collocation Relocation CLO PE181 52.00		1			
Der DSS Circuit				-	
Physical Collocation - Virtual to Physical Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Collocation Replace, present of the Replacetion Replace, present of the Replacetion Replaceti		1			
Set DSS Cross Physical Collocation in Physical Col			-		
Per Votes Grade Circuit Physical Collocation Virtual to Physical Collocation Virtual to Physical Collocation In-Place, Per DSC Circuit CLO PE18P 23.00		1			
Physical Collocation - Virtual to Physical Collocation in Place, Per CLO PE18P 23.00					
CLO PE18P 22.00				\perp	
Physical Collocation - Virtual to Physical Collocation in Filace, per DSI Circuit Physical Collocation - Virtual to Physical Collocation in Filace, per DSI Circuit Physical Collocation - Virtual to Physical Collocation in Filace, per DSI Circuit Physical Collocation - Cable Installation, Proting, non-recurring characteristic CLO PE1BE 37,00		İ			
Per DST Circuit CICO					
Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit PERTAIN COLLOCATION PER Physical Collocation - Cable Installation, Pricing, non-recurring clarge, per Entrance Cable Prevail Collocation - Cable Installation, Pricing, non-recurring clarge, per Entrance Cable Prevail Collocation - Cable Support Structure, per Entrance CLO PER PROVIDED PER PROVIDED PER PROVIDED PER PROVIDED PER PROVIDED PER PROVIDED PER PROVIDED PER PROVIDED PER PROVIDED PER PROVIDED PER PROVIDED PER PROVIDED PER PE		1			
Entrance Cable CLO PETBE 37.00				-+-	
Entrance Cable Physical Collocation - Cable Installation, Pricing, non-recurring Physical Collocation - Cable Support Structure, per Entrance Cable PETRON		i			
CLO PE1BD 794.22 22.54				_	
Physical Collocation - Cable Support Structure, per Entrance					
Cable		1			
Physical Collocation - Fiber Entrance Cable Installation, per Fiber CLO PE1ED 3.87					
Fiber CLO PE1ED 3.87					
Virtual Collocation - Application AMTES EAF 1,207.95 0.51		i			
Application				-+-	
Virtual Collocation - Application Fee				$-\!\!\!+\!\!\!\!-$	
Virtual Collocation - Co-Carrier Cross Connects Direct Connect, Application Fee, per application Fee, per application Fee Proparation AMTFS VE1CA 584.42					
Application Fee, per application				_	
Space Preparation Virtual Collocation - Floor Space, per sq. ft. AMTFS ESPVX 3.95		1			
Nirtual Collocation - Floor Space, per sq. ft.					
Power		1			
Virtual Collocation - Power, per fused amp AMTFS ESPAX 9.19					
Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) UEANL, UEA, UDN, UAL, UHL, UCL, UHC, UHC, UHC, UHC, UNCVX, UNCDX, UN					
UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX				-	
UAL, UHL, UCL, UEQ, UNCVX, UNCNX UEAC2				$-\!\!\!+\!\!\!\!-$	
Virtual Collocation - 2-wire cross-connect, loop, provisioning		1			
Virtual Collocation - 2-wire cross-connect, loop, provisioning		1			
Virtual Collocation - 4-wire cross-connect, loop, provisioning					
Virtual Collocation - 4-wire cross-connect, loop, provisioning					
ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, U1TD1, USLEL, UNLD1, USL CNC1X		1			
Virtual collocation - Special Access & UNE, cross-connect per UNC1X, ULDD1, USLEL, UNLD1, USL CNC1X 1.12 22.08 15.96 6.42 5.80 USL, UE3, U1TD3, UXTS1, UXTD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDD3, U1TS1, ULDS3, U1TS1, ULDS3, UNC3X, U				$-\!\!\!\!\!-$	
Virtual collocation - Special Access & UNE, cross-connect per U1TD1, USLEL, UNLD1, USL CNC1X 1.12 22.08 15.96 6.42 5.80 USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNC3X, UNC3X, ULDD3, U1TS1, ULDS1, UDLSX, ULDS1, UDLSX, UNLDS3 CND3X 14.21 20.94 15.23 7.39 5.93 UDL12, UDL03, UDL12, UDL03, UDL12, UDL03, UNC3X, UNDL03 UDL12, UDL03, UDL12, UDL03, UNDL12,		1			
DS1		1			
USL, UE3, U1TD3, UXTS1, UXTD3, UXTS1, UXTS3, UNCSX, ULDD3, UNCSX, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 CND3X 14.21 20.94 15.23 7.39 5.93 UDL12, UDL03, UDL12, UDL03, UNCSX, UNLD3 CND3X 14.21 UDL12, UDL03, UDL12, UDL03, UDL12, UDL03, UDL12, UDL03, UNCSX, UNLD3 CND3X 14.21 UDL12, UDL03, UDL12, UDL03, UNCSX, UNLD3 CND3X 14.21 UDL12, UDL03, UDL12, UDL03, UNCSX,		1			
UXTS1, UXTD3, UNC3X, UNCSX, UNCSX, ULDD3, U1TS1, ULD3, UDLSX, ULDD3, UTS1, ULDS1, UDLSX, UNLD3 CND3X				+-	
Virtual collocation - Special Access & UNE, cross-connect per ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 CND3X 14.21 20.94 15.23 7.39 5.93 UDL12, UDL03, UDL12, UDL		İ			
Virtual collocation - Special Access & UNE, cross-connect per DS3 ULDS1, UDLSX, UNLD3 CND3X 14.21 20.94 15.23 7.39 5.93		1			
DS3 UNLD3 CND3X 14.21 20.94 15.23 7.39 5.93 UDL12, UDLO3,		1			
UDL12, UDL03,		1			
				-	
		İ			
		1			
U1703, ULD03,		1			
Virtual Collocation - 2-Fiber Cross Connects ULD12, ULD48, UDF CNC2F 2.86 20.94 15.23 7.40 5.93		1			

COLLOCATIO	N - South Carolina												Attachment:	4	Exhibit: B	
JOLLOGATIO	or Count Curonna				1	1					Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			000	Rates(\$)		
						Rec					SOMEC SOMA	001111			SOMAN	SOMAN
							First	Add'l	First	Add'l	SOWIEC	SUMAN	SOMAN	SOMAN	SUMAN	SUMAN
				UDL12, UDLO3,												
				U1T48, U1T12,												
				U1TO3, ULDO3,												
v	/irtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26						
- 	Threat Concoation 11 Bot Cross Controls			025 12, 025 10, 051	0.10	0	20.01	10.00	0.70	0.20						
	firtual Callegation Ca Coming Company (Direct Company															
	/irtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
F	Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
V	/irtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
C	Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
	soppon coan capie cappon chactere, per mical root, per capie			UEPSX, UEPSB,	12.02	0.0010										
				UEPSE, UEPSP,							l					1
	/irtual Collocation 2-Wire Cross Connect, Port			UEPSR, UEP2C	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	/irtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0634	12.42	11.90	6.40	5.74	L					
CFA																
V	/irtual Collocation - CFA Information Resend Request, per															
	Premises, per Arrangement, per request			AMTFS	VE1QR		77.71									
				AWITTO	VLIQN		11.11									
Cable Re																
	/irtual Collocation Cable Records - per request			AMTFS	VE1BA		760.98	489.20	133.29							
V	/irtual Collocation Cable Records - VG/DS0 Cable, per cable															
re	ecord			AMTFS	VE1BB		327.65		189.54							
V	/irtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		4.82		5.91							
	/irtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.26		2.77							
	/irtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.90		9.68							
	/irtual Collocation Cable Records - Fiber Cable, per 99 fiber															
re	ecords			AMTFS	VE1BF		84.68		77.30							
Security																
	/irtual collocation - Security escort, basic time, normally															
	scheduled work hours			AMTFS	SPTBX		16.96	10.75								
				AWIIFS	SPIDA		16.96	10.75								
	/irtual collocation - Security escort, overtime, outside of															
	normally scheduled work hours on a normal working day			AMTFS	SPTOX		22.10	13.89								
V	/irtual collocation - Security escort, premium time, outside of a															
S	scheduled work day			AMTFS	SPTPX		27.23	17.02								
Maintena	ance															
	/irtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.99	10.75								
- I V	man conceancy maintenance in co bacic, per han nour			0	O.INEX	+	27.33	10.75							1	
	firtual collegation. Maintenance in CO. Ourstines and Military			AMTEC	CDTOM		20.50	40.00			l					1
V	/irtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89			ļ					
					1		l]]			1	1
V	/irtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.12	17.02								
Entrance	e Cable															
	/irtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX	i i	794.22		22.54							
	/irtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	18.66			LL.07		 				-	
	IN THE REMOTE SITE				_0. 0/	10.00					1	1			 	1
					-	 					 				-	1
	Remote Site Collocation				L						ļ					
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38		168.60							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
						j	j									
P	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD	j J	13.13				l]			1	1
	Physical Collocation in the Remote Site - Security Access - Rey			020110		 	10.10				 	 			1	
				CLODG	DE4CD		440.40				l					1
	Report per Premises Requested			CLORS	PE1SR	ļ	116.13				ļ					
	Physical Collocation in the Remote Site - Remote Site CLLI										l					1
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64]]			1	1
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR	i i	234.50				İ					
	Physical Collocation - Security Escort for Basic Time - normally					 	2050				l				t	
				CLOBS	DE4BT		40.00	40.75			l]			1	1
I IS	scheduled work, per half hour			CLORS	PE1BT		16.96	10.75								

COLLOCATION	ON - South Carolina												Attachment:	4	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLORS	PE1PT		27.23	17.02								
	nt Remote Site Collocation			020110			27.20									
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62						1	t	—
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	f Security Escort and/or Add'l Engineering Fees become nec	essary f	for adja	cent remote site co	llocation, the	Parties will ne	gotiate approp	riate rates.								
	Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		616.76		337.19							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	246.44										
	Virtual Collocation in the Remote Site - Space Availability Report per Premises requested			VE1RS	VE1RR		232.25									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			VE1RS	VE1RL		75.27									
	LLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN		0.0264	12.32	11.83	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0527	12.42	11.90	6.40	5.74						†
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.03	22.08	15.96	6.42	5.80				İ	İ	1
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	14.00	20.94	15.23	7.39	5.93				İ	İ	1
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.37	20.94	15.23	7.40	5.93						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.53	25.61	19.90	9.73	8.26						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.67										
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL PE1JM	11.36										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp		ct to rat	CLOAC	PE1JO	39.33		<u> </u>								

Version: 4Q04 Standard ICA

12/09/04

COLLOCA	ΓΙΟΝ - Tennessee												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL C	DLLOCATION															
	cation				+											
	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		2,633.00			1						
	Physical Caged Collocation-App Cost(initial & sub)-Planning,															
	per request			CLO	PE1AC	16.16	2,903.66									
	Physical Collocation - Co-Carrier Cross Connects/Direct			01.0	DE4DT		505.00									
	Connect, Application Fee, per application Physical Collocation - Power Reconfiguration Only, Application			CLO	PE1DT		585.09		-	-						<u> </u>
	Fee			CLO	PE1PR		400.10									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.25									
Space	Preparation															
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1SB	4.32										
	Physical Collocation, Caged Collocation - Space Prep-Power			CLO	DE1CN		140 40			1						
	Cable, 40 AMP, includes 20 AMP A and B Feed Physical Collocation, Caged Collocation - Space Prep-Power			CLU	PE1SN		142.40			+	 				1	
	Cable, 100 AMP, includes 50 AMP A and B Feed			CLO	PE1SO		185.72									
	Physical Collocation, Caged Collocation - Space Prep-Power									1						
	Cable, 200 AMP, includes 100 AMP A and B Feed			CLO	PE1SP		242.05									
	Physical Caged Collocation-Space Enclosure-Cage Preparation,															
	per first 100 sq. ft.			CLO	PE1S1	110.97										
	Phycical Caged Collocation-Space Enclosure-Cage Preparation, per add'l 50 sq. ft.			CLO	PE1S5	55.49										
	Physical Caged Collocation-Floor Space-Land & Buildings, per			CLO	FL100	33.49				1						
	sa. ft.			CLO	PE1FS	5.94										
	Physical Collocation - Cageless - Floor Space, per sq. ft.			CLO	PE1ZB	3.91										
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.94										
	Physical Collocation - Space Enclosure, welded wire, first 50															
	square feet			CLO	PE1BX	197.09										
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	218.53										
	Physical Collocation - Space enclosure, welded wire, each			CLO	FLIDW	210.33										
	additional 50 square feet			CLO	PE1CW	21.44										
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.74										
	Physical Collocation - Space Preparation, Common Systems			01.0	DE 401	0.05										
	Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems			CLO	PE1SL	2.95										
	Modifications-Caged, per cage			CLO	PE1SM	100.14										
	Physical Collocation - Space Preparation - Firm Order			OLO	I L I OWI	100.14										
	Processing			CLO	PE1SJ		1,204.00									
	Physical Collocation - Space Availability Report, per Central															
	Office Requested	ı		CLO	PE1SR		2,027.00									
Powe	Physical Collocation - Power, -48V DC Power - per Fused Amp															ļ
	Requested			CLO	PE1PL	8.87										
	Physical Collocation - Power, 120V AC Power, Single Phase,			OLO	12112	0.07										
	per Breaker Amp			CLO	PE1FB	5.60										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	11.22				ļ	ļ					
	Physical Collocation - Power, 120V AC Power, Three Phase, per			01.0	DE4EE	40.00				1						
	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per			CLO	PE1FE	16.82				 	 				1	ļ
	Breaker Amp			CLO	PE1FG	38.84				1						
	Physical Caged Collocation-Power-Power Construction, per amp			0.0	1 1 1 1 0	30.04			+	-	 				+	
i	DC plant			CLO	PE1PN	3.55				1						
(T	Physical Caged Collocation-Power-Power Consumption,per amp															
	AC usage			CLO	PE1PO	2.03				<u></u>	<u> </u>					

COLLOCATI	ON - Tennessee												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring			g Disconnect	001150	001111		Rates(\$)	001441	SOMAN
	Physical Collocation - Cageless - Power, per Fused Amp			CLO	PE1ZC	6.79	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	Physical Collocation - Cageless - Power, per 1 used Amp Physical Collocation - Meter Reading - per CLEC per CO, First			CLO	FLIZO	0.79										
	12 Circuits w/BST Meter Physical Collocation - Meter Reading -per CLEC per CO, per			CLO	PE1FO	102.24										
	Physical Collocation - Meter Reading - per CLEC per CO, First			CLO	PE1FP	8.94										
	12 Circuits w/CLEC Meter			CLO	PE1FQ	98.25										
	Physical Collocation - Meter Reading - per CLEC per CO, per Each Additional 2 Circuits w/CLEC Meter			CLO	PE1FR	8.94										
	Physical Collocation - Additional Meter Reading Trip Charge, per			CLO	PE1FM		207.04									
Cross	Central Office, per Occurrence Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	-	CLO	PETEM		307.64									
0,033	Someons (Greek Someons, and T	0113)		UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.033	33.82	31.92								
	Physcial Collocation - Cageless - 2-Wire Cross-Connects			UNCNX UEA, UHL, UNCVX,	PE1ZD	0.57	11.62	9.90	10.38	8.66						
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.066	33.94	31.95								
	Physical Collocation - Cageless - 4-Wire Cross Connects			UNCVX, UNCDX, WDS1L, WDS1S,	PE1ZE	0.57	11.81	10.04	10.44	8.67						
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL	PE1P1	1.51	53.27	40.16								
				WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1,												
	Physical Collocation - Cageless - DS1 Cross Connects Physical Collocation - DS3 Cross-Connect, provisioning			UEPEX, UEPDX UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB	PE1ZF	1.32	32.22	17.76	10.46	8.75						
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physcial Collocation - Cageless - DS3 Cross Connects			UNLD3	PE1ZG	12.32	29.97	16.30	12.03	8.99						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.5
	Physical Collocation - Cageless - 2 Fiber Cross Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CK	3.03	41.56	29.82	12.96	10.34						

COLLOCAT	ION - Tennessee												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect		•		Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,									2.00	2.00		
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			UDF	PE1CL	6.06	50.53	38.78	16.97	14.35						
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0013										
	Physical Collocation - Cageless - Co-Carrier Cross Connects -			CLO	DE17!!	0.0001				1					1	
	Fiber Cable Support Structure, per linear foot, per cable. Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per			CLO	PE1ZH	0.0031										
	cable. Physical Collocation - Cageless - Co-Carrier Cross Connects -			CLO	PE1DS	0.0019										
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1ZJ	0.0045										
				UEPSR, UEPSP,												
	Blacked Oalleadia OMia Oace Oace Bart			UEPSE, UEPSB,	DE 4 DO	0.000	00.00	04.00					00.05	40.54	40.00	4.40
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.033 0.066	33.82 33.94	31.92 31.95					20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade circuits, per circuit.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE12C	0.0475	7.68									
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade circuits, per circuit.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 UE3,U1TD3,	PE14C	0.0475	7.68									
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per circuit.			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per circuit.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per circuit.			U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE13S	53.96	298.03									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per circuit.			U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE13X	9.32	298.03									

COLLOCA	TION - Tennessee												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrecurring		Nonrecurring	g Disconnect	1		220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Secu	rity						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
Secu	Physical Caged Collocation-Security Access-Access Cards, per		1		+		1									
	5 Cards			CLO	PE1A2		76.10									
	Physcial Collocation - Cageless - Security Escort - Basic, per			OLO	1 2 17 42		70.10									
	Half Hour			CLO	PE1ZM		33.15	20.44								
	Physical Collocation - Cageless - Security Escort - Overtime, per			CLO	1 2 12 101		00.10	20.44								
	Half Hour			CLO	PE1ZN		41.50	25.61								
	Physical Collocation - Cageless - Security Escort - Premium, per															
	Half Hour			CLO	PE1ZO		49.86	30.79								
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLO	PE1BT		33.91	21.49								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLO	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLO	PE1PT		54.42	34.02								
	Physical Collocation - Security Access System - Security System															
	per Central Office			CLO	PE1AX	55.99										
	Physical Collocation -Security Access System - New Card															
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.059	55.67									
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \															
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.61									
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		45.64									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.24									
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		26.24									
CFA																
	Physical Collocation - CFA Information Resend Request, per															
	premises, per arrangement, per request			CLO	PE1C9		77.67									
Cable	e Records															
	Physical Collocation - Cable Records, per request			CLO	PE1CR		1,711.00									
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable															
	record (maximum 3600 records)			CLO	PE1CD		925.06									
	Physical Collocation, Cable Records, VG/DS0 Cable, per each															
	100 pair			CLO	PE1CO		18.05									
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		8.45									
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		29.57									
	Physical Collocation - Cable Records, Fiber Cable, per cable			0.0	55405											
	record (maximum 99 records)	<u> </u>	<u> </u>	CLO	PE1CB		279.42									
Virtu	al to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation,			01.0	DE4DV		00.00									
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			0.0	55.50											
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1BO		33.00									
				CI O	DE4D4		50.00									
	per DS1 Circuit	-		CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit		1	CLO	PE1B3		52.00								I	
	Physical Collocation - Virtual to Physical Collocation In-Place,	-	 	OLO	PE IB3		5∠.00		 	-						
	Per Voice Grade Circuit			CLO	PE1BR		23.00								1	
	Per Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per	├	 	OLO	FEIBK		23.00									
	DSO Circuit			CLO	PE1BP		23.00								1	
	Physical Collocation - Virtual to Physical Collocation In-Place,	-	 	010	FLIDE		23.00		 	-						
	Per DS1 Circuit		1	CLO	PE1BS		33.00								I	
	Physical Collocation - Virtual to Physical Collocation In-Place,	1	-	CLO	FEIDO		33.00				1				1	-
1	per DS3 Circuit	1	1	CLO	PE1BE		37.00]						I	I
	Ipor Doo Onoun	1	1	0_0			37.00		1	1	1	1			1	1

COLLOCATI	ON - Tennessee												Attachment:	4	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrecurring		Nonrecurring	Disconnect		<u> </u>	oss	Rates(\$)	l	l.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Support Structure, per Entrance			0.0	55.51											
	Cable Physical Collocation - Fiber Entrance Cable per Cable (CO			CLO	PE1PM	19.80										
	manhole to vault splice)			CLO	PE1EC		1,071.00		43.10							
	Physical Collocation - Fiber Entrance Cable Installation, per						1,011100									
	Fiber			CLO	PE1ED		7.29									
VIRTUAL COLI																
Applica	Virtual Collocation - Application Fee			AMTFS	EAF		2,633.00						2.07	2.81	0.67	1.41
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,			AWITTO	LA		2,033.00						2.01	2.01	0.07	1.41
	Application Fee, per application			AMTFS	VE1CA		585.09									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		743.25									
Space	Preparation (1)			ANTEO	EOD) (V	0.04										
Power	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.91										
Fower	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.79	1									
Cross (Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		741111 0	201700	0.70										
		Í		UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX,												
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
				UEA, UHL, UCL, UDL, UNCVX,												
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
	Virtual collocation - Special Acess & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
				,, 001		2.00	50									
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0013										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0019										
				UEPSE, UEPSP,												
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSR, UEP2C	VE1R2	0.57	11.62	9.90	10.38	8.66			20.35	10.54	13.32	1.40
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.57	11.81	10.04	10.44	8.67			20.35	10.54	13.32	1.40
CFA	Nr. 10 H H 0511 () -															
Cable F	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request Records			AMTFS	VE1QR		77.67									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,711.00		1		1		 	 		